District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit	or Below-Grade Tank Registration or	Closure
Is pi	t or below-grade tank covered by a "general plan"? Ye	s 🗌 No 🛚

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank				
Operator: Parallel Petroleum Corporation Telephone: 432-684-3905 e-mail address: gmiller@hec-enviro.com				
Surface Owner: Federal State Private Indian				
Pit	Below-grade tank			
Type: Drilling Production Disposal	Volume:bbl Type of fluid: Construction material:			
Workover ☐ Emergency ☐	Double-walled, with leak detection? Yes If not, explain why not.			
Lined X Unlined	Double-wailed, with leak detection? Yes If not, explain why not.			
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐				
Pit Volume 25,000 bbl	L 4 - 50 C4	(20		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)		
high water elevation of ground water.) 750°	50 feet or more, but less than 100 feet	(10 points) 0		
	100 feet or more	(0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0		
	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points) 0		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)		
	Ranking Score (Total Points)	0		
Numering Scote (Total Totals)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit		• 11		
your are burying in place) onsite 🖾 offsite 🗌 If offsite, name of facility				
remediation start date and end date. (4) Groundwater encountered: No 🗌 Y	Yes I If yes, show depth below ground surface	ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excava-	tions.			
Additional Comments:				
See attached closure plan		*		
GGT2008				
RECEIVED				
OCD ARTESIA				
		-5/11		
I hereby certify that the information above is true and complete to the best				
has been/will be constructed or closed according to NMOCD guidelines X, a general permit \(\subseteq \), or an (attached) alternative OCD-approved plan \(\subseteq \).				
Date: 9-28-06				
·				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: Printed Name/Title Signature Date: Date:				
Approval:				
Printed Name/Title				
Printed Name/Title Date: Date: Date:				

Pit Closure Plan – Drilling Pit

Operator:

Parallel Petroleum Corporation

Well Name:

Music Box Federal #1, API # 30-015-34726

Location:

Unit O, Section 1, Township 19 S, Range 23 E, Eddy County, NM

1. Any remaining liquids will be removed from the pit.

2. Remaining solid wastes (i.e. buckets, cans, miscellaneous trash, debris, contaminated solids, etc.) will be removed from the pit, except for dried mud and cuttings, cement, and frac materials in drilling and reserve pits which have been approved by the OCD for encapsulation.

3. This well did not penetrate a salt section and was drilled with less than 9.5 lb/gal brine. Therefore, the drilling pit will be closed by encapsulation:

Trench burial and capping will be performed for the drilling mud and cuttings. Up to two trenches (approximately 5 feet wide x 10 feet deep x 125 feet length) will be dug next to the pit and the cuttings buried and capped. The trenching and capping will be accomplished by lining the trench with an impervious, reinforced, synthetic or fabricated liner at least 12 mils in thickness; mixing earthen materials with the pit contents, as necessary to stiffen the pit contents sufficiently to provide stability and support for the trench cap; emplacing the stiffened mud and cuttings into the lined trench; capping the trench with a 20 mil minimum thickness impervious, fiber reinforced, synthetic or fabricated liner (the synthetic liner will overlap the trench area by at least 3 feet in all directions); and covering the trench with a minimum of 3 feet of clean soil that is capable of supporting native plant growth.

4. Since this is a federal well, the Bureau of Land Management (BLM) will be contacted for site reclamation requirements.