District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**


Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Is pit or below-grade tank	rade Tank Registration or Closure c covered by a "general plan"? Yes or below-grade tank Closure of a pit or below-g	No ☐ rade tank ⊠			
	e-mail address: mikes@ypcnm.com L or Qtr/Qtr O Sec 10 T12S R 27E	A 2008 RECEIVED ARTESIA			
Pit Type: Drilling □ Production □ Disposal □ Work over ☑ Emergency □ Lined ☑ Unlined □ Liner type: Synthetic ☑ Thickness 12 mil Clay □ Pit Volume	Construction material:				
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) XXXX (0 points)			
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) XXXX			
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) XXXX			
	Ranking Score (Total Points)	10 Points			
f this is a pit closure: (1) Attach a diagram of the facility showing the pit's relation place) onsite ☐ offsite ☒ If offsite, name of facility: N/A (3) At Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surfacts of Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for workover pit. The workover pit comments the excavated area will be backfilled to grade using a minimum of 3' of clean soil. Pit Closure start date: N/A. Final closure date: N/A.	tach a general description of remedial action taken in aceft. and attach sample results. Ontents will be excavated and hauled to an OCD approand like material. A one call and a 48 hour notice wi	roved soil waste facility. Il be provided to the Oil Conservation Division.			
I hereby certify that the information above is true and complete to the best of my been/will be constructed or closed according to NMOCD guidelines	general permit , or an (attached) alternative O Signature Signature	CD-approved plan			
Approval: Printed Name/Pitto Library Approval: Printed Name/Pitto Library Approval: Printed Name/Pitto Library Approval: Ap	Signature	Date: 9/19/06			



	New Mexico O POD Re _l	ffice of the Sta ports and Dow		STA FEDERAL CO
Township: 12	2S Range: 27E	Sections:		#1
NAD27 X:	Y: 1	Zone:	Search Radius:	
County:	Basin		Number:	Suffix:
Owner Name: (First)	(La	ost) ② All	O Non-Domestic	Domestic
POD	Surface Data Report Wat	Aver Column Repo	g Depth to Water Report	
	Clear Form	IWATERS M	enu Help	

AVERAGE DEPTH OF WATER REPORT 09/20/2006

								(Depth	Water in	Feet)
Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	Min	Max	Avg
С	12S	27E	19				1	29	29	29
RA	12S	27 E	21				1	150	150	150

Record Count: 2