

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD-HOBBS

FORM APPROVED
OMB NO. 1004-0137
Expires: March 31, 2007

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other
b. Type of Completion ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resrv.,
Other _____

2. Name of Operator
Apache Corporation

3. Address
6120 South Yale, Suite 1500 Tulsa OK 74136-4224

3.a Phone No. (Include area code)
(918)491-5362

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At Surface 2360' FNL & 1650' FEL, Sec 10, T 21S, R 37E, Unit G

At top prod. interval reported below

At total depth

14. Date Spudded
06/25/2006

15. Date T.D. Reached
07/06/2006

16. Date Completed
☐ D & A ☒ Ready to Prod.
08/09/2006

18. Total Depth: MD 6900'
TVD

19. Plug Back T.D.: MD 6854'
TVD

20. Depth Bridge Plug Set: MD
TVD

21. Type of Electric & Other Mechanical Logs Run (Submit copy of each)
DLL/MG; SD/DSN

22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit analysis)
Directional Survey? ☒ No ☐ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12-1/4"	8-5/8"	24#	0	1310'		550 sx	165	0' (circ)	
7-7/8"	5-1/2"	17#	0	6900'		1150 sx	430	0' (circ)	
								130' C/L	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-7/8"	6766'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Blinebry	5645'		5627 - 5931'		2 JSPF	Open
B) Tubb	6126'		6111 - 6258'		2 JSPF	Open
C) Drinkard	6475'		6598 - 6697'		2 JSPF	Open
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
5627 - 5931'	Acidize 2000 gals 15% HCl. Frac 36k gals gel + 75k# 20/40 sand.
6111 - 6258'	Acidize 2000 gals 15% HCl. Frac 36k gals gel + 82k# 20/40 sand.
6598 - 6697'	Acidize 2000 gals 15% HCl. Frac 39k gals gel + 55k# 20/40 sand.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
7/21/06	8/21/06	24	→	58	210	126	40.0		Pumping
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
			→				3621	Producing	

Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
			→						

(See Instructions and spaces for additional data on page 2)

ACCEPTED FOR RECORD
SEP 5 2006
WESLEY W. INGRAM
PETROLEUM ENGINEER

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

30. Summary of Porous Zones (Include Aquifers):

Show all important zones or porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
Rustler	1260'				
Yates	2594'				
Seven Rivers	2825'				
Queen	3400'				
Grayburg	3739'				
San Andres	3967'				
Gorieta	5202'				
Blinbry	5645'				
Tubb	6126'				
Drinkard	6475'				
Abo	6715'				

32. Additional remarks (include plugging procedure):

Note: Combined test due to commingle pool.

Perf Detail: Blinbry 5627-31,5732-36,5837-41 & 5927-31'

Tubb 6111-15,77-81 & 6254-58'

Drinkard 6598-6602,32-36,69-73 & 6693-97'


33. Indicate which items have been attached by placing a check in the appropriate boxes:

- ☒ Electrical/Mechanical Logs (1 full set req'd.)
 ☐ Geological Report
 ☐ DST Report
 ☐ Directional Survey
☐ Sundry Notice for plugging and cement verification
 ☐ Core Analysis
 ☐ Other

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Elaine LintonTitle Engineering Technician

Signature

Date 08/28/2006

Title 18 U.S.C. Section 101 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States and false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.