1625 Ne French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505


office

Pit or Below-Grade Tank Registration or Closure	
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)	
e of action. Registration of a pit or below-grade tank \square Closure of a pit or below-grade tank \square	Ø

Type of action. Registration of a pit of	or below-grade tank 🔲 Closure of a pit or below-grade tank 🖂	
Operator: Pogo Producing Company Telephone: 432-685-8100 e-mail address: wrightc@pogoproducing.com		
Address: P. O. Box 10340, Midland, TX 79702		
Facility or well name: Monsanto State #10 API #: 30-025-37421 U/L or Qtr/Qtr P Sec 16 T 25S R 32E		
County: <u>Lea</u> Latitude <u>32:07:36.09</u> Longitude <u>103:40:19.43</u> NAD: 1927 ▼ 1983 □		
Surface Owner: Federal State Private Indian		
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined 🛛 Unlined 🗌		
Liner type: Synthetic Thickness 12 mil Clay	Double-walled, with leak detection? Yes If not, explain why not.	
Pit Volume 28000 bbl	A B	
Donah to many division (continued division of the last	Less than 50 feet (20 points) Out once	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet (10 points)	
high water elevation of ground water.)	100 feet or more Less than 50 feet (20 points) (10 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes (20 points) OCD	
water source, or less than 1000 feet from all other water sources.)	No X (0 points)	
water source, or less than 1000 feet from an other water sources.)	153	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet (20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet (10 points)	
	1000 feet or more X (0 points) 0	
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🖾 offsite 🔲 If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
1		
I hough a good of the state in Co		
has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that the above-described pit or below-grade tank es [], a general permit [], or an (attached) alternative OCD-approved plan [].	
Date: 10/18/06	Signature (SHWWWAT	
Printed Name/Title Cathy Wright, Sr. Eng Tech		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval:		
Printed Name/Title CHRIS WILLIAMS / DIST. SUPV. Signature Mis Welliam Date: 10/19/06		
Sucho W. Million DIST. DUF	organium Villa (Vellagur Date: 10/19/06	

Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lined with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 20 mil plastic then covered with 3 feet of fill dirt.



Nowsn. 10 StAIF 10 1310 FSL 330 FEL (θ) SEC 16 T255 R32E

LEA Co 30-025- 37421

32:07: 36.09

103:40:19.43