District I Sta	State of New Mexico						
1625 N. French Dr., Hobbs, NM 88240 District II Energy Min	Energy Minerals and Natural Resources 1213 1415 76 June 1, 2004						
1301 W. Grand Avenue, Artesia, NM 88210 District III Oil C	Oil Conservation Division So For drifting and production facilities, submit to						
1000 Rio Brazos Road, Aztec, NM 87410 1220	1220 South St. Francis Dr. Santa Fe NM 87505						
	inta Fe, NM 87505 0 office						
	RECEIV						
Pit or Below	-Grade Tank Registration or Glusurer	12011 N/					
Is pit or below-grade Type of action: Registration of a	tank covered by a "general plap"? Yes No a pit or below-grade tank Closure of a pit or below-grade	ie tank 2					
	N 42 67 67	TESTINA TOTO AU TOTO AU TOTO AU AU AU AU AU AU AU AU AU AU					
Operator: <u>Yates Petroleum Corporation</u> Telephone: <u>505-748-4500</u> e-mail address: <u>mikes@ypcnm.com</u> <u>5668610</u> N							
Address: <u>105 South 4th Street, Artesia, NM 88210</u>	14 Ondon D S 16 T 225 D 275	RECEIVED					
Facility or well name: Cigar BCM State Com #2API #: 30-015-33061 County: Eddy Latitude 32.25594 Longitude	04.13724 NAD: 1927 ⊠ 1983 □	TO CD - ARTESIA					
Surface Owner: Federal 🔲 State 🔯 Private 🗋 Indian		RECEIVED RECEIVED CD - ARTESIA					
Pit	Below-grade tank	VI OF					
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	A CI SI PI EL CI H					
Work over 🛛 Emergency	Construction material:						
Lined 🛛 Unlined 🗌	Double-walled, with leak detection? Yes I If not, e	explain why not.					
Liner type: Synthetic 🛛 Thickness 12 mil Clay 🗋							
Pit Volume bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)					
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) XXXX					
	100 feet or more	(0 points)					
Wellhead protection area. (Less than 200 feet from a private domestic wate	er Yes	(20 points)					
source, or less than 1000 feet from all other water sources.)	No	(0 points) XXXX					
	Less than 200 feet	(20 points)					
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) XXXX					
	Ranking Score (Total Points)	10 Points					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	• • • • • • • • • • • • • • • • • • • •						
in place) onsite 🔲 offsite 🖾 If offsite, name of facility: <u>N/A</u> (2)	, 5 .	uding remediation start date and end date. (4)					
Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground							
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.						
Additional Comments: Closure work plan for workover pit. The workover	pit contents will be excavated and hauled to an OCD approve	ed soil waste facility.					
The excavated area will be backfilled to grade using a minimum of 3' of clear	n soil and like material. A one call and a 48 hour notice will	be provided to the Oil Conservation Division					
Pit Closure start date: N/A. Final closure date: N/A.							
Amendment to C-144 submitted on 7/13/06							
I hereby certify that the information above is true and complete to the best							
been/will be constructed or closed according to NMOCD guidelines], a general permit 🔯, or an (attached) alternative OCI	D-approved plan 🗌.					
Date: 07/25/2006		_					
Printed Name/TitleMike Stubblefield / Regulatory Agent	Signature Mar Scape	لمكت					
Your certification and NMOCD approval of this application/closure does n	ot relieve the operator of liability should the contents of the	pit or tank contaminate ground water or otherwise					
endanger public health or the environment. Nor does it relieve the operator	r of its responsibility for compliance with any other federal,	state, or local laws and/or regulations.					
<u> </u>							
Approval.	2002	/ / ,					
Printed Name/Title	Signature	Date: 8/2/66					
Approval: Printed Name/Title District TT Segue	ever						
the second s							
PIT CLOSURE FINAL							
	ΠΛΤα	= alast s					

Accepted for record - NMOCD

10/17/06

DATE 9/29/2006



.

.

	New Mexico Office of the S POD Reports and De	e e	BCM STATE COM:
Township: 23S	Range: 27E Sections:		•
NAD27 X:	Y: Zone:	Search Radius:	i •
County:	Basin:	Number:	Suffix:
Owner Name: (First)	(Last) @ All	ONon-Domestic	⊖ Domestic
POD / S	urface Data Report	Avg Depth to Water Report	
	Water Column Re Clear Form iWATERS		

AVERAGE DEPTH OF WATER REPORT 07/13/2006

		AVER	IGE	DEPTH OF	WATER	REPORT	07/13/20			
								(Depth	Water in	Feet)
Bsn	Tws	Rng	Sec	: Zone	х	Y	Wells	Min	Мах	Avg
С	235	27E	01				6	31	60	49
С	235	27E	02				8	54	90	66
С	23S	27e	03				18	19	145	81
С	23S	27E	04				2	31	120	76
С	235	27E	05				4		135	71
С	235	27e	06				2	130	190	160
С	23S	27E	07				4	99	100	100
С	235	27E	08				3	75	350	173
С	23S	27E	09				1	83	83	83
С	235	27E	10				3	28	87	48
С	23S	27E	11				7	22	80	51
С	235	27E	12				3	14	73	37
С	235	27E	13				4	40	195	99
С	23S	27E	15				1	45	45	45
С	235	27E	19				1	100	100	100
С	235	27E	20				1	40	40	40
С	23S	27E	23				5	80	160	110
С	23S	27E	24				3	70	190	130
С	23S	27E	25				1	103	103	103
С	23S	27E	29				2	170	175	173
С	23S	27E	30				1	176	176	176
С	235	27E	35				1	67	67	67

Record Count: 81