District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144

June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe ilities, suo...

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No} \subseteq \)

Operator: _Devon Energy Production Co., L.PTelephone: _505-748-0173 _e-mail address::vivian.rodriguez@dvn.com	Type of action: Registration of a pit o	or below-grade tank Closure of a pit or below-grade tank	
Surface Owner: Federal State Private Indian Below-grade tank Volume: bol Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not Emergency Construction material: Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Too To	Operator:Devon Energy Production Co., L.PTelephone: _505-748-0173e-mail address:vivian.rodriguez@dvn.com		
Surface Owner: Federal State Private Indian Below-grade tank Volume: bol Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not Emergency Construction material: Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Double-walled, with leak detection? Yes If not, explain why not Too To	Encility or well name: Kaiser B 18E #8 API #: 30-015-34630 U/L or Otr/Otr F Sec. 18 T 18S R 28.		
Surface Owner; Federal State Private Median Private Median Private Mediance Private Mediance Private Mediance Private Mediance Private		Longitude NAD: 1927 \ 1988 \(\operatorname{\text{NAD: 1927}} \)	
Pit Type: Drilling Production Disposal Workover Encrepting United Un			
Type: Drilling Production Disposal Volume: bbl Type of fluid: Construction tracterial: Double-walled, with leak detection? Yes If not, explain why not.		Below-grade tank	
Workover Emergency Construction material: Double-walled, with leak detection? Yes If not, explain why not.			
Double-walled, with leak detection? Yes If not, explain why not.			
Liner type: Synthetic Thickness 12mil Clay Pit Volume bbl Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Less than 200 feet (20 points) Yes (20 points) No (20 poin			
Pit Volumebbl Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Welthead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Less than 200 feet (20 points) No Less than 1000 feet (10 points) Less than 200 feet (20 points) No Ranking Score (Total Points) 0 points) Less than 1000 feet (10 points) 10 points) Less than 1000 feet (10 points) 10 points) Less than 1000 feet (10 points) 10 points 10 points) 10 points) 10 points 10 po		bound wanted, with leak detection. Test in most explain with not	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Less than 50 feet 100 feet or more. but less than 100 feet 100 points) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite [3] offsite If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No [4] they show depth below ground surface ft. and attach sample results. (3) Attach and Below Grade Tank Guidelines. Devon plans to close this drilling pit as per New Mexico Oil Conservation Division Rule 50 in the Pit and Below Grade Tank Guidelines. Devon plans to encapsulate the pit contents and liner capping with 20 mill liner, then cover with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater. We will notify the OCD 48 hours prior to beginning work. I hereby certify that the information shows this area to be water sensitive. Please submit your certification a plan for this type area or schedule regulations. Can be reviewed. Approval:			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Ranking Score (Total Points) O points) 200 feet or more, but less than 100 feet (20 points) 200 feet or more, but less than 100 feet (20 points) 200 feet or more, but less than 100 feet (20 points) 200 feet or more, but less than 100 feet (20 points) 200 feet or more, but less than 100 feet (20 points) 200 feet or more, but less than 100 feet (20 points) 200 feet or more, but less than 100 feet (20 points) 200 feet or more, but less than 100 feet (20 points) 200 feet or more, but less than 100 feet (20 points) 200 feet or more, but less than 100 feet (20 points) 200 feet or more, but less than 100 feet (20 points) 200 feet or more, but less than 100 feet (20 points) 200 feet or more	TH Volume	Less than 50 feet (20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Wellhead protection area: (Less than 200 feet from all other water sources.)	Depth to ground water (vertical distance from bottom of pit to seasonal	j , , , ,	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Mithis is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite of facility. Ranking Score (Total Points) On Hithis is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite of facility. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No of exemptions of the presults and a diagram of sample locations and excavations. Additional Comments: Devon Energy Production Company L.P. plans to close this drilling pit as per New Mexico Oil Conservation Division Rule 50 in the Pit and Below Grade Tank Guidelines. Devon plans to encapsulate the pit contents and liner capping with 20 mil liner, then cover with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater. We will notify the OCD 48 hours prior to beginning work. Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been will be constructed or closed according to NMOCD guidelines of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been will be constructed or closed according to NMOCD guidelines of my knowledge and be	high water elevation of ground water.)		
whenead protection area. (Less than 200 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite of offsite offsite offsite, name of facility and studied offsite offsit			
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more Ranking Score (Total Points) 0 Ranking Score (Total Points) 0 11 this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite of offsite of fisher, name of facility 13 Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No offsite of	Wellhead protection area: (Less than 200 feet from a private domestic		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Ranking Score (Total Points)	water source, or less than 1000 feet from all other water sources.)	No (0 points)	
200 feet or more, but less than 1000 feet 10 points 1000 feet or more 1000 feet or fleations: (3) Attach a general description of remedial action taken including remediations (4) Attach a diagram of the facility showing the pit's relationship to otherwise or fleating standard or fleating pit as per New Mexico Oil Conservation Division Rule 50 1000 feet or fleating pit as per New Mexico Oil Conservation Division Rule 50 1000 feet or fleating pit as per New Mexico Oil Conservation Division Rule 50 1000 feet or fleating pit as per New Mexico Oil Conservation Division Rule 50 1000 feet or fleating pit as per New Mexico Oil Conservation Division Rule 50 1000 feet or fleating pit as per New Mexico Oil Con		Less than 200 feet (20 points)	
1000 feet or more 1000 feet or feet of feet of the feet of fee		200 feet or more, but less than 1000 feet (10 points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite for fisite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes for yes, show depth below ground surface ft. and attach sample results. Additional Comments: Devon Energy Production Company L.P. plans to close this drilling pit as per New Mexico Oil Conservation Division Rule 50 in the Pit and Below Grade Tank Guidelines. Devon plans to encapsulate the pit contents and liner capping with 20 mil liner, then cover with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater. We will notify the OCD 48 hours prior to beginning work. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines a plan for this type area or schedule a meeting where other water data Can be reviewed. Approval:	irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more (0 points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite for fisite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes for fisher for facility (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Devon Energy Production Company L.P. plans to close this drilling pit as per New Mexico Oil Conservation Division Rule 50 in the Pit and Below Grade Tank Guidelines. Devon plans to encapsulate the pit contents and liner capping with 20 mil liner, then cover with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater. We will notify the OCD 48 hours prior to beginning work. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines a plan for this type area or schedule a meeting where other water data can be reviewed. Approval: 100 Attach a diagram of the facility if yes, show depth below ground surface ft. and attach sample results. (3) Attach a general description of remedial action taken including ft. and attach sample results. (3) Attach a general description of remedial action taken including ft. and attach sample results.		Parking Source (Total Points)	
your are burying in place) onsite offsite If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No yes If yes, show depth below ground surface ft. and attach sample results. Additional Comments: Devon Energy Production Company L.P. plans to close this drilling pit as per New Mexico Oil Conservation Division Rule 50 in the Pit and Below Grade Tank Guidelines. Devon plans to encapsulate the pit contents and liner capping with 20 mil liner, then cover with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater. We will notify the OCD 48 hours prior to beginning work. Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines a general permit or be water sensitive. Please submit to be water sensitive. Please submit a plan for this type area or schedule regulations. The reby certify that the information shows this area or schedule regulations. The reby certify that the information shows this area or schedule a meeting where other water data Can be reviewed. Approval:	Raining Score (Total Folints)		
remediation start date and end date. (4) Groundwater encountered: No 🛭 Yes If yes, show depth below ground surface	If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
Additional Comments: Devon Energy Production Company L.P. plans to close this drilling pit as per New Mexico Oil Conservation Division Rule 50 in the Pit and Below Grade Tank Guidelines. Devon plans to encapsulate the pit contents and liner capping with 20 mil liner, then cover with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater. We will notify the OCD 48 hours prior to beginning work. Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines A general permit of the operator of liability should the contents of the pit of tank arollarminate ground water or operator of its responsibility for compliance with any other federal, state, or local laws and/or an be reviewed. Approval:			
Devon Energy Production Company L.P. plans to close this drilling pit as per New Mexico Oil Conservation Division Rule 50 in the Pit and Below Grade Tank Guidelines. Devon plans to encapsulate the pit contents and liner capping with 20 mil liner, then cover with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater. We will notify the OCD 48 hours prior to beginning work. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date / D / D / USGS Information shows this area to be water sensitive. Please submit a plan for this type area or schedule a meeting where other water data can be reviewed. Approval:	remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results.		
Devon Energy Production Company L.P. plans to close this drilling pit as per New Mexico Oil Conservation Division Rule 50 in the Pit and Below Grade Tank Guidelines. Devon plans to encapsulate the pit contents and liner capping with 20 mil liner, then cover with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater. We will notify the OCD 48 hours prior to beginning work. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines A general permit , or an (attached) alternative OCD-approved plan . Date / D - / D - USGS Information shows this area to be water sensitive. Please submit to be water sensitive. Please submit a plan for this type area or schedule a meeting where other water data Can be reviewed. Approval:	(5) Attach soil sample results and a diagram of sample locations and excavations.		
in the Pit and Below Grade Tank Guidelines. Devon plans to encapsulate the pit contents and liner capping with 20 mil liner, then cover with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater. We will notify the OCD 48 hours prior to beginning work. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines a general permit or an (attached) alternative OCD-approved plan or an (attached) alternative OCD-approved plan to be water sensitive. Please submit a plan for this type area or schedule regulations. I be reviewed. Approval:	Additional Comments:		
to be water sensitive. Please submit Your certificatior otherwise endang regulations. Approval: We will 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater. We will notify the OCD 48 hours prior to beginning work. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . USGS information shows this area to be water sensitive. Please submit a plan for this type area or schedule a meeting where other water data Can be reviewed. Approval:	Devon Energy Production Company L.P. plans to close this drilling pit as per New Mexico Oil Conservation Division Rule 50		
and ponding of rainwater. We will notify the OCD 48 hours prior to beginning work. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ⊠, a general permit □, or an (attached) alternative OCD-approved plan □. Date: D-/D-USGS information shows this area Printed Name/Til Your certification otherwise endang a plan for this type area or schedule a meeting where other water data can be reviewed. Approval: Approval:	in the Pit and Below Grade Tank Guidelines. Devon plans to encapsulate the pit contents and liner capping with 20 mil liner,		
We will notify the OCD 48 hours prior to beginning work. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date / D - / D - USGS information shows this area to be water sensitive. Please submit a plan for this type area or schedule a meeting where other water data can be reviewed. Approval:	then cover with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date / O / O USGS information shows this area to be water sensitive. Please submit a plan for this type area or schedule a meeting where other water data can be reviewed. Approval:	and ponding of rainwater.		
has been/will be constructed or closed according to NMOCD guidelines \(\text{N}, a general permit \(\text{\begin{subarray}{cccccccccccccccccccccccccccccccccccc	We will notify the OCD 48 hours prior to beginning work.		
has been/will be constructed or closed according to NMOCD guidelines \(\text{\begin{align*}{ c c c c c c c c c c c c c c c c c c c	I hereby certify that the information shave is true and complete to the heat of my knowledge and helief. I further could be the above described with a helicity of the state of the heat of my knowledge and helief.		
Your certification otherwise endang regulations. Approval: to be water sensitive. Please submit a plan for this type area or schedule a meeting where other water data can be reviewed. Approval: t relieve the operator of liability should the contents of the pit or tank confaminate ground water or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or local laws and/or operator of its responsibility for compliance with any other federal, state, or	has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Approximation of the second of	Your certification otherwise endang regulations. To be water sensitive. Please submit a plan for this type area or schedule a meeting where other water data	t relieve the operator of liability should the contents of the pit or tank contaminate ground water or	
Printed Name/Title Signature Date:	1 pproven		
	Printed Name/Title	SignatureDate:	