District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

regulations.

Approval:

Printed Name/Title:

Date:

## State of New Mexico Energy, Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

June 1, 2004

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq No \) \( \subsete \) Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Operator: Stephens & Johnson Operating Co. Telephone: 940-723-2166 e-mail address: mkincaid@sjoc.net OCD Address P.O. Box 2249 Wichita Falls, Texas 76307-2249 Facility or well name: East Millman Pool Unit #6-9 API #: 30-015-34886 U/L or Otr/Otr G Sec 13 T 19S R 28E NAD: 1927 1983 Surface Owner Federal State Private Indian County: Eddy Latitude Longitude Pit Below-grade tank Volume: \_\_\_\_\_bbl Type of fluid: \_\_ Type: Drilling X Production Disposal Workover Emergency Construction material: \_ Double-walled, with leak detection? Yes If not, explain why not. Lined X Unlimited Liner type: Synthetic X Thickness 12 mil Clay Pit Volume \_\_7000 bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal high 50 feet or more, but less than 100 feet (10 points) water elevation of ground water.) 100 feet or more (0 points) Wellhead protection area. (Less than 200 feet from a private domestic Yes (20 points) water source, or less than 1000 feet from all other water sources.) No ( 0 points) Х Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) 0 If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite X offsite If offsite, name of facility \_\_\_ \_\_\_(3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No XYes If yes, show depth below ground surface\_\_\_\_\_\_ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: A deep bury pit 15' x 20' x 15' deep will be dug inside the reserve pit area and lined with a 12 mil liner. All drilling pit material will be placed inside the deep bury pit. The drilling pit material will be encapsulated by folding the 12 mil liner in on the sides and top of pit and then installing a 20 mil liner on top. Drilling pit area will then be leveled to cover the deep bury pit. At least 3' of top soil will be put on top of the drilling pit area and the terrain returned to as close to original condition as possible. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan . Date: 10/06/06 Printed Name/Title: William M. Kincaid - Petroleum Engineer \_ Signature: \_

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or

> 10/11/ac Signature: