

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-01316
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. E-881
7. Lease Name or Unit Agreement Name: AZTEC STATE
8. Well Number 1
9. OGRID Number 148967
10. Pool name or Wildcat MALJAMAR - G S.A.

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other
2. Name of Operator LATIGO PETROLEUM
3. Address of Operator 550 W. Texas, Suite 700, Midland, TX 79701
4. Well Location Unit Letter <u>L</u> : <u>660</u> feet from the <u>WEST</u> line and <u>1980</u> feet from the <u>SOUTH</u> line Section <u>8</u> Township <u>17</u> Range <u>33E</u> NMPM <u>LEA</u> County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)
Pit or Below-grade Tank Application ☐ or Closure ☐
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT ☐
OTHER: ☐

**THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.**

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**WILL USE STEEL PIT TO FLOW IN.

PERFS. - 4,212'-4,372'

1. MIRU. Set Wireline. B.P. @4,150'.
2. Pickup W/S- 2 3/8" tbg. Tag B.P. Mix & circulate M.L.F. Cap B.P. - 25 sx. cnt. OR 35' / barrel
3. Perf. @2,050'. Sqz. 40 sx. cnt. Tag plug - 1,950'.
4. Perf. @1,400'. Sqz. 50 sx. W.O.C.- Tag @1,300'.
5. Perf. @375'. Circulate 5 1/2" X 8 5/8" - Surface - 200 sx. cnt.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE Randall Minear TITLE _____ AGENT _____ DATE 10-20-06

Type or print name RANDALL MINEAR

E-mail address:

Telephone No. 432-530-0907

For State Use Only

OCD FIELD REPRESENTATIVE / STAFF MANAGER
OCD DISTRICT SUPERVISOR / GENERAL MANAGER

APPROVED BY Chris Williams TITLE _____ DATE OCT 24 2006

Conditions of Approval, if any:

BEFORE
(2 STRING CSNG)

LEASENAME AZtec State

WELL # 1

SECT _____ TWN _____ RNG _____

FROM N/S L E/W L

TD: FORMATION @ TD

PBTD: FORMATION @ PBTD

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	95/8	325	SURFACE		
INTMED 1					
INTMED 2					
PROD	5 1/2	4400	2876	CALCULATED	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
	CUT & PULL @			TOP - BOTTOM	
INTMED 1			PERFS	-	
INTMED 2			OPENHOLE	-	
PROD					

***REQUIRED PLUGS DISTRICT I**

RUSTLER (ANHYD)	
YATES	
QUEEN	
GRAYBURG	
SAN ANDREW	
CAPTAIN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BERRY CANYON	
BONE SPRING	
OLDSHTA	
SL DERRY	
TUBB	
DRINEARD	
ABO	
WC	
PERON	
ETRAWN	
ATOKA	
MORROW	
AMES	
DEVOREAN	

[illegible]

85/8
@ 325
TOC 5.47 F66P
C44/150JX


$\frac{5\frac{1}{2}}{\text{@ } 4400}$
 TOC 2876 calc
 cost $\frac{1}{200}$

TD _____

PLUGGING & ABANDONMENT WORKSHEET

(2 STRING CSNG)

OPERATOR LATIGD
 LEASENAME AZTEL STATE STATE
 WELL # 1
 SECT TWN RNG
 FROM N/S L E/W L
 TD: FORMATION @ TD
 PBTD: FORMATION @ PBTD



	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	8 5/8	325	SURFACE	CIRCULATED	
INTMED 1					
INTMED 2					
PROD	5 1/2	4400	2876	CALCULATED	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
CUT & PULL @			TOP - BOTTOM		
INTMED 1			PERFS	-	
INTMED 2			OPENHOLE	-	
PROD					

*REQUIRED PLUGS DISTRICT I

PLUG	TYPE	SACKS	DEPTH
PLUG #1			
PLUG #2			
PLUG #3			
PLUG #4			
PLUG #5			
PLUG #6			
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			
PLUG #31			
PLUG #32			
PLUG #33			
PLUG #34			
PLUG #35			
PLUG #36			
PLUG #37			
PLUG #38			
PLUG #39			
PLUG #40			
PLUG #41			
PLUG #42			
PLUG #43			
PLUG #44			
PLUG #45			
PLUG #46			
PLUG #47			
PLUG #48			
PLUG #49			
PLUG #50			
PLUG #51			
PLUG #52			
PLUG #53			
PLUG #54			
PLUG #55			
PLUG #56			
PLUG #57			
PLUG #58			
PLUG #59			
PLUG #60			
PLUG #61			
PLUG #62			
PLUG #63			
PLUG #64			
PLUG #65			
PLUG #66			
PLUG #67			
PLUG #68			
PLUG #69			
PLUG #70			
PLUG #71			
PLUG #72			
PLUG #73			
PLUG #74			
PLUG #75			
PLUG #76			
PLUG #77			
PLUG #78			
PLUG #79			
PLUG #80			
PLUG #81			
PLUG #82			
PLUG #83			
PLUG #84			
PLUG #85			
PLUG #86			
PLUG #87			
PLUG #88			
PLUG #89			
PLUG #90			
PLUG #91			
PLUG #92			
PLUG #93			
PLUG #94			
PLUG #95			
PLUG #96			
PLUG #97			
PLUG #98			
PLUG #99			
PLUG #100			

TD