

Submit 3 Copies To Appropriate District

Office

District I

1625 N. French Dr., Hobbs, NM 87240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

May 27, 2004

WELL API NO.

30-025-07741

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:
Warren McKee Unit

8. Well Number

202

9. OGRID Number

192463

10. Pool name or Wildcat
Warren McKee

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒

Gas Well ☐

Other ☒

2. Name of Operator

OXY USA WTP Limited Partnership

3. Address of Operator

P.O. Box 50250 Midland, TX 79710-0250

4. Well Location

Unit Letter J : 1980 feet from the south line and 1980 feet from the east line

Section 7 Township 20S Range 38E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3584'

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type Steel Depth to Groundwater 60' Distance from nearest fresh water well <100' Distance from nearest surface water <1000'

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

THE OIL CONSERVATION DIVISION

BE NOTIFIED 24 HOURS PRIOR TO THE


BEGINNING OF PLUGGING OPERATIONS.

SEE ATTACHMENT FOR WELLBORE DIAGRAM OF PROPOSED COMPLETION.

SEE ATTACHMENT FOR WELLBORE DIAGRAM OF PROPOSED COMPLETION.

SEE ATTACHMENT FOR WELLBORE DIAGRAM OF PROPOSED COMPLETION.

See Attachment



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 11-3-06

Type or print name David Stewart

E-mail address:

Telephone No. 432-685-5717

For State Use Only

APPROVED BY Thy W. Wink OC FIELD REPRESENTATIVE II/STAFF MANAGER DATE NOV 06 2006

Conditions of Approval, if any:

Warren McKee Unit #202

TD-9400' PBTD-4478' Perfs-9160-9284'

13-3/8" 48# csg @ 340' w/ 350sx, 17-1/2" hole, TOC-Surf-Circ
8-5/8" 24-32# csg @ 3764' w/ 2586sx, 11" hole, TOC-Surf-Circ
5-1/2" 15.5-17# csg @ 9210' w/ 350sx, 7-7/8" hole, TOC-6548'-TS
4" 11.6# liner @ 9132-9399' w/ 25sx, 4-3/4" hole, TOC-9132'-Circ

CIBP @ 8920', CR @ 4478' Sqz Csg Lk @ 4609-4640' w/ 200sx cmt

1. DO CR @ 4478' & Cmt, RIH & Tag CIBP @ 8920'
2. M&P 25sx cmt @ 8920-8820'
3. M&P 25sx cmt @ 7120-7020'
4. Perf 5-1/2" csg @ 5900' sqz 50sx cmt to 5800' WOC-Tag
5. M&P 25sx cmt @ 4675-4575'
6. Perf 5-1/2" csg @ 3814' sqz 50sx cmt to 3714' WOC-Tag
7. Perf 5-1/2" csg @ 1500' sqz 50sx cmt to 1400' WOC-Tag
8. Perf 5-1/2" csg @ 390' sqz 50sx cmt to 290' WOC-Tag
9. 10sx cmt Surface Plug
- 10# MLF between plugs

OXY USA WTP LP - Proposed
Warren McKee Unit #202
API No. 30-025-07741

10sx Surface

50sx @ 390-290' WOC-Tag

50sx @ 1500-1400' WOC-Tag

50sx @ 3814-3714' WOC-Tag


25sx @ 4675-4575'

50sx @ 5900-5800' WOC-Tag

25sx @ 7120-7020'

25sx @ 8920-8820'

5/83-CIBP @ 8920'



Perf @ 390'

Perf @ 1500'

Perf @ 3814'

5/83-Csg Lk @ 4609-4640' sqz w/ 200sx

Perf @ 5900'

Perfs @ 9160-9284"

17-1/2" hole @ 340'
13-3/8" csg @ 340'
w/350sx-TOC-Surf-Circ

11" hole @ 3764'
8-5/8" csg @ 3764'
w/2586sx-TOC-Surf-Circ

7-7/8" hole @ 9210'
5-1/2" csg @ 9210'
w/350sx-TOC-6548'-TS

4-3/4" hole @ 9400'
4" liner @ 9132-9399'
w/25sx-TOC-9132'-Circ

TD-9400'

OXY USA WTP LP - Current
Warren McKee Unit #202
API No. 30-025-07741

