Submit 3 Copies 10 Appropriate District Office District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210 State of New Mexic Energy, Minerals and Natural II OIL CONSERVATION DI	Resources May 27, 2004 WELL API NO.
District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 1220 South St. Francis Santa Fe, NM 87505	Dr. 5. Indicate Type of Lease STATE FEE STATE STATE
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG B DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SU PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other	7. Lease Name or Unit Agreement Name CATO SAN ANDRES UNIT 8. Well Number 10
Name of Operator United Heritage New Mexico Corp.	9. OGRID Number 183718
3. Address of Operator 200 LORAINE, Suite 400, MIDLAND, TX 79701	10. Pool name or Wildcat CATO SAN ANDRES - 10540
4. Well Location Unit Letter:M660'_feet from theSOUTH line and660'_feet from theWEST line Section 4 Township 8-S Range 30-E NMPM CHAVES County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4,039'-GL, 4,049' - KB,	
Pit or Below-grade Tank Application or Closure	
Pit typeDepth to GroundwaterDistance from nearest fresh water wellDistance from nearest surface water Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING COMMENCE DRILLING OPNS. P AND A CASING/CEMENT JOB OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
RIH to 3,025' & Set a CIBP. Spot a 35' Cmt Plug. WOC & Tag. Free Point 4-1/2" Csg. Chemical Cut 4-1/2" Csg & POOH & Salvage 4-1/2" Prod. Csg. Spot a 100' Plug across 4-1/2" Csg Stub (50' Below & Above Stub). WOC & Tag. Pmp 9.5 - 10 ppg Mud between Plugs. Spot a 100' Plug f/ 1,050' – 1,150'. Pmp 9.5 - 10 ppg Mud between Plugs. Spot a 100' Plug f/ 250' - 350'. (Surf. Csg Shoe Plug). WOC & Tag. Spot Cmt f/ Se to Surf. Cut Off Well Head & Cap below 3' & Install a Dry Hole Marker. Remove all Rig Anchors.	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan. SIGNATURE: Petroleum Engineer DATE: November 7, 2006	
Type or print name Jesse K. Lawson E-mail address: jklawson For State Use Only	@lothian.us Telephone No. 432-686-2618
APPROVED BY: COMMING THE PRESENTATIVE II/STAFF MANAGER TITLE OC FIELD REPRESENTATIVE II/STAFF MANAGER DATE	
DC !	NOV 1 7 2006 OIL CONSERVATION DIVISION MUST 7 2006 NOTIFIED 24 HOURS PRIOR TO THE NNING OF PLUGGING OPERATIONS.