

District I - (505) 393-6161
1625 N. French Dr
Hobbs, NM 88240
District II - (505) 748-1283
1301 W. Grand Avenue
Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Road
Aztec, NM 87410
District IV - (505) 476-3440
1220 S. St. Francis Dr.
Santa Fe, NM 87505

New Mexico
Energy Minerals and Natural Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505
(505) 476-3440

Form C-139
Revised June 10, 2003

**SUBMIT ORIGINAL
PLUS 2 COPIES
TO APPROPRIATE
DISTRICT OFFICE**

APPLICATION FOR PRODUCTION RESTORATION PROJECT

I. Operator and Well:

Operator name & address Amerada Hess Corporation P. O. Box 840 Seminole, Texas 79360						OGRID Number 000495		
Contact Party Carol Moore						Phone 432 758-6738		
Property Name Fred Turner Jr. "A"				Well Number 13		API Number 30-025-07809		
UL A	Section 19	Township 20S	Range 38E	Feet From The 660	North/South Line North	Feet From The 660	East/West Line East	County Lea

II. Pool and Production Restoration:

Previous Producing Pool(s) (If change in Pools): Warren McKee Simpson (Warren McKee Unit Well No. 114)	
Date Production Restoration started: October, 2002	Date Well Returned to Production: November, 2002
Describe the process used to return the well to production (Attach additional information if necessary): Please refer Attached C-103's.	

III. Identify the period and Division records which show the Well had thirty (30) days or less production for the twenty-four consecutive months prior to restoring production:

Records Showing Well produced less than 30 days during 24 month period: <input type="checkbox"/> Well file record showing that well was plugged <input checked="" type="checkbox"/> ONGARD production data <input type="checkbox"/> OCD Form C-115 (Operator's Monthly Report)		Month/Year (Beginning of 24 month period): December, 1983
		Month/Year (End of 24 month period): November, 2002

IV. Affidavit:

State of New Mexico)
County of Lea) ss.
Carol Moore, being first duly sworn, upon oath states:
1. I am the Operator, or authorized representative of the Operator, of the above-referenced Well.
2. I have personal knowledge of the facts contained in this Application.
3. To the best of my knowledge, this application is complete and correct.

Signature Carol Moore Title Accounting Prod. Tech. Date 08/19/03

E-mail Address cmoore@hess.com

SUBSCRIBED AND SWORN TO before me this 18th day of August, 20 03.

My Commission expires: 03/15/05 Notary Public R. B. Whalen

FOR OIL CONSERVATION DIVISION USE ONLY:

V. CERTIFICATION OF APPROVAL:

This Application is hereby approved and the above-referenced well is designated a Production Restoration Project. By copy hereof, the Division notifies the Secretary of the Taxation and Revenue Department of this Approval and certifies that production was restored on:

Signature District Supervisor <u>R. B. Whalen</u>	OCD District <u>1</u>	Date <u>8/26/03</u>
--	--------------------------	------------------------

VI. DATE OF NOTIFICATION TO THE SECRETARY OF THE TAXATION AND REVENUE DEPARTMENT:

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-07809
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Fred Turner Jr. "A"
7. Well No. 13
8. Pool name or Wildcat Warren Tubb West (63280) <i>Nadins; Tubb, West</i>
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 3560' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Amerada Hess Corporation

3. Address of Operator
P. O. Box 840, Seminole, Texas 79360

4. Well Location
Unit Letter **A** : **660** feet from the **North** line and **660** feet from the **East** line
Section **19** Township **20S** Range **38E** NMPM **Lea** County

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: Final - Recompletion Report. <input checked="" type="checkbox"/>

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

Refer C-103 dated 10-11-2002

10-10 thru 12-17-2002

TOH w/pkr. TIH w/5-1/2" CIBP & set at 7114'. TIH w/Halliburton cement retainer set at 6871'. Halliburton Svc. spotted 50 sks. Premium Plus cement to 6800', stung into retainer & squeezed perfs. fr. 6989' - 7091'. WOC. Schlumberger ran USIT & CBL Logs. Rotary Wireline TIH & shot 4 circ. holes at 6500'. TIH w/Halliburton SV-EZ drill cement retainer set at 6412'. Halliburton Svc. pumped 55 Sks. Premium Plus lead cement followed w/60 Sks. Super "H" cement. Rotary Wireline ran GR Log. Log indicated TOC at 6005'. TIH w/4-3/4" bit, tagged TOC at 6406' & drld. cement, retainer, & cement out at 6505. Circ. Clean. TIH w/5-1/2" CIBP set at 6750' (PBD). Schlumberger TIH w/4" csg. gun & perf. 5-1/2" csg. in Tubb Zone w/3 SPF at following: 6388'-6389'-6486'-6488', 6539'-6542', 6602'-6606', & fr. 6643'-6647'. B.J. Svc. acidized perfs. fr. 6388'-6647' w/4000 gal. 15% HCL acid. Swabbed well. B.J. Svc. frac'd Tubb Zone perfs. fr. 6388' - 6647' w/40,500 gal. Spectrafrac 35# LX Borate & 100,000# 20/40 sand. Swabbed & flowed well. 11/11: MIRU pulling unit. Removed wellhead, installed BOP & TOH w/2-7/8" tbg. TIH w/TAC on 2-7/8" tbg. & set tbg. at 6659' w/TAC at 6249'. Removed BOP & installed wellhead. TIH w/2" x 1-1/2" RHBC 20' x 6' x S x 3' pump on rods. RDPU, cleaned location & began pumping well 11/20 to frac tank. 12/17: Ran flowline & began producing to Warren McKee Fred Turner Jr. Sig. Facility. Dynegy set Gas Meter No. 1062 & began taking gas. Note: Well Name/Number change from Warren McKee Unit Well No. 114.

Test of 12/18/2002: Prod. 6 B.O./D., 45 MCFGPD, & 77 B.W./D. Tbg. & csg. press. 50 PSI.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Roy L. Wheeler, Jr. TITLE Specialist - Field Admin. DATE December 19, 2002
Type or print name Telephone No. 915 758-6778

(This space for State use)

APPROVED BY _____ TITLE ORIGINAL SIGNED BY
Conditions of approval, if any: PAUL F. KAUTZ DATE JAN 23 2003
PETROLEUM ENGINEER

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-07809
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Fred Turner Jr. "A"
8. Well Number 13
9. OGRID Number 000495
10. Pool name or Wildcat Nadine; Tubb West & Blinebry Oil & Gas

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Amerada Hess Corporation (000495)

3. Address of Operator
P. O. Box 840, Seminole, Texas 79360

4. Well Location
Unit Letter **A** : **660** feet from the **North** line and **660** feet from the **East** line
Section **19** Township **20S** Range **38E** NMPM **Lea** County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3560' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB

OTHER: **Downhole Commingled**

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please refer Administrative Order DHC-3139

04/14 thru 05/16/2003

MIRU Key Energy Svc. pulling unit & TOH w/rods & pump. Removed wellhead, installed BOP & TOH w/tbg. TIH w/5-1/2" RBP & pkr. testing at intervals & located csg. leak at 5580'. TIH w/5-1/2" CIBP & set at 6330'. Rotary Wireline TIH w/3" perf. gun & shot 4 squeeze holes at 5975'. TIH w/Halliburton 5-1/2" SV EZ Cement retainer set at 5900'. Halliburton squeezed 85 sks. Premium Plus cement. WOC. TIH w/4-3/4" bit, tagged TOC at 5580' & drld. cement, retainer at 5900' & cement out at 5985', circ. clean. Schlumberger TIH & perf. 5-1/2" csg. in Blinebry Zone using 4" csg. gun w/3 SPF at following intervals: 5907'-5910', 6008'-6011', 6064'-6066', 6138'-6141', 6229'-6231' & fr. 6297'-6298'. B.J. Svc. acidized Blinebry Zone perfs. w/4000 gal. 15% HCL acid. Swabbed well. B.J. Svc. frac'd Blinebry Zone perfs. fr. 5907'-6298' w/82,600 gal. Spectrafrac 35# XL Borate & 175,000# 16/30 sand. Cleaned out frac sand to PBD at 6330'. TIH w/5-1/2" Md. R pkr. set at 5867'. Removed BOP & installed wellhead. Swabbed well. 5-12: MIRU Key Energy Svc. pulling unit & installed BOP. TIH & cleaned out frac sand to CIBP at 6330'. TIH w/4-3/4" bit, drilled & pushed CIBP to 6750'. TIH w/2-7/8" tbg. set at 6696'. Removed BOP & installed wellhead. TIH w/pump & rods. RDPU, cleaned location & began pumping well 05/16 as downhole commingled in Blinebry Oil & Gas (Perfs. fr. 5907'-6298'), & Nadine-Tubb, West Zones (Perfs. fr. 6388'-6647'). Allocation Percentage: Blinebry (6660) - 53% Oil, 61% Water, & 50% Gas. Tubb (47530) - 47% Oil, 39% Water, & 50% Gas.

Test of 06/01/2003: Prod. 34 B.O./D., 180 B.W./D., & 115 MCFGPD in 24 hours. Tbg. press. 150 PSI & csg. press. 45 PSI.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Roy L. Wheeler, Jr. TITLE Specialist - Field Admin. DATE 06/03/2003

Type or print name Roy L. Wheeler, Jr. Telephone No. 432 758-6778

(This space for State use)

ORIGINAL SIGNED BY

PAUL F. KAUTZ

APPROVED BY _____ TITLE PETROLEUM ENGINEER DATE JUN 17 2003

Conditions of approval, if any:

Reporting for Cost Center: S00012-Monument Area**Report Name: Prod Volumes - Begin Date : 01/01/2000 - End Date : 07/31/2003****Attributes : Well, Sum By : Well**

Well Name	Well No	Prod. Date	Prod. Oil (BBLs)	Prod. Gas (MCF)	Prod. Water (BBLs)
TURNER, FRED JR. "A" #13	001599	11/30/2002	99	0	70
TURNER, FRED JR. "A" #13	001599	12/31/2002	398	1035	2096
TURNER, FRED JR. "A" #13	001599	01/31/2003	352	1980	2157
TURNER, FRED JR. "A" #13	001599	02/28/2003	248	1032	1959
TURNER, FRED JR. "A" #13	001599	03/31/2003	247	636	1329
TURNER, FRED JR. "A" #13	001599	04/30/2003	0	0	0
TURNER, FRED JR. "A" #13	001599	05/31/2003	793	1314	2244
TURNER, FRED JR. "A" #13	001599	06/30/2003	915	3071	5610
TURNER, FRED JR. "A" #13	001599	07/31/2003	724	0	5797