4	District I
Ċ	1625 N. French Dr., Hobbs, NM 88240
	District II
	1301 W. Grand Avenue, Artesia, NM 88210
	District III
	1000 Rio Brazos Road, Aztec, NM 87410
	District IV
	1220 S. St. Francis Dr., Santa Fe, NM 87505

٠

Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

Submit to appropriate District Office

AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE									
	<sup>1</sup> Operator Name						<sup>2</sup> OGRID Num 14744		
Mewbourne Oil Company Po Box 5270						30- 0	API Numbe	101	
<sup>3</sup> Property Code	Hobbs, NN	1 88240	<sup>°</sup> Property	Name		130 - 0		Vell Nd.	
361517			Pheasant Ridge	6 State Com				1	
	Proposed Pool 1 Dsudo Morrow					<sup>10</sup> Prope	osed Pool 2		
			<sup>7</sup> Surface	Location					
UL or lot no. Section Township	Range	Lot			South line	Feet from the	East/West line	County	
O 6 21S	35E		99		s	2310'	Е	Lea	
rr	No <sup>8</sup> Prop	osed Bot	tom Hole Loca	ation If Differe	nt From	Surface			
UL or lot no. Section Township	Range	Lot	Idn Feet fro	om the North/S	outh line	Feet from the	East/West line	County	
				ell Informati					
<sup>11</sup> Work Type Code N	<sup>12</sup> Well Type Co G	de	de <sup>13</sup> Cable/Rotary R		14	Lease Type Code S	- <sup>15</sup> G	<sup>15</sup> Ground Level Elevation 3684'	
<sup>16</sup> Multiple No	<sup>17</sup> Proposed Dep 12400'	oth		mation rrow		<sup>19</sup> Contractor TBA		<sup>20</sup> Spud Date ASAP	
Depth to Groundwater			from nearest fresh w 1000 from all other				n nearest surface		
50 ' or more but less than 100 (over 100' - (	0 pts)	Less ular		(1000' or more	0 pts)	(1000' or more0 pts)			
<u>Pit:</u> Liner: Synthetic X 12 n	nils thick Clay	/ 🗌 Pit	Volume:_24000	bbls	Drilli	ng Method: Produc	tion		
Closed-Loop System				Fr	esh Water	X Brine X Diese	el/Oil-based 🗌	Gas/Air	
· · · · · · · · · · · · · · · · · · ·	21	Propos	ed Casing a	nd Cement	Progran	n			
Hole Size Casii	ng Size	Casing	g weight/foot	Setting D	epth	Sacks of Cer	ment	Estimated TOC	
17 ½" 13	3⁄8"	54.5#		500'		1000		Surface	
12 ¼" 9	9 5/8"		40#	5300'	5300'			Surface	
	1/2"	17#		12400		1000		500' above WC	
<ul> <li>22 Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive 2012 and productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.</li> <li>BOP Program: 2k Hydril (see Exhibit #2) from surface casing to intermediate TD. Schaffer LWS or equivalent (Double-Hart Hydraulie) 57 series with Hydril (see Exhibit #2A) from intermediate casing to total depth. Rotating head, PVT, flow monitors and mud gas Separate from the worker and the present productive zone.</li> <li>Mud Program: 0' to 500' Fresh Water, spud mud, lime for PH and LCM as needed for seepage.</li> <li>500' to 5300' Brine Water, lime for PH and LCM as needed for seepage.</li> <li>5300' to 11300' Cut brine with Fresh Water, lime for PH and LCM as needed for seepage.</li> <li>11300' to TD Cut brine. 9.3 #/g, Caustic for PH, Starch for WL control and LCM as needed for seepage.</li> <li>Permit Expires 1 Year From Approval</li> </ul>									
5300' to 11300' Cut br 11300' to TD Cut br						d for seepage	91	0165	
	11300' to TD Cut brine. 9.3 #/g, Caustic for PH, Starch for WL control and LCM as needed for seepage								
Date Unless Drilling Underway									
<sup>23</sup> I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be					OILCO	ONSERVAT	ION DIVIS	SION	
constructed according to NMOCD guidelines $X$ , a general permit $\square$ , or an (attached) alternative OCD-approved plan $\square$ .				Approved by: Laws 1. Link					
Printed name: Kristi Green				Title: OC FIELD REPRESENTATIVE IL/STAFF MANAGER					
Title: Hobbs Production				Approval Date			piration Date:		
E-mail Address: kgreen@mewbourne.com				THE PARTY	<u>∪v <u>%</u> č</u>	3 2006   Ex	<u></u>		
Date: 11/21/06 Phone: 505-393-5905			Conditions of Approval Attached						

DISTRICT I 1625 N. French Dr., Hobbs, NM 86240

DISTRICT II 1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 67505 Form C-102 Revised October 12, 2005

OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, New Mexico 87505 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

□ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT Pool Code Pool Name API Number Osudo Morrow 30-025-38181 3 120 Property Name Well Number **Property** Code PHEASANT RIDGE "6" STATE COM 1 36150 **Operator** Name Elevation OGRID No. 3684' 14744 MEWBOURNE OIL COMPANY Surface Location **East/West** line County North/South line Feet from the Feet from the Lot Idn UL or lot No. Section Township Range LEA 990 SOUTH 2310 EAST 21 S 35 E 6 0 Bottom Hole Location If Different From Surface North/South line Feet from the East/West line County Lot Idn Feet from the UL or lot No. Section Township Range **Consolidation** Code Order No. Joint or Infill Dedicated Acres 310.75 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. LOT 10 LOT 9 LOT 11 LOT 12 1120/06 NII Date Signature Kristi Green Printed Name SURVEYOR CERTIFICATION LOT 1 LQT 15. LOT 13 1/4 COR. I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervison, and that the same is true and correct to the best of my belief. lease # B01398-37 NOVEMBER 17, 2006 Et L. JONES Date Fure Sign Pr 2310 Lat.: N32\*30'12.3" Long.: W103\*24'19.0" N.: 598096.556 E.: 786118.147 . الم 7977 (NAD-27) Mnes POFISSIONAL BASIN SURVEY S

## **MULTI-POINT SURFACE USE AND OPERATIONS PLAN**

MEWBOURNE OIL COMPANY Pheasant Ridge 6 State Com #1 990' FSL & 2310' FEL Section 6-T21S-R35E Lea County, New Mexico

This plan is submitted with Form C101, Application for Permit to Drill, covering the above described well. The purpose of this plan is to describe the location of the proposed well, the proposed construction activities and operations plan, the magnitude of the surface disturbance involved, and the procedures to be followed in restoring the surface so that a complete appraisal can be made of the environmental impact associated with the proposed operations.

## 1. Existing Roads:

- A. Exhibit #3 is a topographic map showing the location of the proposed well and access road. Existing roads are highlighted in black and proposed road are highlighted in blue.
- B. Directions to location: From Hobbs, go west on US 62/180 8 miles to NM 8 (Monument Rd). Turn south, continue south approx 15 miles to NM176. Turn right, continue west 9.5 miles. Turn right and continue north 1.75 miles. Turn west into new location.

## 2. Proposed Access Road:

A Will improve 615' of existing road. Will need approx 870' of new road.

# 3. Location of Existing and/or Proposed Facilities:

- A. There are no production facilities on this lease at the present time.
- B. In the event that the well is productive, production facilities will be located on the well pad.

# 4. Location and Type of Water Supply

The well will be drilled with a combination of fresh water and brine water based mud systems. The water will be obtained from commercial suppliers in the area and/or hauled to the location by transport trucks over existing and proposed roads as indicated in Exhibit #3.

# 5. Source of Construction Materials

All material required for construction of the drill pad and access roads will be obtained from private, state, or federal pits. The construction contractor will be solely responsible for securing construction materials required for this operation and paying any royalties that may be required on those materials.

#### MULTI-POINT SURFACE USE AND OPERATIONS PLAN

MEWBOURNE OIL COMPANY Pheasant Ridge 6 State Com #1 Page 2

# 6. Methods of Handling Waste Disposal:

- A. Drill cuttings not retained for evaluation purposed will be disposed of in the reserve pit.
- B. Drilling fluids will be allowed to evaporate in the reserve pit prior to closure. Water produced during operations will be disposed of in the reserve pit.
- C. If any liquid hydrocarbons are produced during operations, those liquids will be stored in suitable tanks until sold.
- D. Current regulations regarding the proper disposal of human waste will be followed.
- E. All trash, junk, and other waste materials will be stored in proper containers to prevent dispersal and will be removed to an appropriate facility within one week of cessation of drilling and completion activities.

## 7. Ancillary Facilities

There are no ancillary facilities within the immediate vicinity of the proposed well site.

## 8. Well Site Layout

- A A diagram of the drill pad is shown in Exhibit #5. Dimensions of the pad, pits, and location of major rig components are shown.
- B. The reserve pit will be lined with a high quality plastic sheeting to prevent migration of fluids as per OCD regulations.
- C. The pad dimension of 400' X 250' have been staked and flagged.

# 9. Plans for Restoration of Surface

- A. Upon cessation of the proposed operations, if the well is abandoned, the location and road will be ripped and re-seeded. The reserve pit area, after allowing to dry will be leveled. The entire location will be restored to the original contour as much as reasonable possible. All trash, garbage, and pit lining will be hauled to appropriate disposal to assure the location is aesthetically pleasing as reasonable possible. All restoration work will be completed within 180 days of cessation of activities.
- B. The disturbed area will be restored by re-seeding during the proper growing season.
- C. Three sides of the reserve pit will be fenced prior to and during drilling operations. The reserve pit will be fenced on the fourth side after the drilling rig is removed to prevent the endangerment of livestock. The fence will remain in place until the pit area has been leveled and restored.
- D. Upon cessation of the proposed operations, if the well is not abandoned, the reserve pit area will be restored as per OCD guidelines. Any additional caliche required for production facilities will be obtained from a source as described in Section 6.

### **MULTI-POINT SURFACE USE AND OPERATIONS PLAN**

MEWBOURNE OIL COMPANY Pheasant Ridge 6 State Com #1 Page 3

#### 10. Surface Ownership:

The surface is owned by: State of New Mexico

#### 11. Other Information

A. The primary use of the surface at the location is for grazing of livestock.

#### 12. Operator's Representative:

A. Through APD approval, drilling operations, completion and production operations:

## NM Young, District Manager

Mewbourne Oil Company PO Box 5270 Hobbs, NM 88241 505-393-5905

## 13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by Mewbourne Oil Company, its contractors and subcontractors, in accordance with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Date:\_\_\_11/21/06\_\_\_\_

Signature: Fiste gran for NM Young

NM Young, District Manager Mewbourne Oil Company PO Box 5270 Hobbs, NM 88241 (505) 393-5905 Hydrogen Sulfide Drilling Operations Plan Mewbourne Oil Company Pheasant Ridge 6 State Com #1 990' FSL & 2310' FEL Section 6-T21S-R35E Lea County, New Mexico

#### 1. General Requirements

Rule 118 does not apply to this well because MOC has researched this area and no high concentrations of H2S were found. MOC will have on location and working all H2S safety equipment before the Yates formation @ 3500' for purposes of safety and insurance requirements.

#### 2. Hydrogen Sulfide Training

All personnel, whether regularly assigned, contracted, or employed on an unscheduled basis, will have received training from a qualified instructor in the following areas prior to entering the drilling pad area of the well:

- 1. The hazards and characteristics of hydrogen sulfide gas.
- 2. The proper use of personal protective equipment and life support systems.
- 3. The proper use of hydrogen sulfide detectors, alarms, warning systems, briefing areas, evacuation procedures.
- 4. The proper techniques for first aid and rescue operations.

Additionally, supervisory personnel will be trained in the following areas:

- 1 The effects of hydrogen sulfide on metal components. If high tensile tubular systems are utilized, supervisory personnel will be trained in their special maintenance requirements.
- 2 Corrective action and shut in procedures, blowout prevention, and well control procedures while drilling a well.
- 3 The contents of the Hydrogen Sulfide Drilling Operations Plan.

There will be an initial training session prior to encountering a know hydrogen sulfide source. The initial training session shall include a review of the site specific Hydrogen Sulfide Drilling Operations Plan.

#### 3. Hydrogen Sulfide Safety Equipment and Systems

All hydrogen sulfide safety equipment and systems will be installed, tested, and operational prior to drilling below the intermediate casing.

- 1. <u>Well Control Equipment</u>
  - A. Flare line with automatic igniter or continuous ignition source.
  - B. Choke manifold with minimum of one adjustable choke.
  - C. Blowout preventers equipped with blind rams and pipe rams to accommodate all pipe sizes with properly sized closing unit
  - D. Auxiliary equipment including rotating head and annular type blowout preventer.

# 2. <u>Protective Equipment for Essential Personnel</u> Thirty minute self contained work unit located at briefing area as indicated on wellsite diagram.

Hydrogen Sulfide Drilling Operations Plan Mewbourne Oil Company Pheasant Ridge 6 St Com #1 Page 2

#### 3. <u>Hydrogen Sulfide Protection and Monitoring Equipment</u>

Two portable hydrogen sulfide monitors positioned on location for optimum coverage and detection. The units shall have audible sirens to notify personnel when hydrogen sulfide levels exceed 20 ppm.

#### 4. <u>Visual Warning Systems</u>

A. Wind direction indicators as indicated on the wellsite diagram.

B. Caution signs shall be posted on roads providing access to location. Signs shall be painted a high visibility color with lettering of sufficient size to be readable at reasonable distances from potentially contaminated areas.

#### 4. Mud Program

The mud program has been designed to minimize the amount of hydrogen sulfide entrained in the mud system. Proper mud weight, safe drilling practices, and the use of hydrogen sulfide scavengers will minimize hazards while drilling the well.

#### 5. Metallurgy

All tubular systems, wellheads, blowout preventers, drilling spools, kill lines, choke manifolds, and valves shall be suitable for service in a hydrogen sulfide environment when chemically treated.

#### 6. Communications

State & County Officials phone numbers are posted on rig floor and supervisors trailer. Communications in company vehicles and tool pushers are either two way radios or cellular phones.

#### 7. Well Testing

Drill stem testing is not an anticipated requirement for evaluation of this well. A drill stem test is required, it will be conducted with a minimum number of personnel in the immediate vicinity. The test will be conducted during daylight hours only.



#### Mewbourne Oil Company BOP Scematic for 8 3/4" or 7 7/8" Hole



Sec 6-T21S-R35E 990' FSL & 2310' FEL Lea County, NM

SECTION 6, TOWNSHIP 21 SOU EDDY COUNTY,	TH, RANGE 35 EAST, N.M.P.M., NEW MEXICO.				
150' NORTH         OFF SET         3679.6'         □ <b>MEWBOURNE OIL COMPANY PHEASANT RIDGE "6" STATE COM #1 ELEV 3684'</b> 150' WEST         0FF SET □         0FF SET □         150' EAST         0FF SET □         150' SOUTH         0FF SET □         150' SOUTH         0FF SET □         0FF SET □         0FF SET □         150' SOUTH         0FF SET □         0FF SET □         150' SOUTH         0FF SET □         0FF SET □	Ĩ				
133.7°	OLD PAD HOLE BORY HOLE				
Exhibit 3	200 0 200 400 FEET				
	<u>нннн</u> SCALE: 1" = 200'				
DRIVING DIRECTIONS:	MEWBOURNE OIL COMPANY				
FROM THE JUNCTION OF STATE HWY 176 AND CO. RD. E-30 (PEARSON ROAD), PROCEED NORTH ON CO. RD. E-30 FOR 1.3 MILES TO CALACHIE ROAD, THENCE PROCEED NORTH 0.3 MILES	REF: PHEASANT RIDGE "6" STATE COM #1 / WELL PAD TOPO				
TO MAIL LEASE ROAD, THENCE FOLLOW LEASE ROAD WEST 0.15' MILE TO OLD PAD AND PROPOSED LEASE ROAD.	THE PEASANT RIDGE "6" STATE COM No. 1 LOCATED 990'				
	FROM THE SOUTH LINE AND 2310' FROM THE EAST LINE OF				
BASIN SURVEYS P.O. BOX 1786-HOBBS, NEW MEXICO	SECTION 6, TOWNSHIP 21 SOUTH, RANGE 35 EAST,				
W.O. Number: 17434 Drawn By: J. SMALL	N.M.P.M., LEA COUNTY, NEW MEXICO.				
Date: 11-20-2006	Survey Date: 11-17-2006 Sheet 1 of 1 Sheets				



# Exhibit #4 Status of Wells in Immediate Vicinity Mewbourne Oil Company Pheasant Ridge 6 State Com #1 990' FSL & 2310' FEL Section 6-T21S-R35E Lea County, New Mexico

#### Section 5-T21S-R35E

4290' FSL & 1980' FWL
Nadel & Gussman Permian
Santo State #1
Producing
Osudo Morrow
30-025-35833

# Section 6-T21S-R35E

Location:	330' FSL & 1650' FEL
Operator:	Happy Oil Company
Well Name:	Chilkat State 6 #1
Unit letter:	0
Status:	P&A
Field:	Yates Seven Rivers
API:	30-025-29725

# Section 7-T21S-R35E

Location:	1980' FSL & 1980' FEL
Operator:	Mewbourne Oil Company
Well Name:	Osudo 7 State Com #1
Unit letter:	J
Status:	Producing
Field:	Osudo Morrow
API:	30-025-36901

# Mewbourne Oil Company

Nor 5



**Rig Location Schematic** 

# **Proposed Production Facilities Schematic**

