

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C- 144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒


Operator: Apache Corporation Telephone: (432) 527-3311 e-mail address: Harold.Swain@usa.apachecorp.com
Address: P.O. Box 848 Wink, Texas 79789
Facility or well name: New Mexico State "S" # 50 #: 30-025-37668 U/L or Qtr/Qtr E Sec 2 T 22S R 37E
County: Lea Latitude N 32 deg 25.349' Longitude W 103 deg 08.355' NAD: 1927 ☒ 1983 ☐
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐

Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume <u>7000</u> bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____ _____									
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	<table border="1"><tr><td>Less than 50 feet</td><td>(20 points)</td><td>48 feet</td></tr><tr><td>50 feet or more, but less than 100 feet</td><td>(10 points)</td><td></td></tr><tr><td>100 feet or more</td><td>(0 points)</td><td></td></tr></table>	Less than 50 feet	(20 points)	48 feet	50 feet or more, but less than 100 feet	(10 points)		100 feet or more	(0 points)	
Less than 50 feet	(20 points)	48 feet								
50 feet or more, but less than 100 feet	(10 points)									
100 feet or more	(0 points)									
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	<table border="1"><tr><td>Yes</td><td>(20 points)</td></tr><tr><td>No</td><td>(0 points)</td></tr></table>	Yes	(20 points)	No	(0 points)					
Yes	(20 points)									
No	(0 points)									
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	<table border="1"><tr><td>Less than 200 feet</td><td>(20 points)</td></tr><tr><td>200 feet or more, but less than 1000 feet</td><td>(10 points)</td></tr><tr><td>1000 feet or more</td><td>(0 points)</td></tr></table>	Less than 200 feet	(20 points)	200 feet or more, but less than 1000 feet	(10 points)	1000 feet or more	(0 points)			
Less than 200 feet	(20 points)									
200 feet or more, but less than 1000 feet	(10 points)									
1000 feet or more	(0 points)									
Ranking Score (Total Points) <u>20</u>										

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility Sundance. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: All fluids were removed from the pit. The pit liner and all impacted material were removed to an NMOCD disposal facility.
Samples were collected below the liner and results are submitted with this final C144 form.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: November 20, 2006

Printed Name/Title: Cindy Crain/Geologist - As Agent for Apache Corp.

Signature Cindy Crain

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.


Approval:

Printed Name/Title L. Johnson. Enviro Eng


Signature [Signature]

Date: 12.5.06

Approximate Excavation Boundary




LEGEND	
21.6 (7') SS-1	Soil sample location taken 11/07/06, at a depth, bgs, with chloride concentration (mg/kg).
	Wellhead location
N32°25.341' W103°08.344'	GPS Coordinates



DATE: 11-20-06
NAME: CHH
PROJECT NO.: 6-0814

FIGURE # 1	
LEA COUNTY, NEW MEXICO	
	New Mexico State "S" #50 Sec.2, T22S, R37E
Site Drawing (Not to Scale)	
Ocotillo ENVIRONMENTAL SERVICES, INC.	



Analytical Report

Prepared for:

Cindy Crain

Ocotillo Environmental

2125 French Dr.

Hobbs, NM 88201

Project: Apache- NM State S #50

Project Number: 6-0814

Location: Eunice, NM

Lab Order Number: 6K09007

Report Date: 11/15/06

Ocotillo Environmental
2125 French Dr.
Hobbs NM, 88201

Project: Apache- NM State S #50
Project Number: 6-0814
Project Manager: Cindy Crain

Fax: (432) 367-6747

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SS-1	6K09007-01	Soil	11/07/06 16:17	11-09-2006 10:20
SS-3	6K09007-02	Soil	11/07/06 16:22	11-09-2006 10:20
SS-6	6K09007-03	Soil	11/07/06 16:45	11-09-2006 10:20
SS-11	6K09007-04	Soil	11/08/06 14:15	11-09-2006 10:20
SS-12	6K09007-05	Soil	11/08/06 14:25	11-09-2006 10:20

Ocotillo Environmental
2125 French Dr.
Hobbs NM, 88201

Project: Apache- NM State S #50
Project Number: 6-0814
Project Manager: Cindy Crain

Fax: (432) 367-6747

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SS-1 (6K09007-01) Soil									
Chloride	21.6	5.00	mg/kg	10	EK60910	11/09/06	11/14/06	EPA 300.0	
SS-3 (6K09007-02) Soil									
Chloride	234	10.0	mg/kg	20	EK60910	11/09/06	11/14/06	EPA 300.0	
SS-6 (6K09007-03) Soil									
Chloride	99.2	5.00	mg/kg	10	EK60910	11/09/06	11/14/06	EPA 300.0	
SS-11 (6K09007-04) Soil									
Chloride	99.6	5.00	mg/kg	10	EK60910	11/09/06	11/14/06	EPA 300.0	
SS-12 (6K09007-05) Soil									
Chloride	57.1	5.00	mg/kg	10	EK60910	11/09/06	11/14/06	EPA 300.0	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 2 of 4

Ocotillo Environmental
2125 French Dr.
Hobbs NM, 88201

Project: Apache- NM State S #50
Project Number: 6-0814
Project Manager: Cindy Crain

Fax: (432) 367-6747

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EK60910 - Water Extraction										
Blank (EK60910-BLK1)										
					Prepared: 11/09/06 Analyzed: 11/14/06					
Chloride	ND	0.500	mg/kg							
LCS (EK60910-BS1)										
					Prepared: 11/09/06 Analyzed: 11/11/06					
Chloride	10.8	0.500	mg/kg	10.0		108	80-120			
Calibration Check (EK60910-CCV1)										
					Prepared: 11/09/06 Analyzed: 11/14/06					
Chloride	10.4		mg/L	10.0		104	80-120			
Duplicate (EK60910-DUP1)										
					Source: 6K08002-19 Prepared: 11/09/06 Analyzed: 11/11/06					
Chloride	455	10.0	mg/kg		462			1.53	20	
Duplicate (EK60910-DUP2)										
					Source: 6K09007-02 Prepared: 11/09/06 Analyzed: 11/14/06					
Chloride	233	10.0	mg/kg		234			0.428	20	
Matrix Spike (EK60910-MS1)										
					Source: 6K08002-19 Prepared: 11/09/06 Analyzed: 11/11/06					
Chloride	701	100	mg/kg	200	462	120	80-120			
Matrix Spike (EK60910-MS2)										
					Source: 6K09007-02 Prepared: 11/09/06 Analyzed: 11/14/06					
Chloride	430	10.0	mg/kg	200	234	98.0	80-120			

Ocotillo Environmental
2125 French Dr.
Hobbs NM, 88201


Project: Apache- NM State S #50
Project Number: 6-0814
Project Manager: Cindy Crain

Fax: (432) 367-6747

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference
LCS Laboratory Control Spike
MS Matrix Spike
Dup Duplicate

Report Approved By:



Date:

11/15/2006

Raland K. Tuttle, Lab Manager
Celey D. Keene, Lab Director, Org. Tech Director
Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director
LaTasha Cornish, Chemist
Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

12600 West I-20 East
Odessa, Texas 79765

Phone: 432-563-1800
Fax: 432-563-1713

Project Manager: Cindy Crain

Company Name: Ocotillo Environmental, LLC

Company Address: 2125 French Drive, P.O. Box 1818

City/State/Zip: Hobbs, NM 88241

Telephone No: (505) 441-7244

Fax No: (432) 387-6747

Sampler Signature: Cassie Hobbs

e-mail: cindy.crain@gmail.com

Project Name: Apache - NM State S #50

Project #: 6-0814

Project Loc: Funice, NM

PO #: _____

Report Format: ☒ Standard ☐ TRRP ☐ NPDES

(lab use only)

ORDER #: 6K09007

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total # of Containers	Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₃	None	Other (Specify)	DW=Drinking Water; SL=Sludge GW = Groundwater; S=Soil/Solid NP=Non-Potable; Specify Other	TPH: 418.1	8015M	8015B	TPH: TX 1005	TX 1005	Cations (Ca, Mg, Na, K)	Anions (Cl) SO ₄ , Alkalinity	SAR / ESP / DEC	Metals: As Ag Ba Cu Cr Pb Hg Se Volatiles	Semivolatiles	BTEX 8021B/2030 or BTEX 8280	RCI	N.O.M.		RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT				
01	SS-1	9'	9'	11/7/06	16:17		1							✓		S							✓											✓		
02	SS-3	9'	9'	11/7/06	16:22		1							✓		—							✓												✓	
03	SS-6	11'	11'	11/7/06	16:45		1							✓									✓												✓	
04	SS-11	14'	14'	11/8/06	14:15		1							✓									✓												✓	
05	SS-12	14'	14'	11/8/06	14:25		1							✓		↓							✓												✓	

Special Instructions:

Laboratory Comments:

Relinquished by: <u>Cassie Hobbs</u>	Date: <u>11/9/06</u>	Time: <u>10:20</u>	Received by:	Date:	Time:	Sample Containers Intact? <u>Y</u>	by Sampler/Client Rep.?	by Courier?	UPS	DHL	FedEx	Lone Star
Relinquished by:	Date:	Time:	Received by:	Date:	Time:	VOCs Free of Headspace? <u>Y</u>	Labels on container(s)? <u>Y</u>	Custody seals on container(s)? <u>Y</u>	Custody seals on cooler(s)? <u>Y</u>	Sample Hand-Delivered? <u>Y</u>	Temperature Upon Receipt: <u>21.0</u> °C	
Relinquished by:	Date:	Time:	Received by ELOT: <u>Cassie Kelly</u>	Date: <u>11/9/06</u>	Time: <u>10:20</u>							

Environmental Lab of Texas
Variance/ Corrective Action Report- Sample Log-In

Client: Orsillo
 Date/ Time: 11/9/06 16:20
 Lab ID #: 6K09007
 Initials: CK

Sample Receipt Checklist

				Client Initials	
#1	Temperature of container/ cooler?	Yes	No	21.0 °C	
#2	Shipping container in good condition?	Yes	No		
#3	Custody Seals intact on shipping container/ cooler?	Yes	No	Not Present	
#4	Custody Seals intact on sample bottles/ container?	Yes	No	Not Present	
#5	Chain of Custody present?	Yes	No		
#6	Sample instructions complete of Chain of Custody?	Yes	No		
#7	Chain of Custody signed when relinquished/ received?	Yes	No		
#8	Chain of Custody agrees with sample label(s)?	Yes	No	ID written on Cont. Lid	
#9	Container label(s) legible and intact?	Yes	No	Not Applicable	
#10	Sample matrix/ properties agree with Chain of Custody?	Yes	No		
#11	Containers supplied by ELOT?	Yes	No		
#12	Samples in proper container/ bottle?	Yes	No	See Below	
#13	Samples properly preserved?	Yes	No	See Below	
#14	Sample bottles intact?	Yes	No		
#15	Preservations documented on Chain of Custody?	Yes	No		
#16	Containers documented on Chain of Custody?	Yes	No		
#17	Sufficient sample amount for indicated test(s)?	Yes	No	See Below	
#18	All samples received within sufficient hold time?	Yes	No	See Below	
#19	VOC samples have zero headspace?	Yes	No	Not Applicable	

Variance Documentation

Contact: _____ Contacted by: _____ Date/ Time: _____

Regarding: _____

Corrective Action Taken: _____

- Check all that Apply:
- ☐ See attached e-mail/ fax
 - ☐ Client understands and would like to proceed with analysis
 - ☐ Cooling process had begun shortly after sampling event