1625 N. French Dr., Hobbs, NM 88240 Energy Mi <u>District II</u> Energy Mi 1301 W. Grand Avenue, Artesia, NM 88210 Oil C <u>District III</u> Oil C 1000 Rio Brazos Road, Aztec, NM 87410 12200 <u>District IV</u> 12200 1220 S. St. Francis Dr., Santa Fe, NM 87505 Sa	ate of New Mexico nerals and Natural Resources Conservation Division South St. Francis Dr. Inta Fe, NM 87505 Ge Tank Registration or Closu	Form C-144 June 1, 2004 rilling and production facilities, submit to riate NMOCD District Office. ownstream facilities, submit to Santa Fe					
Is pit or below-grade tank covered by a "general plan"? Yes X No							
Type of action: Registration of a pit or	below-grade tank Closure of a pit or below-grade						
Operator: _XTO Energy, IncTelephone	:432-620-6740e-mail address:kris	ty_ward@xtoenergy.com					
Address:200 N. Loraine, Ste. 800 Midland, TX 79701							
Facility or well name:SDE 19 Federal #5API #:30-02							
County: LeaIatitude	32'17'42.96" N Longitude103'43'13.	23"_WNAD: 1927 🔲 1983 🔲					
Surface Owner: Federal X State 🗌 Private 🗌 Indian 🗌							
<u>Pit</u>	Below-grade tank						
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:						
Workover Emergency	Construction material:						
Lined 🔲 Unlined 🔲	Double-walled, with leak detection? Yes 🗌 If not, explain why not.						
Liner type: Synthetic 🗌 Thicknessmil Clay 🗌							
Pit Volume 5,000bbl							
Death to second water (water 1 distance from bottom of sites accord	Less than 50 feet	(20 points)					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) $\psi \Omega'$	50 feet or more, but less than 100 feet	(10 points) 0					
high water elevation of ground water.) 400°	100 feet or more X	(0 points)					
	Yes	(20 points)					
Wellhead protection area: (Less than 200 feet from a private domestic	No X	(0 points) 0					
water source, or less than 1000 feet from all other water sources.)							
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) 0					
	1000 feet or more X	(0 points)					
	Ranking Score (Total Points)	0					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if						
your are burying in place) onsite X offsite I if offsite, name of facility . (3) Attach a general description of remedial action taken including							
remediation start date and end date. (4) Groundwater encountered: No X Yes I If yes, show depth below ground surfaceft. and attach sample results.							
(5) Attach soil sample results and a diagram of sample locations and excavat							
Additional Comments: Reclaim Reserve Pit Per N.M.O.C.D. Rule 50							
Encapsulate Reserve Using 12Mil Plastic In Pit							
And Cap With 20 Mil Plastic							
Cover With 3' Nature Soil							
Seed Area With Specified Seed Mixture							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X a general permit a or an (attached) alternative OCD-approved plan .							

Date: _12/05/2006_

Printed Name/Title _Gene Hudson, Maintenance Foreman

Signatur Jul Judon

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: Printed Name/Title Pat Caperton Compliance Date: <u>12 |5/06</u> 396-6253 Signature 1/11 W/

New Mexico Office of the State Engineer POD Reports and Downloads					
Township: 238 Range: 32E Sections:					
NAD27 X: Y: Zone: Search Radius:					
County: Basin: Number: Suffix:					
Owner Name: (First) (Last) CNon-Domestic Domestic					
POD / Surface Data Report Avg Depth to Water Report					
Water Column Report					
Clear Form WATERS Menu Help					
AVERAGE DEPTH OF WATER REPORT 12/05/2006 (Depth Water in Feet)					

								(pebcu	Mater III	reeu
Bsn	Tws	Rng	Sec	Zone	х	Y	Wells	Min	Max	Avg
С	23S	32E	21				1	400	400	400

Record Count: 1

XTO Energy SDE 19 Federal #5

http://iwaters.ose.state.nm.us:7001/iWATERS/WellAndSurfaceDispatcher

12/5/2006

New Mexico Office of the State Engineer

New Mexico Office of the State Engineer POD Reports and Downloads						
Township: 238 Range: 32	E Sections: 19					
NAD27 X: Y:	Zone:	Search Radius:				
County: Basin: Basin:		▼ Number: Suffix:				
Owner Name: (First)	(Last)	C Non-Domestic C Domestic				
POD / Surface Data Report Avg Depth to Water Report						
Water Column Report						
Clear Form WATERS Menu Help						

AVERAGE DEPTH OF WATER REPORT 12/05/2006 (Depth Water in Feet) Bsn Tws Rng Sec Zone X Y Wells Min Max Avg No Records found, try again

XTD Energy SDE19 Fed. #5

http://iwaters.ose.state.nm.us:7001/iWATERS/WellAndSurfaceDispatcher

12/5/2006

XTO ENERGY, INC.

P.O. BOX 700

EUNICE, NEW MEXICO 88231

505-394-2089

W E S





Drill Pit

i