District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources


Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Gra	ade Tank Registration or Closu	<u>ire</u>	
Is pit or below-grade tank covered by a "general plan"? Yes No			
Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Coperator: Acade Coperator: Ac			
70 000			
Address: 6120 S. Yolk. 1 Wsa OK 74936  Facility or well name: Hesley 12 * 9 API #: 30.025. 38076 U/L or Qtr/Qtr K Scc 12 T 20 R 38			
County: Latitude 32 35 05 Longitude 103 06 15 NAD: 1927 1983			
Surface Owner: Federal State Private Indian			
	Below-grade tank		
Pit	Volume:bbl Type of fluid:		
Type: Drilling 🔀 Production 🗌 Disposal 🗌	Construction material:		
Workover	Double-walled, with leak detection? Yes If not, explain why not.		
Lined I Unlined	Double-wailed, with leak detection? Tes I I no	c. explain why not.	
Liner type: Synthetic Thickness mil Clay			
Pit Volume 2000 bbl			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points) 13 14 15 16 15	
high water elevation of ground water.)	100 feet or more	(10 points) ( 0 points)	
YV. III	Yes	(20 points) /0 41	
Wellhead protection area: (Less than 200 feet from a private domestic	No :	( 0 points) (o	
water source, or less than 1000 feet from all other water sources.)		10 08 03	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points) (n) 33 3 3 3 .	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) \cdot	
	1000 feet or more	( O points)	
	Ranking Score (Total Points)	20 4 05638212	
If this is a nit closure: (1) Attach a diagram of the facility showing the nit's	s relationship to other equipment and tanks. (2) India	onte dignocal logation) (check the engite have if	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if			
your are burying in place) onsite 🔲 offsite 💢 If offsite, name of facility			
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y		ft. and attach sample results.	
(5) Attach soil sample results and a diagram of sample locations and excavat	1 1 200 2		
Additional Comments: Plan to excavate Com	Temb of drilling pr	t and hard,	
to a DCD approved disposed	Junitin. Back Ill a	and level int	
only after sampling bottom of	execution and action	a savayal Fram	
aco to book of			
will notify DCD before starting and the starting and the			
1211 holique och Defore stant	ist and full send on	Motice after closing	
will red in son at work			
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that t	he above-described pit or below-grade tank	
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan			
Date: 12/21/0 6			
Printed Name/Title Education Second Signature			
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval:			
Printed Name/Title CHRIS WILLIAMS / DIST. SUPV Signature Chin Williams Date: 12/21/06			
		16/21/00	

## VICINITY MAP



SCALE: 1" = 2 MILES

SEC. 12 T	WP. 20-S RGE. 38-E		
SURVEY	N.M.P.M.		
COUNTYL	EA STATE NEW MEXICO		
DESCRIPTION	1650' FSL & 1890' FWL		
ELEVATION	3549'		
OPERATOR_	APACHE		
LEASE	HESTER 12		



PROVIDING SURVEYING SERVICES
SINCE 1948
JOHN WEST SURVEYING COMPANY
412 N. DAL PASO
HOBBS, N.M. 88240
(505) \$89-\$117



