	State of New Mexico		Form C-103
Office <u>District I</u>	Energy, Minerals and Natural Resources		May 27, 2004 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 District II		D17 HQ7037	30-025-31152
1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.		5. Indicate Type of Lease
District III 1000 Rio Brazos Rd., Aztec, NM 87410			STATE FEE S
District IV 1220 S. St. Francis Dr., Santa Fe, NM	Santa re, INIVI 87	303	6. State Oil & Gas Lease No.
87505	TOTAL AND DEPONDED ON MELL C		7. Lease Name or Unit Agreement Name
SUNDRY NOT	TCES AND REPORTS ON WELLS OSALS TO DRILL OR TO DEEPEN OR PLU	IG BACK TO A	7. Lease Name of Olit Agreement Name
DIFFERENT RESERVOIR. USE "APPL	ICATION FOR PERMIT" (FORM C-101) FO	R SUCH	PITTS-KENDRICK
PROPOSALS.)  1. Type of Well: Oil Well  Gas Well  Other		8. Well Number 1	
2. Name of Operator		9. OGRID Number 227103	
PLATINUM EXPLORATION, INC.		10. Pool name or Wildcat	
3. Address of Operator 550 WEST TEXAS AVENUE, SUITE 500, MIDLAND, TEXAS 79701		GLADIOLA; DEVONIAN	
4. Well Location			
Unit Letter J: 1500 feet from the SOUTH line and 1650 feet from the EAST line			
Section 5	Township 12S R	ange 38E	NMPM LEA County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)			
Pit or Below-grade Tank Application	ar Closure □	K	
Pit type Depth to Ground		ater well Dist	nnce from nearest surface water
Pit Liner Thickness: mi			nstruction Material
Committee to the committee of the commit	Appropriate Box to Indicate N	ature of Notice	Report or Other Data
	ı		
	NTENTION TO:	SUBS REMEDIAL WORK	SEQUENT REPORT OF:  ALTERING CASING
PERFORM REMEDIAL WORK TEMPORARILY ABANDON		COMMENCE DRI	· · · · · · · · · · · · · · · · · · ·
PULL OR ALTER CASING		CASING/CEMENT	
OTHER:		OTHER:	$\boxtimes$
12 Describe arounded on com	ploted energtions (Clearly state all r	pertinent details and	l give pertinent dates including estimated date
13. Describe proposed or com of starting any proposed y	pleted operations. (Clearly state all poors). SEE RULE 1103. For Multiple	pertinent details, and	I give pertinent dates, including estimated date tach wellbore diagram of proposed completion
<ol> <li>Describe proposed or come of starting any proposed very or recompletion.</li> </ol>	pleted operations. (Clearly state all poork). SEE RULE 1103. For Multiple	pertinent details, and	I give pertinent dates, including estimated date tach wellbore diagram of proposed completion
of starting any proposed v	pleted operations. (Clearly state all poors). SEE RULE 1103. For Multiple	pertinent details, and	I give pertinent dates, including estimated date tach wellbore diagram of proposed completion
of starting any proposed v or recompletion.	ork). SEE RULE 1103. For Multipl	pertinent details, and le Completions: Att	each wellbore diagram of proposed completion
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUB	rork). SEE RULE 1103. For Multiple TTEMPT TO RESTART THE PRESE PUMP TECH ON LOCATION TR	pertinent details, and le Completions: Att ENTLY INSTALLIED TO ADDRESS	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS.
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDL	rork). SEE RULE 1103. For Multiple FTEMPT TO RESTART THE PRESE PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION	pertinent details, and le Completions: Att ENTLY INSTALLIED TO ADDRESS	ED ELECTRIC SUB PUMP. PULLED
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUB	rork). SEE RULE 1103. For Multiple FTEMPT TO RESTART THE PRESE PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION	pertinent details, and le Completions: Att ENTLY INSTALLIED TO ADDRESS	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS.
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDL	rork). SEE RULE 1103. For Multiple FTEMPT TO RESTART THE PRESE PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION	pertinent details, and le Completions: Att ENTLY INSTALLIED TO ADDRESS	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS.
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDL	rork). SEE RULE 1103. For Multiple FTEMPT TO RESTART THE PRESE PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION	pertinent details, and le Completions: Att ENTLY INSTALLIED TO ADDRESS	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS.
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDLE BACK IN HOLE AND RELEASE.	rork). SEE RULE 1103. For Multiple FTEMPT TO RESTART THE PRESE PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION OF PULLING UNIT.	pertinent details, and le Completions: Att ENTLY INSTALLI IED TO ADDRESS ON OF PROBLEM.	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS. RAN 246 JTS OF 2-7/8 L-80 TUBING
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDLE BACK IN HOLE AND RELEASE.  Thereby certify that the information	rork). SEE RULE 1103. For Multiple of the PRESTART THE PRESTAND TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION DEVILLING UNIT.	pertinent details, and le Completions: Att le	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS.  RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below-
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDL BACK IN HOLE AND RELEASE  I hereby certify that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been grade tank has been grade the grade tank has been grade tan	TTEMPT TO RESTART THE PREST PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION DOLLLING UNIT.	pertinent details, and le Completions: Att le	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS.  RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDLE BACK IN HOLE AND RELEASE.  Thereby certify that the information	TTEMPT TO RESTART THE PREST PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION DOLLLING UNIT.	pertinent details, and le Completions: Att le	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS.  RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below-
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDLE BACK IN HOLE AND RELEASE  I hereby certify that the information grade tank has been/will be constructed and suggested that the information grade tank has been/will be constructed and suggested tank has been/will be constructed to the suggested tank has been/will be constructed to the sugge	TITLE	bertinent details, and le Completions: Attended to the Completions of the Completions of the Completions of the Completions of the Completion of the Complet	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS.  RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .  DATE 12-15-06
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDL BACK IN HOLE AND RELEASE  I hereby certify that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been/will be constructed or starting that the information grade tank has been grade tank has been grade the grade tank has been grade tan	TITLE	bertinent details, and le Completions: Attended to the Completions of the Completions of the Completions of the Completions of the Completion of the Complet	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS.  RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDL BACK IN HOLE AND RELEASE  I hereby certify that the information grade tank has been/will be constructed as SIGNATURE.  Type or print name. GREG RASM For State Use Only	TITLE	bertinent details, and le Completions: Attended to the Completions of the Completions of the Completions of the Completions of the Completion of the Complet	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS.  RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan  DATE 12-15-06  OM Telephone No. 432-687-1664
of starting any proposed wor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDLE BACK IN HOLE AND RELEASE  I hereby certify that the information grade tank has been/will be constructed as SIGNATURE  Type or print name GREG RASM For State Use Only  APPROVED BY:	TITLE	Descriment details, and le Completions: Att le	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS. RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .  DATE 12-15-06  OM Telephone No. 432-687-1664
of starting any proposed vor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDL BACK IN HOLE AND RELEASE  I hereby certify that the information grade tank has been/will be constructed as SIGNATURE.  Type or print name. GREG RASM For State Use Only	TITLE  TO RESTART THE PREST PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION DO PULLING UNIT.  TITLE  TITLE  TITLE  TITLE	Descriment details, and le Completions: Att le	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS. RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .  DATE 12-15-06  OM Telephone No. 432-687-1664
of starting any proposed wor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDLE BACK IN HOLE AND RELEASE  I hereby certify that the information grade tank has been/will be constructed as SIGNATURE  Type or print name GREG RASM For State Use Only  APPROVED BY:	TITLE  TO RESTART THE PREST PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION DO PULLING UNIT.  TITLE  TITLE  TITLE  TITLE	Descriment details, and le Completions: Att le	ED ELECTRIC SUB PUMP. PULLED BY PUMP PROBLEMS WITHOUT SUCCESS. RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .  DATE 12-15-06  OM Telephone No. 432-687-1664
of starting any proposed wor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDLE BACK IN HOLE AND RELEASE  I hereby certify that the information grade tank has been/will be constructed as SIGNATURE  Type or print name GREG RASM For State Use Only  APPROVED BY:	TITLE  TO RESTART THE PREST PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION DO PULLING UNIT.  TITLE  TITLE  TITLE  TITLE	Descriment details, and le Completions: Att le	ED ELECTRIC SUB PUMP. PULLED PUMP PROBLEMS WITHOUT SUCCESS. RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .  DATE 12-15-06  OM Telephone No. 432-687-1664
of starting any proposed wor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDLE BACK IN HOLE AND RELEASE  I hereby certify that the information grade tank has been/will be constructed as SIGNATURE  Type or print name GREG RASM For State Use Only  APPROVED BY:	TITLE  TO RESTART THE PREST PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION DO PULLING UNIT.  TITLE  TITLE  TITLE  TITLE	Descriment details, and le Completions: Att le	ED ELECTRIC SUB PUMP. PULLED PUMP PROBLEMS WITHOUT SUCCESS. RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .  DATE 12-15-06  OM Telephone No. 432-687-1664
of starting any proposed wor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDLE BACK IN HOLE AND RELEASE  I hereby certify that the information grade tank has been/will be constructed as SIGNATURE  Type or print name GREG RASM For State Use Only  APPROVED BY:	TITLE  TO RESTART THE PREST PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION DO PULLING UNIT.  TITLE  TITLE  TITLE  TITLE	Descriment details, and le Completions: Att le	ED ELECTRIC SUB PUMP. PULLED PUMP PROBLEMS WITHOUT SUCCESS. RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .  DATE 12-15-06  OM Telephone No. 432-687-1664
of starting any proposed wor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDLE BACK IN HOLE AND RELEASE  I hereby certify that the information grade tank has been/will be constructed as SIGNATURE  Type or print name GREG RASM For State Use Only  APPROVED BY:	TITLE  TO RESTART THE PREST PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION DO PULLING UNIT.  TITLE  TITLE  TITLE  TITLE	Descriment details, and le Completions: Att le	ED ELECTRIC SUB PUMP. PULLED PUMP PROBLEMS WITHOUT SUCCESS. RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan  DATE 12-15-06  OM Telephone No. 432-687-1664  DATE JAN 0 2 2007
of starting any proposed wor recompletion.  11-14-06 THRU 11-17-06: AN A'TUBING AND SUB PUMP. SUBSENT PUMP TO SHOP IN MIDLE BACK IN HOLE AND RELEASE  I hereby certify that the information grade tank has been/will be constructed as SIGNATURE  Type or print name GREG RASM For State Use Only  APPROVED BY:	TITLE  TO RESTART THE PREST PUMP TECH ON LOCATION TRAND, TEXAS, FOR EXAMINATION DO PULLING UNIT.  TITLE  TITLE  TITLE  TITLE	Descriment details, and le Completions: Att le	ED ELECTRIC SUB PUMP. PULLED PUMP PROBLEMS WITHOUT SUCCESS. RAN 246 JTS OF 2-7/8 L-80 TUBING  e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .  DATE 12-15-06  OM Telephone No. 432-687-1664