Submit to Appropriate District Office State of New Mexico Form C-105 State Lease - 6 copies Revised June 10, 2003 Energy, Minerals and Natural Resources Fee Lease - 5 copies District I WELL API NO. 1625 N. French, Hobbs, NM 88240 30-025-37817 District II OIL CONSERVATION DIVISION 5. Indicate Type Of Lease 1301 W. Grand Avenue, Artesia, NM 88210 1220 South St. Francis Dr. STATE FEE District III Santa Fe, NM 87505 1000 Rio Brazos Rd., Aztec, NM 87410 6. State Oil & Gas Lease No. District IV 220420 1220 S. St. Francis Dr., Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG 1a. Type of Well: 7. Lease Name or Unit Agreement Name GAS WELL DRY 🗌 OIL WELL X OTHER EAST HOBBS SAND ANDRES UNIT b. Type of Completion: DIFF. OTHER NEW WORK DEEPEN BACK DEEPEN 8. Well No. 2. Name of Operator 605 Arena Resources, Inc. 9. Pool name or Wildcat 3. Address of Operator HOBBS: SAN ANDRES, EAST 4920 S. Lewis Ave, Suite 107, Tulsa, OK 74105 4. Well Location SOUTH Line and 2475' Feet From The Unit Letter 0 : 980' Feet From The Line **NMPM** Township 18S Range 39E Section 30 13. Elevations (DF & RKB, RT, GR, etc.) 14. Elev. Casinghead 11. Date T.D. Reached 12. Date Compl. (Ready to Prod.) 10. Date Spudded 36041 KB 3618' DF 3617' GL 3604' 07/24/2006 08/01/2006 08/24/2006 18. Intervals Drilled By 17. If Multiple Compl. How Many Zones? Cable Tools 16. Plug Back T.D. Rotary Tools 15. Total Depth 4610' 4564 20. Was Directional Survey Made 19. Producing Interval(s), of this completion - Top, Bottom, Name 4442' - 4600' 22. Was Well Cored 21. Type Electric and Other Logs Run DUAL SPACED NEUTRON SPECTRAL DENSITY LOG CASING RECORD (Report all strings set in well) HOLE SIZE Recence Pull CASING SIZE CEMENTING RECORD WEIGHT LB./FT. DEPTH SET 500 SX 1864' 12 1/4 Hobbs 8 5/8" 24 OCD 7 7/8 1000 SX 15.5 4610' 5 1/2" 920212833 LINER RECORD 25. TUBING RECORD 24. DEPTH SET PACKER SET BOTTOM SACKS CEMENT | SCREEN SIZE SIZE TOP 2 7/8 44801 4350' 27. ACID, SHOT, FRACTURE, CEMENT, SQEEZE, ETC. 26. Perforation record (interval, size, and number) DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED PERF SPF, 4", 120 DEG PHASING., 32' 64 HOLES 4442' -4600' PUMP 2000 GAL ACID, PUMP 6 BBL W/ NO BALL SEALERS, 36 BBL ACID W/100 BALL SEALERS. **PRODUCTION** 28. Well Status (Prod. or Shut-in) Production Method (Flowing, gas lift, pumping - Size and type pump) Date First Production PRODUCING 08/24/2006 FLOWING Water - Bbl. Gas - Oil Ratio Date of Test Oil - Bbl. Gas - MCF Hours Tested Choke Size Prod'n For Test Period 09/12/2006 24 Water - Bbl. Oil Gravity - API -(Corr.) Flow Tubing Calculated 24-Oil - Bbl. Gas - MCF Casing Pressure Hour Rate 43 43 431 29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By DANNY PALMER SOLD 30. List Attachments 31\(\text{I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed ENGINEERING TECH Date 11/15/2006 BRENDA FITZPATRICK

Name

Hamail address bfitzpatriok@arenaresourcesinc.com

Title

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico			Northeas	Northeastern New Mexico		
T. Anhy	1850'	T. Canyon	T. Ojo Alamo	T. Penn. "B"		
T. Salt		T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"		
B. Salt		T. Atoka	T. Pictured Cliffs	T. Penn. "D"		
T. Yates	3011'	T. Miss	T. Cliff House	T. Leadville		
T. 7 Rivers	3112'	T. Devonian	T. Menefee	T. Madison		
T. Oueen	<u>.</u>	T. Silurian	T. Point Lookout	T. Elbert		
T. Grayburg		T. Montoya	T. Mancos	T. McCracken		
T. San Andres	44331	T. Simpson	T. Gallup	T. Ignacio Otzte		
T. Glorieta		T. McKee	Base Greenhorn	T. Granite		
T. Paddock		T. Ellenburger	T. Dakota			
T. Blinebry		T. Gr. Wash	T. Morrison	T.		
T. Tubb		T. Delaware Sand	T. Todilto	T		
T. Drinkard		T. Bone Springs	T. Entrada	T		
T. Abo		T.	T. Wingate	Т.		
T. Wolfcamp			T. Chinle	T.		
T. Penn		T.	T. Permain	T.		
T. Cisco (Bough C)		T.	T. Penn "A"	Т.		
				OIL OR GAS		

			SANDS OR ZONES	
No. 1, from	to			
No. 2, from	to	No. 4, from	to	
		TANT WATER SANDS		
Include data on rate of war	ter inflow and elevation to which w	ater rose in noie.		
		feet		
		feet		
No. 3. from		feet		
	LITHOLOGY REC	ORD (Attach additional sheet if r	necessary)	

From	То	Thickness in Feet	Lithology	From	То	Thickness in Feet	Lithology
	7						
		·			-	:	
. *							
					,		
				1			