



FIELD CHLORIDES

assily Appeared 8.01

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank								
Operator: Anche Corp Telephon	ie: 919, 491. 4900 c-mail address: 5004 04 6 1000 . Met							
Address: 6120 5. Yale Tulsa OK	74(36							
Facility or well name: NMC SA Unit = 350 API #: 3	A .A							
County:Latitude	32° 39' 10" Longitude 103° 17' 41 NAD: 1927 🗆 1983 🗆							
Surface Owner: Federal State Private Indian								
Pit	Below-grade tank							
Type: Drilling T Production Disposal	Volume:bbl Type of fluid:							
Workover ☐ Emergency ☐	Construction material:							
Lined L Unlined	Double-walled, with leak detection? Yes [] If not, exper why not.							
Liner type: Synthetic Thickness 12 mil Clay	B 888 6							
Pit Volume 2010 bbl								
Dela service de distance from bottom of nit to sessonal	Less than 50 feet (10 coints)							
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet (10 ments)							
high water elevation of ground water.) 49 ff	100 feet or more							
	Yes (20 points)							
Wellhead protection area: (Less than 200 feet from a private domestic	No (O points)							
water source, or less than 1000 feet from all other water sources.)								
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet (20 points)							
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet (10 points)							
	1000 feet or more 0 points							
	Ranking Score (Total Points)							
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if							
your are burying in place) onsite O offsite M If offsite, name of facility	. (3) Attach a general description of remedial action taken including							
	Yes I If yes, show depth below ground surface ft. and attach sample results.							
(5) Attach soil sample results and a diagram of sample locations and excava	 							
Additional Comments: Plan to exceed and	have contente of drilling sit							
to a OCD approved facility	. Atter excavating sample bottom and							
backEll and lovel and all	OCH Chamille of Control of							
same in and interest of	s octs approved of analytical							
1 + 1 0 . 1 1 1 -	061 - 1							
Willy Och Separe Sand	pany tell sundry Notice of chosing							
Will Begin soon after approval,								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank								
has been/will be constructed or closed according to NMOCD guidelines [], a general permit [], or an (attached) alternative OCD-approved plan [6].								
Date: 11/13/06								
Printed Name/Title Eddie W See Arent Signature								
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tenk conteminate ground water or								
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or								
regulations.								
Approval:	V /V 1 12							
Printed Name/Title tot ager ton for larry ohuson signature for Callotte Date: 11/14/06								
Constance Officer Date:								

argon laboratories

Safety & Environmental Solutions, Inc.

703 E. Clinton Ave Hobbs, NM 88240 Project Number: PSS-06-046

Project Name: NMGSAU 350 Project Manager: Bob Allen Work Order No.: A612003

Anions by Ion Chromatography - EPA Method 300.0

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
#1. 6' (A612003-01) Soil	Sampled: 11/29/06 11:00 Re	eceived: 12/01/06	14:10				
Chloride	1200	10	mg/kg	1	12/04/06	EPA 300.0	
#2. 6' (A612003-02) Soil	Sampled: 11/29/06 11:15 Re	eceived: 12/01/06	14:10				
Chloride	390	10	mg/kg	1	12/04/06	EPA 300.0	
#5. 6' (A612003-03) Soil	Sampled: 11/29/06 11:30 Re	ceived: 12/01/06	14:10				
Chloride	1200	10	mg/kg	1	12/04/06	EPA 300.0	
#6. 6' (A612003-04) Soil	Sampled: 11/29/06 11:45 Re	ceived: 12/01/06	14:10				
Chloride	1200	10	mg/kg	1	12/04/06	EPA 300.0	
#3. 8' (A612003-05) Soil	Sampled: 11/29/06 13:10 Re	ceived: 12/01/06	14:10				
Chloride	76	10	mg/kg	1	12/04/06	EPA 300.0	
#4. 7' (A612003-06) Soil	Sampled: 11/29/06 15:30 Re	ceived: 12/01/06	14:10				
Chloride	58	10	mg/kg	. 1	12/04/06	EPA 300.0	

QC Officer Approval

Argon Laboratories, Inc.

argon laboratories

Safety & Environmental Solutions, Inc.

703 E. Clinton Ave Hobbs, NM 88240 Project Number: PSS-06-046

Project Name: NMGSAU 350

Project Manager: Bob Allen

Work Order No.: A612017

Anions by Ion Chromatography - EPA Method 300.0

Analyte	Re	sult	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
#1. 6' (A612017-01) Soil	Sampled: 12/15/06 10:45	Receiv	ed: 12/15/06	14:45				
Chloride		76	10	mg/kg	1	12/18/06	EPA 300.0	
#5. 6' (A612017-02) Soil	Sampled: 12/15/06 11:00	Receiv	ed: 12/15/06	14:45				
Chloride		72	10	mg/kg	1	12/18/06	EPA 300.0	
#6. 6' (A612017-03) Soil	Sampled: 12/15/06 11:30	Receiv	ed: 12/15/06	14:45				
Chloride		35	10	mg/kg	1	 12/18/06	EPA 300.0	

QC Officer Approval

Argon Laboratories, Inc.