02/09/2007 08:21 FAX		1 008/010		
Dietrica I St	tate of New Mexico	Form C-144		
1625 N. French Dr., Hobbs, NM 88240 District II Énergy Mi	inerals and Natural Resources	June 1, 2004		
1301 W. Orand Avenue, Artesia, NM 88210 District III Oil (	Conservation Division	For drilling and production facilities, submit to appropriate NMOCD District Office.		
1000 Pio Brazos Road, Aziec, NM 87410	) South St. Francis Dr.	appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe		
	anta Fe, NM 87505	office		
	de Tank Registration or (			
	k covered by a "general plan"? Yes			
Type of action: Registration of a pit of	or below-grade tank 🔲 Closure of a pit or i	helow-grade tank A		
Operator:XTO ENERGY INCTe Address: 209 LORAINE STE 800 MIDLAND, TO				
Facility or well name: _North Vacuum ABO Unit # 304 API #:	30-025-37896 U/L. or Qtr/Qtr	J Sec 12 T 17S R 34E		
County: LEALatitude32"50				
•	0.21.81N Toutain			
NAD: 1927 🗌 1983 🗌				
Surface Owner: Federal 🔲 State 🗶 Private 🗋 Indian 🗖				
Pit	Below-grade tank			
<u>Type:</u> Drilling X Production $\Box$ Disposal $\Box$	Volume:bbl Type of fluid:			
Workover 🔲 Emergency 💭	Construction material: Double-walled, with leak detection? Yes [] If not, explain why not.			
Lined 🗋 Unlined 🗖	Double-walled, with leak detection? Tes	L If not, explain why not.		
Liner type: Synthetic 🗋 Thickness mil Clay 💭	·	0 P*		
Pit Volume 5,000bbl				
Depth to around water (vertical distance from bottom of pil to seasonal	Less than 50 feet	(20 points)		
high water elevation of ground water.)	S0 feet or more, but less than 100 feet	(10 points) /O		
	100 feet or more	( 0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	(No)	( 0 points) $-\Theta^{-}$		
	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas, inclusion canals, ditches, and peremial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
	1000 feet or more	( 0 points)		
	Ranking Score (Total Points)	10		
If the is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks.	(2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite X 🗆 offsite 🗖 If offsite, name of facility		a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: NoX				
(3) Attach soil sample results and a diagram of sample locations and excavat	ions	······································		
Additional Comments: Reclaim Reserve Pit Per N.M.O.C.D. Rule	e 50			
Encapsulate Reserve Using 12 Mil Plastic	In Pit, And Cap With 20 Mil Plastic			
Cover With 3' Nature Soil				
Seed Area With Specified Seed Mixture				
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further cert	Proposed L.		
has been/will be constructed or closed according to NMOCD guidelines				
Date: 08/02/2004		$\sim$		
Date:08/03/2006 Printed Name/Title Richard Hudson/Maintenance Foremen	Signature Richard LA			
Your certification and NMOCD approval of this application/closure does n		contents of the mit or tank contaminate ground water of		
otherwise endanger public health or the environment. Nor does it relieve th regulations,	te operator of its responsibility for complian	cc with any other federal, state, or local laws and/or		
Approval:	$\land$			
Printed Name/Title LJOHUSON - Egyle Free	Signature	Date: 8-25-06		

- • • •

X TO Energy, Inc. P.O. Box 700 Eunice, N. M. 88231 505-394-2089

W E 5'



 $(\mathfrak{I})$ 

North Vacuum ABO Well # 304

8- 2-07; 8:36AM;



;505 391 9895

# 2/ 4



PHONE (916) 673-7001 . 2111 BEECHWOOD . ABILENE, TX 79803

PHONE (505) 393-2326 . 101 E. MARLAND . HOBBS. NM 88240

ANALYTICAL RESULTS FOR **GCI SWEATT** 720 S. TEXACO RD. HOBBS, NM 88240 FAX TO:

Receiving Date: 02/02/07 Reporting Date: 02/03/07 Project Number: NOT GIVEN Project Name: XTO NORTH ABO #304 Project Location: NORTH VACUUM ABO #304

Analysis Date: 02/03/07 Sampling Date: 02/02/07 Sample Type; SOIL Sample Condition: COOL & INTACT Sample Received By: BC Analyzed By: HM

	LAB NO.	SAMPLE ID	CI (mg/Kg)
ጉ [	H12136-1	SOUTH WEST CORNER	< 16
Σĺ	H12136-2	SOUTH EAST CORNER	< 16
Ð [	H12136-3	NORTH WEST CORNER	< 16
1	H12136-4	NORTH EAST CORNER	192
2225	H12136-5	MIDDLE	< 16
┝	· · ·	and a second	
-			- x*A e
			•
H			
ŀ		······································	
	**		
-	Quality Con	trol	500
	True Value QC % Recovery		500
-			100
- F	Relative Percent Difference		0.0

METHOD: Standard Methods 4500-CI'B NOTE: Analyses performed on 1:4 w:v aqueous extracts.

Che

07-05-07 Date

## H12136

PLEASE NOTE: Liability and Damagas. Cardinal's liability and otient's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the emprint baid by client for analyses. All filtered, including these for negligencis and any other cause whatspower shall be deemed welved unless made in writing and received by Cardinal within thirty (30) days siner completion of the applicable service. In no event shall Cardinal be lique for incidental or consequential damagee, including, without unitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiardes. elfiliates of successore attaing out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the ebove-stated reasons or otherwise.