Form 3160-5 (April 2004)

UNITED STATES UNITED STATES OCD-HOBBS DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

FORM APPROVED OM B No 1004-0137 Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

6. If Indian, Allottee or Tribe Name

5. Lease Serial No.

LC063659

abandoned we	0. 27 2710	an, i sietee of those i and					
SUBMIT IN TRI	7. If Unit	7. If Unit or CA/Agreement, Name and/or No.					
1. Type of Well Gas Well Other					8. Well Name and No.		
2. Name of Operator Manhattan	Petroleum, Inc.			Grea	t Western "C" #1		
3a Address 3b. Phone			No. (include area code)		25-21446		
P O Box 11211, Midland, TX 7	432-684-9970	2-684-9970		10. Field and Pool, or Exploratory Area Sawyer			
 Location of Well (Footage, Sec.,) K Sec 21-T9S-R38E 660'/S 					ry or Parish, State		
K Sec 21-198-R38E 00078	S & 660'/W			Lea	,		
12. CHECK AF	PPROPRIATE BOX(ES) TO	INDICATE NAT	URE OF NOTICE,	REPORT, (DR OTHER DATA		
TYPE OF SUBMISSION							
Notice of Intent Subsequent Report Final Abandonment Notice 13. Describe Proposed or Complete	Acidize Alter Casing Casing Repair Change Plans Convert to Injection ad Operation (clearly state all pertire	Deepen Fracture Treat New Construction Plug and Abandon Plug Back nent details, including	Reclamation Recomplete Temporarily Water Dispo	Abandon osal of any proposed y	Water Shut-Off Well Integrity Other work and approximate duration thereof.		
determined that the site is ready Request for approval of water Additional information and	for final inspection.) ater disposal filed in response d current water analysis attac	to BLM Form 3160			Received Rec		
14. I hereby certify that the foreg Name (Printed/Typed)	joing is true and correct	1					
Connie Swan		Title	Regulatory Admin	istrator			
Signature Usua	~	Date		01/29/2007	_		
	THIS SPACE FOR F	EDERAL OR	STATE OFFIC	E USE			
Approved by Conditions of approval, if any, are at certify that the applicant holds legal which would entitle the applicant to Title 18 U.S.C. Section 1001 and Title States any false fictitions or for whall	or equitable title to those rights in conduct operations thereon. 43 U.S.C. Section 1212 make it a	the subject lease	Title Office knowingly and willfu		FEB 5 2007 department or agency of the United		
States any false, fictitious or fraudule (Instructions on page 2)	int statements or representations a	as to any matter within	its jurisdiction.		EDEDERICK WRIGHT		
GWW					PETROLEUM ENGINEER		

Attachment to Sundry Notice 3160-5 Notice of Intention for Water Disposal Approval Great Western C #1

API No. 30-025-21446

1. Formation producing water on the lease: San Andres

2. Amount of water produced in barrels per day: 2.0 bbls/day in Nov06

3. Current water analysis attached: Lab ID Dec1506.002-1

4. How water is stored on the lease: Fiberglass tank

5. How water is moved to the disposal facility: Tank truck

6. Identify disposal facility by

a. Operator's name: State Line Trucking

b. Well name: Reed Estate #1

c. Well type and well number: <u>Commercial Disposal</u>

d. Location: 467' FNL & 2130' FWL

Sec 41 Harrison & Brown Survey

Abstract 46

Cochran County, Texas

RRC Injection Permit No. 10658

Permian Treating Chemicals, Inc. WATER ANALYSIS REPORT

SAMPLE

Oil Co.: Manhattan Petroleum Lease : Great Western C Fed

Well No.: 1 Location: Attention:

Date Sampled: 08-December-2006 Date Analyzed: 15-December-2006 Lab ID Number: Dec1506.002- 1

Salesperson:

Requested By: Permian Treating Chemicals, Inc.*

File Name : Dec1506.002

ANALYSIS

19.

20.

5.900 1. 1.156 Specific Gravity 60/60 F. 2.


0.554 Mild @ 80F **CACO3 Saturation Index** 3. Severe @140F 1.914

MG/L *MEQ/L EQ. WT. **Dissolved Gasses Not Present** Hydrogen Sulfide 1 Not Determined 5. Carbon Dioxide **Not Determined** Dissolved Oxygen 6. **Cations** /20.1 =543.38 10.922 7. Calcium (Ca++)/ 12.2 = 303.93 3,708 8. Magnesium (Mg++)Sodium (Na+) (Calculated) 63,173 / 23.0 =2.746.65 9. Not Determined 10. **Barium** (Ba++)**Anions** / 17.0 = 0.00 11. Hydroxyl (OH+)0 12. Carbonate (CO3=)0 / 30.0 =0.00 **Bicarbonate** / 61.1 = (HCO3-) 5.60 13. 342 14. Sulfate (SO4=)525 / 48.8 = 10.76 (CI-) 15. Chloride 126.971 / 35.5 =3,576.65 **Total Dissolved Solids** 16. 205,641 Total Iron 17. 0.14 (Fe) 2.50 / 18.2 = 18. Manganese (Mn++)**Not Determined**

42,538 Resistivity @ 75 F. (Calculated) 0.001 Ohm · meters

LOGARITHMIC WATER PATTERN

Total Hardness as CaCO3



1434	 -		 	· /
1428	 	-		
1416				7
1410	+			
1396	+	· }	Λ	
1392			~ 1	ļ
1386	+	7		_
380	1			

PROBABLE MINERAL COMPOSITION

FILOD	WALL BILLIEN	17E 1		1011			
COMPOUND) *meq/L	Χ	EQ. WT.	= mg/L.			
Ca(HCO3)2	5.60		81.04	454			
CaSO4	10.76		68.07	732			
CaCl2	527.03		55.50	29,250			
Mg(HCO3)2	0.00		73.17	0			
MgSO4	0.00		60.19	0			
MgCl2	303.93		47.62	14,473			
NaHCO3	0.00		84.00	0			
NaSO4	0.00		71.03	0			
NaCi	2,745.69		58.46	160,513			
* milliequivalents per Liter							

Kevin Byme, Analyst



RICHARD A. VARELA DIRECTOR, OIL AND GAS DIVISION STEVEN J. SENI

ASSISTANT DIRECTOR, ENVIRONMENTAL SERVICES

RAILROAD COMMISSION OF TEXAS

OIL AND GAS DIVISION PERMIT TO DISPOSE OF NON-HAZARDOUS OIL AND GAS WASTE BY INJECTION INTO A POROUS FORMATION NOT PRODUCTIVE OF OIL AND GAS

PERMIT NO. 10658, AMENDED

STATE LINE TRUCKING, INC. P O BOX 520 LEVELLAND TX 79336

Based on information contained in your application (Form W-14) dated April 6, 2006, you are hereby authorized to dispose of oil and gas waste into your well designated as follows:

Reed Estate Lease, (67650), Well No. 1, Levelland Field, Cochran County, RRC District 8A

Authority is granted to inject in accordance with Statewide Rule 9 of the Railroad Commission of Texas and subject to the following special and standard conditions:

SPECIAL CONDITIONS:

- 1. Oil and gas waste shall only be injected into strata in the subsurface depth interval from 5200 feet to 10300 feet.
- 2. The injection volume shall not exceed 3000 barrels per day.
- 3. The maximum operating surface injection pressure shall not exceed 2600 psig.
- 4. The authority to dispose of oil and gas waste is limited to the disposal of salt water.

STANDARD CONDITIONS:

- 1. Injection must be through tubing set on a packer. The packer must be set no higher than 100 feet above the top of the permitted interval.
- 2. The District Office must be notified 48 hours prior to:
 - a. running tubing and setting packer;
 - b. beginning any workover or remedial operation;
 - c. conducting any required pressure tests or surveys.
- 3. The wellhead must be equipped with a pressure observation valve on the tubing and for each annulus.