02/26/2007 15:11 FAX

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazus Road, Aztoc, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fc, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

#### Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank X

Operator:XTO ENERGY INC,Telephi Address:200 LORAINE STE 800 MIDLAND, TX 79701 Facility or well name:SOUTHEAST MALJAMAR UNIT_ #_115 County:LEALatitude Surface Owner: Federal X State [] Private [] Indian []	AFI #:30-025-37574U/L or Qtr/Qtr 32=47'45.46''' N Longitude10	DSec33T_179R33E
Pits         Type:       Drilling X       Production       Disposal         Workover       Emergency       )         Lined       Unlined       )         Liner type:       Synthetic       Thickness      mil         Clay       )         Pit Volume       5,000      bbl	Below-grade tank Vohune:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes [	] If not, explain why not.
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canala, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)
	Ranking Score (Total Points)	0

your are burying in place) onsite 2 offsite 1 if offsite, name of facility\_\_\_\_\_\_. (3) Attach a general description of remedial action taken metric

remediation start date and end date. (4) Groundwater encountered: No 🗹 Yes 📋 If yes, show depth below ground surface\_\_\_\_\_fl. and attach sample

(5) Attach soil sample results and a diagram of sample locations and excavations.

 Additional Comments:
 Recision Reserve Pit Per N.M.O.C.D. Rule 50

 Encapsulate Reserve Using 12 Mil Plastic In Pit

 And Cap With 20 Mil Plastic

 Cover With 3' Nature Soil

 Seed Area With Specified seed Mixture

 X
 Above pit Closed 4/24/D6 As Per Above Proposed

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been will be constructed or closed according to NMOCD guidelines [2], a general permit [], or an (attached) alternative OCD-approved plan [].

Date: 01/18/06

Printed Name/Title \_Gene Hudson/ Maintenance Foreman

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signatur

Approval: Printed Name/Title	GARY W. WINK K	STAFF MGR Signature	Laure La	Jink	Dede: 1/18/040
			- Curry		

Form C-144

June 1, 2004



PHONE (915) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79803 PHONE (505) 393-2325 • 101 E. MARLANO • HOBBS, NM 88240

CLOGED 4-7-06

ANALYTICAL RESULTS FOR SWEATT CONSTRUCTION 720 S. TEXACO ROAD HOBBS, NM 88240 FAX TO:

Receiving Date: 02/15/07 Reporting Date: 02/18/07 Project Number; NOT GIVEN Project Name: XTO Project Location: SEMU #115

Analysis Date: 02/18/07 Sampling Date: NOT GIVEN Sample Type: SOIL Sample Condition: COOL & INTACT Sample Received By: HM Analyzed By: HM

c٢

LAB NO.	SAMPLE ID	(mg/Kg)
H12208-1	CENTER	< 16
H12208-2	NE CORNER	< 16
H12208-3	NW CORNER	< 18
H12208-4	SE CORNER	< 16
H12208-5	SW CORNER	< 16
	المحمد التي من المحمد التي المحمد	
	N ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (	
Quality Con		490
Quality Con True Value		490
	QC	and the second s

METHOD: Standard Methods 4500-CI'B NOTE: Analyses performed on 1:4 w:v agueous extracts.

Almo

02-18-07 Date

H12208

PLEASE NOTE: Liebblity and Demogras. Cardinal's liability and olient's explosive remedy for any claim arking, whether based in contract or tort, shall be limited to the amount peed by ettent for analyses. All claims, including loses for negligence and any other dause wingtcover shall be decomed walved unless mysich within the ty (30) days after complexico of the appricable service. In no event shall Cardinal be table for incredenial or consequential damages, including, without limitation, business unlerruptions, loss of use, or less of prefix increde by client, its existings, without limitation, business and entry of the above-stated by client, its existing and reactives and any of the above-stated by client. The above of prefix incredents in the two of prefix incredents of therwise.

# 4/

## XTO ENERGY, INC.

### P.O. BOX 700

# EUNICE, NEW MEXICO 88231

505-394-2089





