

JUN-29-08 07:29 From:

DISTRICT II

1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III

1000 Rio Bruzos Road, Aztec, NM 87410

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Energy Minerals and Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144

June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or ClosureIs pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>XTO ENERGY INC.</u> Telephone: <u>432-620-6000</u> e-mail address: _____		
Address: <u>200 LORAIN ST. 200 MIDLAND, TX 79701</u> <u>30-025-37897-0000</u>		
Facility or well name: <u>SOUTHEAST MALJAMAR UNIT # 617 API #:</u> <u>30-025-37897</u> U/L or Qr/Qtr <u>K</u> Sec <u>29</u> T <u>17S</u> R <u>33E</u>		
County: <u>LEA</u> Latitude <u>32°48'10.41" N</u> Longitude <u>103°41'12.73" W</u> NAD: 1927 ☐ 1983 ☒		
Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐		
Pit	Below-grade tank	
Type: Drilling ☒ Production ☐ Disposal ☐	Volume: _____ bbl Type of fluid: _____	
Workover ☐ Emergency ☐	Construction material: _____	
Lined ☐ Unlined ☐	Double-walled, with leak detection? Yes ☐ If not, explain why not: _____	
Liner type: Synthetic ☒ Thickness <u>12</u> mil Clay ☐	_____	
Pit Volume <u>5,000</u> bbl	_____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) <u>100'</u>	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) <u>2</u>
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) <u>0</u>
Ranking Score (Total Points)		<u>0</u>

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility: _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:	Reclaim Reserve Pit Per N.M.O.C.D. Rule 50
	Encapsulate Reserve Using 12Mil Plastic In Pit
	And Cap With 20 Mil Plastic
	Cover With 3' Native Soil
	Seed Area With Specified Seed Mixture
<u>* drill pit closed 03/23/06 AS per above proposal</u>	

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OGD-approved plan ☐.

Date: 06/23/06Printed Name/Title: Gene Hudson, Maintenance ForemanSignature: Gene Hudson

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title: L.W. Johnson, Enviro EngSignature: L.W. JohnsonDate: 6-29-06



ARDINAL
LABORATORIES

PHONE (915) 873-7001 • 2111 BRECHWOOD • ABILENE, TX 79603
PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Close Δ 3-23-06

**ANALYTICAL RESULTS FOR
SWEATT CONSTRUCTION
720 S. TEXACO ROAD
HOBBBS, NM 86240
FAX TO:**

Receiving Date: 02/15/07
Reporting Date: 02/18/07
Project Number: NOT GIVEN
Project Name: XTO
Project Location: SEMU #617

Analysis Date: 02/18/07
Sampling Date: NOT GIVEN
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: HM
Analyzed By: HM

[illegible]

METHOD: Standard Methods

4500-CTB

NOTE: Analyses performed on 1:4 w:v aqueous extracts.

Chémist

Date _____

H12206

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

XTO ENERGY, INC.

P.O. BOX 700

EUNICE, NEW MEXICO 88231

505-394-2089

N
W E
S

SEM.U. well
617

