DISTRICT 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1 2004

#### Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No X

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Telephone: 432-685-4372 e-mail address: dkuvkendall@conchoresources.com Operator: COG Operating LLC Address: Fasken Center Tower II, 550 W. Texas Ave., Suite 1300, Midland, TX 79701 R: 32E Facility or well name: Prohibition "12" Federal #12 API#: 30-025-37821 U/L or Qtr/Qtr: N Sec: 12 T: 22S NAD: 1927 🔲 1983 🔲 Latitude: N 32° 24' 03" Longitude: W 103° 37' 48" County: Lea Surface Owner: Federal State Private Indian Below-grade tank Pit Type: Drilling | Production | Disposal | \_bbl Type of fluid: \_\_\_ Volume: Construction material: Double-walled, with leak detection? Yes If not, explain why not. Lined Unlined Liner type: Synthetic ⊠ Thickness: 12 mil Clay □ Pit Volume: 15,000 bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) greater than 100' 100 feet or more - X ( 0 points) (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No - X ( 0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more - X 0 ( 0 points) 0 points Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite \( \square\) offsite \( \square\) If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surface\_\_\_\_\_\_ ft, and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Pit Closure Plan attached I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🗵, a general permit 🗌, or an (attached) alternative OCD-approved plan 🔲. Printed Name/Title Phyllis A. Edwards - Regulatory Analyst Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval:
Printed Name/Title GARYW.WINK STAFFMER. Signature Lay W. Wink Date: 3/16/07

#### Pit Closure Plan - Drilling Pit

Operator: COG Operating LLC

Well Name: Prohibition "12" Federal #12

Location: Unit N, Section 12, Township 22 S, Range 32 E, Lea County, NM


The drilling pit associated with this well will be closed as per New Mexico OCD "Pit and Below-Grade Tank Guidelines" dated November 1, 2004. The visual inspection of the pit indicated that the pit liner has maintained its integrity.


1. Any remaining liquids will be removed from the pit.

- 2. Remaining solid wastes (i.e. buckets, cans, miscellaneous trash, debris, contaminated solids, etc.) will be removed from the pit, except for dried mud and cuttings, cement, and frac materials in drilling and reserve pits which have been approved by the OCD for encapsulation.
- 3. This well did penetrate a salt section, and 9.5 lb/gal brine or greater was used during drilling. Therefore, the pit will be closed by <u>capping</u> and <u>encapsulation</u>:

Capping and encapsulation will be accomplished by mixing earthen materials with the pit contents, as necessary to stiffen the pit contents sufficiently to provide physical stability and support for the pit cover; folding the edges of the liner over the stiffened mud and cuttings; capping with a 20 mil minimum thickness impervious, reinforced, synthetic or fabricated liner meeting ASTM standards that is designed to be resistant to the material encapsulated; the liner will overlap the underling pit by at least 3 feet on all directions; and covering the liner cap with minimum of 3 feet of clean soil that is capable of supporting native plant growth.

- 4. Upon closure of the pit, the surface where the pit was located will be contoured to prevent erosion and ponding of rainwater over the site.
- 5. Since this is a federal well, the Bureau of Land Management (BLM) will be contacted for site reclamation requirements.





# Water Well Data Average Depth to Groundwater (ft) COG - Prohibition 12 Federal #12 and #10, Lea County, New Mexico

	21 8	South	3	1 East		***************************************	21 9	South	3	2 East		3000000000	213	South	3	3 East	
0.98 <b>486</b> 4	5	4	3	]2	1	G	5	4	3	2	1 1	6	5	4	13	2 79	1
	8	9	10	117	12	17	8	9	10	11	12	7	8	9	10	11	12
145			<u> </u>			<b></b>	<u> </u>		ļ			<b></b>					
3	17	16	15	14	13	18	17	16	15	14	13	18	17	16	15	14	13
9	20	୍ର 21	22	23	24	19	20	21	22	23	24	19	20	21	22	23	24
)	29	28	27	26	25	30	29	28	27	26	25	30	29	28	27	26	25
1	32	<del>- 33</del>	34	35	36	31	32	133	34	35	36	31	32	179 33	34	35	36
-	<u> </u>											L.	<u></u>				10
	22 \$	South	3	11 East			22	South	3	2 East			22	South	. 3	3 East	
XXX CARROLL	[5	[4	3	2	11	16	[5	4	[3	[2	1	6	5	4	3	2	1
*********	8	9	10	11	12	7	8	9	10	11	12	7	8	9	10	11	12
8	17	16	15	14	13	18	17	16	15	14 382	13	18	17	16	15	14	13
		440							<u> </u>	350	<u> </u>						391
9	20 47	21	22	23	24	19 280	50	21	22	23	24	19	20	21	22	23	24
Ō	29	28 444	27	26	25	30	29	28	27	26	25	30	29	28	27	26	25
1	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	36
•*********						Ł					Januar	L					
******	CONTRACTOR CONTRACTOR	South	sacrantectoraceaecaec	31 East	rate og som moneration og stade	Emmon.	Parkey and Daniel services in	South	and townsomers	2 East	mpuramanianis	gramma.	and an experience	South	00 <b>0</b> 000000000000000000000000000000000	33 East	THE REPORT OF THE PARTY OF
5	5  354	4	3	5	1	<b>6</b>	5	4	3	2	1	6	5	13	3	2	1
	8	9	10	11	12	7	8	9	10	11	12	7	8	9	10	11	12
41)  8	17	16	15	114	13	18		16	15		1						
8	''	16	15	14	13	118		36	115	14	13	18	17	16	15	14	13
9	20	21	22	23	24	19	20	21	22	23	24	19	20	21	22	23	24
0	29	28	27	26	25	30	29	28	27	26	25	30	29	28	27	26	25
11	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	36
	1					1			1			1	1	1	1	1""	"

<sup>88</sup> New Mexico State Engineers Well Reports

<sup>105</sup> USGS Well Reports

Geology and Groundwater Conditions in Southern Lea, County, NM (Report 6)
Geology and Groundwater Resources of Eddy County, NM (Report 3)

<sup>34</sup> NMOCD - Groundwater Data

## New Mexico Office of the State Engineer POD Reports and Downloads

Township: 228	Range: 32E	Sections:								
NAD27 X:	Υ;	Zone:	Search Radius:							
County:	Basin:		Number:	Suffix:						
Owner Name: (First)	(L:	ast)	○ Non-Domestic	Opmestic						
POD / Surface Data Report Avg Depth to Water Report  Water Column Report  Clear Form iWATERS Menu Help										
	Clear Form	IAAVIEN	S Menu Help							
AVERAGE DEPT	H OF WATER REP	ORT 12/20/	(2006 (Depth Water in Feet)							

Y Wells

Min

340

280

Max

360

280

Avg

350

280

C

Bsn Tws Rng Sec Zone

22S 32E 14

22S 32E 19

Water Resources National Water Information System: Web Interface

Data Category: Ground Water Geographic Area: New Mexico

GO

## **Ground-water levels for New Mexico**

Search Results - 1 sites found

Search Criteria

site no list =

322314103384301


Save file of selected sites to local disk for future upload

USGS 322314103384301 22S.32E.14.32322

Available data for this site

Ground-water: Field measurements

GO



Water Resources National Water Information System: Web Interface

Data Category: Ground Water Geographic Area: New Mexico

GO

## **Ground-water levels for New Mexico**

Search Results -- 1 sites found

Search Criteria


Save file of selected sites to local disk for future upload

#### USGS 322702103344001 21S.33E.28.12443

Available data for this site

Ground-water: Field measurements

GO



Water Resources National Water Information System: Web Interface

Data Category: Ground Water Geographic Area: New Mexico

GO

### **Ground-water levels for New Mexico**

Search Results -- 1 sites found

Search Criteria

site\_no list = • 322325103313301

Save file of selected sites to local disk for future upload

#### USGS 322325103313301 22S.33E.13.23131

Available data for this site

Ground-water: Field measurements

GO

