District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

	t or below-grade tank \(\square\) Closure of a pit or below-grade ta	
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mail additional description of the composition of the compositi	ress: mikes@ypcnm.com	- -
Address: 105 South 4th Street, Artesia, N.M. 88210		
Facility or well name Merle State Unit #6 API #: 30-025-38184 U/L or Qtr/Qtr G		
County: Lea Latitude: 33.44943 Longitude: 103.4331	6 NAD: 1927 ⊠ 1983 □	
Surface Owner: Federal State Private Indian		
<u>Pit</u>	Below-grade tank	
[[ype: Drilling Production Disposal	Volume:bbl Type of fluid:Construction material:	
Work over ☐ Emergency ☐		
Lined 🖾 Unlined 🗌	Double-walled, with leak detection? Yes The not, expl	ain why not.
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐		8 =
Pit Volume 24,000 bbl	Less than 50 feet	C Su a
Depth to ground water (vertical distance from bottom of pit to seasonal high water	Less than 50 feet	(20 points) XXXX
elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(10 peints)
	100 feet or more	0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)
source, or less than 1000 feet from all other water sources.)	100 feet or more Yes No	S. (D politis) XXXX
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) XXXX
	Ranking Score (Total Points)	20 points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationslops ite. Offsite. If offsite, name of facility. NA	general description of remedial action taken including remedial and attach sample results. In will be constructed and lined with 12 mil synthetic liner neone pit material and Class H bulk cement or CKD. The emement and pit contents have set in place for a minimum of 2 yer lap of the underlying trench areas. The trench will then be	ext to existing drilling pit. The drilling pit contents will alsion of pit material and cement will be mixed using a 4 hours, the encapsulation trench will then be capped be backfilled to grade using a minimum of 3' of clean
I hereby certify that the information above is true and complete to the best of my kno constructed or closed according to NMOCD guidelines, a general permit Date: 03/06/2007 Printed Name/Title Mike Stubblefield / Environmental Regulatory Agent Your certification and NMOCD approval of this application/closure does not relieve health or the environment. Nor does it relieve the operator of its responsibility for contents.	signature or an (attached) alternative OCD-approved plan Signature remains the operator of liability should the contents of the pit or tank	Sound water or otherwise endanger public
Approval: Printed Name/Title GARYW. WINK STAFF MBR Sign	ature Layw. Wink	Date: 3/16/87

New Mexico Office of the State Engineer **POD Reports and Downloads**

MEPLE STATE LINIT #6 30-025-36184

Township: 11S

Range: 35E

Sections:

NAD27 X:

Y:

Zone:

Search Radius:

County:

Basin:

Number:

Suffix:

Owner Name: (First)

(Last)

ONon-Domestic ODomestic OAll

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 03/06/2007

x

Zone

(Depth Water in Feet) Min Max Avg Y Wells 35 35 35 1

Rng Sec 35E 09 11S

Record Count: 1

