•			÷						
	orm 3160-5 April 2004) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS				5. Lease Seria LC-0301 6. If Indian				
	Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.								
	<b>SUBMIT IN TRIPLICATE</b> - Other instructions on reverse side.				7. If Unit or CA/Agreement, Name and/or No.				
	1. Type of Well Gas Well Other					8. Well Name and No. C. E. Lamunyon #90			
		oducing Company	<b>A 5 26 (prefude</b> area code)		9. API Well No. 30-025-37924			_	
	R 0 Box 10340 Midland TX 79702-7340 0 432-685-8100					10. Field and Pool, or Exploratory Area Langite Mattix 7 Rvrs Queen Grayburg			
	4. Location of Well (Foolage, Sec., T., R., M., or Survey Description)   940' FNL & 660' FWL, Section 27, T2255, R37E				11. County or Parish, State Lea County, NM				
	12. CHECK APPROPRIATE BOX(ES) TO INDEATE NATURE OF OTICE, REPORT, OR OTHER DATA						-		
	TYPE OF SUBMISSION TYPE OF ACTION					- <u> </u>			
	Notice of Intent	Acidize Deepen Alter Casing Fracture T	reat	Reclamation	rt/Resume)	We	ter Shut-Off 11 Integrity		
	Subsequent Report	Casing Repair New Cons		·	andon	Oth	er		
	Final Abandonment Notice Convert to Injection Plug Back Water Disposal   13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof.								
	If the proposal is to deepen dire Attach the Bond under which the following completion of the inv	ctionally or recomplete horizontally, give subsurfa he work will be performed or provide the Bond No volved operations. If the operation results in a mul nal Abandonment Notices shall be filed only after	ice loca b. on fi tiple co	ations and measured and true le with BLM/BIA. Require empletion or recompletion ir	e vertical depti d subsequent r a new interva	ns of all pe eports sha 1, a Form	rtinent markers and zones. Il be filed within 30 days 3160-4 shall be filed once		
1. 	Drill 17-1/2" hole to 4 Drill 7-7/8" hole to 3	spectfully request permission 40'. Set 40' of 14" conducto 700'. Run and set 3700' of 5 ied to accommodate surface	r pij 5-1/2	pe and cmt to su 2", 15.5#, J-55, I	rface w/ LT&C cs	'Redi- sg. Ci	-m1x. mt w/ 575 sks C	Cl C.	
4.	rubber. See attached.								
	All other aspects of the APD will remain the same.						CEPTED FOR F	≀ECORD	
¥24.8	5/10 CSG-MUST BE SET A MINI MUM 700-750 AND CEME 14. Thereby certify that the foregoing is true and correct To SUFF				ARE		MAR 1 20	007	
	Name (Printed/Typed) Cathy Wright		Title						
	Signature Cath	rullet	Date	02/22/07			LES BABYA PETROLEUM ENC	K SINEER	
	THIS SPACE FOR FEDERAL OR STATE OFFICE USE								• • •
	Approved by			Title Date				5	
	Conditions of approval, if any, are a certify that the applicant holds lega which would entitle the applicant to	Office				=			

and a second second

ومصادقات

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. (Instructions on page 2)

ť ¢

GWW

CapStar Drilling, Inc. LOCATION SPECIFICATIONS AND RIG LAYOUT FOR EARTH PITS



Cellar can be 4X4X4 if using a screw-on wellhead Working Pits dug 5' below ground level

Location Specs

ž

C. E. Lamunyon #90 BOP SCHEMATIC

11" 2M





¢

I.

