

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD-HOBBS

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
ConocoPhillips Company3a. Address 3b. Phone No. (include area code)
3300 N. "A" Street, Bldg. 6 #247 Midland TX 79705 (432)688-6884

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

990' FNL & 990' FEL
UL "A", Sec. 20, T-20-S, R-38-E

Case Serial No.

LC-031670(B)

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

Burger B-20 #5

9. API Well No.

30-025-37927

10. Field and Pool, or Exploratory Area

Blainebry; O&G/Warren; Tubb Gas

11. County or Parish, State

Lea

New Mexico


12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Drilling
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

12/04/06 - 12/22/06

Well drilled per attached daily Operations Summary Report

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Celeste G. Dale

Title Regulatory Specialist

Signature

Date 02/21/07

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Office


Date

MAR 12 2007

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GWW





Timelog Summary Report

BURGER B-20 05

Common WellName BURGER B-20 5		Primary Job Type DRILLING ORIGINAL		Job Category DRILLING	
Actual Start Date 12/4/2006	End Date 12/22/2006	Spud / KO Date 12/5/2006	Rig Accept Date 12/5/2006	Rig Release Date 12/22/2006	
Contractor SLEDGE DRILLING CORP			Rig Name/No SLEDGE RIG 10		
Report Number 1		Report Start Date 12/4/2006		Report End Date 12/5/2006	

Time Log						
Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	07:00	1.00	MOVE	RURD	MIRU	PREP RIG TO MOVE TO BURGER B 20 #5
07:00	07:30	0.50	MOVE	SFTY	MIRU	PJSM W/ RIG CREWS & BRANTLEY TRUCKING
07:30	13:00	5.50	MOVE	MOB	MIRU	MOVE RIG F/ JACK B 26 #7 TO BURGER B 20 #5
13:00	22:00	9.00	MOVE	RURD	MIRU	SET UP RIG ON THE BURGER B 20 #5
22:00	06:00	8.00	MOVE	RURD	MIRU	RU RT ON BURGER B 20 #5
OBJECTIVE: DRILL & COMPLETE 7250' BLINEBRY- TUBB/DRINKARD OIL WELL						
SECTION 20- T20S- R38E LEA COUNTY, NEW MEXICO						
NMOCD & BLM NOTIFICATION OF INTENT TO SPUD @ 0800 CST 12/05/06						
SPUD NOTIFICATION 0900 CST 12/05/06						

Report Number 2		Report Start Date 12/5/2006		Report End Date 12/6/2006	
--------------------	--	--------------------------------	--	------------------------------	--

Time Log						
Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	07:00	1.00	DRILL	PULD	SURFAC	PICK UP BHA
07:00	09:00	2.00	DRILL	RURD	SURFAC	FINISH RU RT
09:00	09:30	0.50	DRILL	SFTY	SURFAC	PRE-SPUD INSPECTION
09:30	10:00	0.50	DRILL	RURD	SURFAC	MAKE CORRECTIONS
10:00	10:30	0.50	DRILL	SFTY	SURFAC	PRE-SPUD SAFETY MEETING
10:30	16:30	6.00	DRILL	DRLG	SURFAC	DRILL F/ 40' TO 233'
16:30	16:45	0.25	DRILL	SRVY	SURFAC	WLS@ 191'- 1.00"
16:45	20:00	3.25	DRILL	DRLG	SURFAC	DRILL F/ 233' TO 439'
20:00	21:00	1.00	DRILL	EQRP	SURFAC	CLEAN OUT FLOWLINE DUE TO ROCKS BLOCKING CIRCULATING DRILLING FLUID
21:00	21:15	0.25	DRILL	DRLG	SURFAC	DRILL F/ 439' TO 467'
21:15	22:30	1.25	DRILL	WOEQ	SURFAC	WAIT ON WELDER
22:30	02:30	4.00	DRILL	EQRP	SURFAC	REPAIR MOUSEHOLE & REPACK SWIVEL
02:30	02:45	0.25	DRILL	SRVY	SURFAC	WLS@ 425'- .25"
02:45	06:00	3.25	DRILL	DRLG	SURFAC	DRILL F/ 467' TO 697'

Report Number 3		Report Start Date 12/6/2006		Report End Date 12/7/2006	
--------------------	--	--------------------------------	--	------------------------------	--

Time Log						
Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	06:30	0.50	DRILL	SRVY	SURFAC	WLS 655' @ 0.75 DEG.
06:30	10:30	4.00	DRILL	DRLG	SURFAC	DRL 12.25" HOLE F/697'-950'
10:30	11:00	0.50	DRILL	SRVY	SURFAC	WLS 908' @ 0.75 DEG.
11:00	20:00	9.00	DRILL	DRLG	SURFAC	DRL F/950'-1265'
20:00	20:30	0.50	DRILL	SRVY	SURFAC	WLS 1223' @ 1 DEG.
20:30	06:00	9.50	DRILL	DRLG	SURFAC	DRL F/1265'-1510'. PUMP 50 BBLs SWEEP @ 1480' & START MIXING STARCH IN SYSTEM.

Report Number 4		Report Start Date 12/7/2006		Report End Date 12/8/2006	
--------------------	--	--------------------------------	--	------------------------------	--

Time Log						
Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	08:00	2.00	DRILL	DRLG	SURFAC	DRL F/1510'-1540' TD.
08:00	09:00	1.00	DRILL	CIRC	SURFAC	CIRC & COND.
09:00	15:00	6.00	DRILL	WPRT	SURFAC	SHORT TRIP. 1540'-1300' VERY TIGHT PULLING OUT. REAM 1300'-1540' GOING BACK IN.
15:00	17:00	2.00	DRILL	CIRC	SURFAC	PUMP 50 BBLs SWEEP & 50 BBLs LOW WTR LOSS PILL ON BTM
17:00	21:30	4.50	DRILL	TRIP	SURFAC	TOOH. LD STABILIZERS, REAMER AND 8" DC'S.
21:30	22:30	1.00	CASING	SFTY	SURFAC	PJSM FOR CSG OPS. RU CASERS. DROPPED TONGS WHILE HANGING OFF. NO INJURIES. SD TO DISCUSS OPERATIONS AND CONTINUE RU.

TimeLog Summary Report

BURGER B-20 05

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
22:30	01:45	3.25	CASING	RNCS	SURFAC	RU CSG MB&RS CSG EQUIP. RUN 8.625" CSG AS FOLLOWS. GUIDE SHOE 1 SHOE JT INSERT FLOAT [1486'] 34 CSG JTS CSG SET @ 1532'. RD CSG EQUIP. TOTAL 13 CENTRALIZERS ALL CSG IS 8.625" 24# J-55 ST&C RD CSG EQUIP.
01:45	02:15	0.50	CASING	SFTY	SURFAC	PJSM FOR CMTG OPS. RU CMTG EQUIP.
02:15	05:15	3.00	CEMENT	CIRC	SURFAC	RU SCHLUMBERGER. TEST LINES TO 2,000 PSI, PUMP 20 BBL FRSH WTR SPACER FOLLOWED W/650 SX 35:65 POZ C W/5% D44, 6% D20, 2% S1, 0.25 PPS D29 [CEMNET IN FIRST 50 BBLS LEAD SLURRY] MIXED @ 12.8 PPG, 1.97 FT3/SX YIELD FOLLOWED W/240 SX CL C W/2% S1 & 0.25 PPS D29 MIXED @ 14.8 PPG, 1.34 FT3 SX YIELD. DISP W/FRSH WTR. CIRC 90 BBLS [256 SX] CMT TO SURF. BUMP PLUG TO 1500 PSI. REL PRESS. FLOAT HELD. RD SCHLUMBERGER. NOTE: BLM NOTIFIED, BUT NOT ON LOCN FOR CMTG OPS.
05:15	06:00	0.75	CEMENT	WOC	SURFAC	WOC.

Report Number	5	Report Start Date	12/8/2006	Report End Date	12/9/2006
---------------	---	-------------------	-----------	-----------------	-----------

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	08:30	2.50	CEMENT	WOC	SURFAC	WOC.
08:30	09:00	0.50	TREBOP	SFTY	SURFAC	PJSM FOR WELDING.
09:00	16:30	7.50	TREBOP	NUND	SURFAC	CUTOFF COND-CSG. WELD ON CSG HEAD. NU BOPE.
16:30	17:00	0.50	TREBOP	SFTY	SURFAC	PJSM F/BOPE TEST
17:00	22:00	5.00	TREBOP	SFEQ	SURFAC	TEST BLIND - PIPE RAMS CHK MANIFOLD & VALVES CHK & KILL LINES & VALVES FLOOR VALVES & KELLY LOW 250 PSI- HIGH 3000 PSI TEST HYDRIL LOW 250 PSI- HIGH 2000 PSI
22:00	06:00	8.00	DRILL	TRIP	SURFAC	TIH W/BIT- PACKED BHA.

Report Number	6	Report Start Date	12/9/2006	Report End Date	12/10/2006
---------------	---	-------------------	-----------	-----------------	------------

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	06:45	0.75	CEMENT	DRLG	SURFAC	DRL FLOAT-CMT TO 1510'.
06:45	07:30	0.75	DRILL	CIRC	SURFAC	CIRC HOLE W/BRINE.
07:30	08:00	0.50	SURFEQ	PRTS	SURFAC	PRESS TEST CSG 1200 F/30 MINS. OK.
08:00	09:30	1.50	CEMENT	DRLG	SURFAC	FINISH DRLG SHOE.
09:30	10:00	0.50	DRILL	DRLG	PROD1	DRL 7.875" HOLE F/1540'-1550'.
10:00	10:15	0.25	DRILL	FIT	PROD1	FIT TEST 250 PSI. OK.
10:15	11:15	1.00	DRILL	DRLG	PROD1	DRL F/1550'-1564'.
11:15	11:45	0.50	DRILL	SRVY	PROD1	WLS 1523' @ 0.75 DEG.
11:45	15:30	3.75	DRILL	DRLG	PROD1	DRL F/1564'-1817'.
15:30	16:00	0.50	DRILL	SRVY	PROD1	WLS 1744' @ 0.25 DEG.
16:00	20:30	4.50	DRILL	DRLG	PROD1	DRL F/1817'-2038'.
20:30	21:00	0.50	DRILL	SRVY	PROD1	WLS 1997' @ 0.25 DEG.
21:00	22:30	1.50	DRILL	DRLG	PROD1	DRL F/2038'-2260'.
22:30	23:00	0.50	DRILL	SRVY	PROD1	WLS 2218' @ 1 DEG.
23:00	01:30	2.50	DRILL	DRLG	PROD1	DRL F/2260'-2512'.
01:30	02:00	0.50	DRILL	SRVY	PROD1	WLS 2475' @ 1.75 DEG.
02:00	06:00	4.00	DRILL	DRLG	PROD1	DRL F/2515'-2695'.

Report Number	7	Report Start Date	12/10/2006	Report End Date	12/11/2006
---------------	---	-------------------	------------	-----------------	------------

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	06:15	0.25	DRILL	DRLG	PROD1	DRL 7.875" HOLE F/2695'-2702'.
06:15	06:45	0.50	DRILL	SRVY	PROD1	WLS 2693' @ 2 DEG.
06:45	15:15	8.50	DRILL	DRLG	PROD1	DRL F/2702'-2827'. BACKOFF ON WT. DRL W/15K & 80 RPM
15:15	15:45	0.50	DRILL	SRVY	PROD1	WLS 2878' @ 2 DEG.
15:45	16:30	0.75	DRILL	DRLG	PROD1	DRL F/2827'-2837'.

Time Log Summary Report

BURGER B-20 05

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
16:30	23:45	7.25	DRILL	TRIP	PROD1	TRIP FOR BHA. [REC'D ORDERS TO TOOH & LD IBS'S & REAMER]. HAD 1 SET OF DC'S GUALDED AND HAD TO BE LAID DOWN W/IBS'S & REAMER.
23:45	06:00	6.25	DRILL	DRLG	PROD1	DRL F/2837'-2840'. DRLG W/15K & 80 RPM.
Report Number 8			Report Start Date 12/11/2006			Report End Date 12/12/2006

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	06:15	0.25	DRILL	DRLG	PROD1	DRL 7.875" HOLE F/2840'-2939'.
06:15	06:45	0.50	DRILL	SRVY	PROD1	WLS 2893' @ 1 DEG.
06:45	12:30	5.75	DRILL	DRLG	PROD1	DRL F/2939'-3064'. INCR WT F/15K-30K.
12:30	13:00	0.50	DRILL	SRVY	PROD1	WLS 3020' @ 1 DEG.
13:00	18:45	5.75	DRILL	DRLG	PROD1	DRL F/3064'-3190'.
18:45	19:15	0.50	DRILL	SRVY	PROD1	WLS 3150' @ 1 DEG.
19:15	04:30	9.25	DRILL	DRLG	PROD1	DRL F/3190'-3442'.
04:30	05:00	0.50	DRILL	SRVY	PROD1	WLS 3400' @ 0.5 DEG.
05:00	06:00	1.00	DRILL	DRLG	PROD1	DRL F/3442'-3460'.
Report Number 9			Report Start Date 12/12/2006			Report End Date 12/13/2006

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	13:00	7.00	DRILL	DRLG	PROD1	DRL 7.875" HOLE F/3460'-3632'.
13:00	13:30	0.50	DRILL	SRVY	PROD1	WLS 3586' @ 0.75 DEG.
13:30	22:45	9.25	DRILL	DRLG	PROD1	DRL F/3632'-3885'.
22:45	23:15	0.50	DRILL	SRVY	PROD1	WLS 3843' @ 1 DEG.
23:15	06:00	6.75	DRILL	DRLG	PROD1	DRL F/3885'-4045'.
Report Number 10			Report Start Date 12/13/2006			Report End Date 12/14/2006

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	07:45	1.75	DRILL	DRLG	PROD1	DRILL F/ 4054' TO 4101'
07:45	08:15	0.50	DRILL	SRVY	PROD1	WLS @ 4061'-.75"
08:15	13:15	5.00	DRILL	DRLG	PROD1	DRILL F/ 4101' TO 4268'
13:15	13:30	0.25	DRILL	EQRP	PROD1	SERVICE RIG
13:30	22:00	8.50	DRILL	DRLG	PROD1	DRILL F/ 4268' TO 4611'
22:00	22:30	0.50	DRILL	SRVY	PROD1	WLS @ 4571'-.75"
22:30	06:00	7.50	DRILL	DRLG	PROD1	DRILL F/ 4611' TO 4856'
Report Number 11			Report Start Date 12/14/2006			Report End Date 12/15/2006

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	12:00	6.00	DRILL	DRLG	PROD1	DRILL F/4856' TO 5055'
12:00	13:00	1.00	DRILL	SRVY	PROD1	WLS @ 5010' - 1.50" SERVICE RIG
13:00	05:00	16.00	DRILL	DRLG	PROD1	DRILL F/5055' TO 5529'
05:00	05:30	0.50	DRILL	SRVY	PROD1	WLS @ 5487' - 1.75"
05:30	06:00	0.50	DRILL	DRLG	PROD1	DRILL F/ 5529' TO 5552'
Report Number 12			Report Start Date 12/15/2006			Report End Date 12/16/2006

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	13:00	7.00	DRILL	DRLG	PROD1	DRILL F/ 5552' TO 5749'
13:00	13:45	0.75	DRILL	SRVY	PROD1	WLS @ 5706' - 1.75"
13:45	21:30	7.75	DRILL	DRLG	PROD1	DRILL F/ 5749' TO 5841'
21:30	22:00	0.50	DRILL	SRVY	PROD1	WLS @ 5801' - 1.75"
22:00	22:45	0.75	DRILL	DRLG	PROD1	DRILL F/ 5841' TO 5852'
22:45	00:30	1.75	DRILL	CIRC	PROD1	CIRC & COND HOLE FOR BIT TRIP
00:30	05:00	4.50	DRILL	TRIP	PROD1	TOOH TO CHANGE BIT
05:00	06:00	1.00	DRILL	TRIP	PROD1	TIH W/ BHA#4 & BIT
Report Number 13			Report Start Date 12/16/2006			Report End Date 12/17/2006

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	08:30	2.50	DRILL	TRIP	PROD1	FINISH TIH
08:30	12:00	3.50	DRILL	DRLG	PROD1	DRILL F/ 5852' TO 5907'
12:00	12:30	0.50	DRILL	EQRP	PROD1	SERVICE RIG
12:30	22:00	9.50	DRILL	DRLG	PROD1	DRILL F/ 5907' TO 6096'
22:00	22:30	0.50	DRILL	SRVY	PROD1	WLS @ 6055' - 2.00"
22:30	06:00	7.50	DRILL	DRLG	PROD1	DRILL F/ 6096' TO 6230'

Timelog Summary Report

BURGER B-20 05

Report Number	14	Report Start Date	12/17/2006	Report End Date	12/18/2006
---------------	----	-------------------	------------	-----------------	------------

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	10:15	4.25	DRILL	DRLG	PROD1	DRILL FROM 6230' TO 6318'
10:15	11:00	0.75	DRILL	SRVY	PROD1	WLS @ 6318' 2.0"
11:00	06:00	19.00	DRILL	DRLG	PROD1	DRILL FROM 6318' TO 6623'

Report Number	15	Report Start Date	12/18/2006	Report End Date	12/19/2006
---------------	----	-------------------	------------	-----------------	------------

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	06:15	0.25	DRILL	DRLG	PROD1	DRILL F/6623' TO 6631'
06:15	07:00	0.75	DRILL	SRVY	PROD1	WLS @ 6588'- 2.0"
07:00	13:30	6.50	DRILL	DRLG	PROD1	DRILL F/6631.' TO 6759'
13:30	14:15	0.75	DRILL	SRVY	PROD1	WLS @ 6715'-1.25"
14:15	04:00	13.75	DRILL	DRLG	PROD1	DRILL F/6759' TO 7042'
04:00	04:30	0.50	DRILL	SRVY	PROD1	WLS @ 6999'-1.75"
04:30	06:00	1.50	DRILL	DRLG	PROD1	DRILL F/7042' TO 7066'

Report Number	16	Report Start Date	12/19/2006	Report End Date	12/20/2006
---------------	----	-------------------	------------	-----------------	------------

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	09:30	3.50	DRILL	DRLG	PROD1	DRILL F/ 7066' TO 7139'
09:30	10:00	0.50	DRILL	EQRP	PROD1	SERVICE RIG
10:00	16:30	6.50	DRILL	DRLG	PROD1	DRILL F/ 7139' TO 7230'
16:30	23:30	7.00	DRILL	CIRC	PROD1	CIRC & COND MUD TO RUN ELOGS
23:30	04:30	5.00	DRILL	TRIP	PROD1	TOOH TO RUN ELOGS
04:30	05:00	0.50	DRILL	OTHR	PROD1	CLEAR FLOOR & APPLY ROCK SALT
05:00	06:00	1.00	EVALFM	SFTY	PROD1	PJSM- RU LOGGING CREW

Report Number	17	Report Start Date	12/20/2006	Report End Date	12/21/2006
---------------	----	-------------------	------------	-----------------	------------

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	07:00	1.00	EVALFM	RURD	PROD1	RU LOGGING CREW
07:00	13:30	6.50	EVALFM	ELOG	PROD1	LOG WELL W/ PLATFORM EXPRESS & BOREHOLE SONIC
13:30	14:30	1.00	EVALFM	SFTY	PROD1	PJSM- RD LOGGING CREW
14:30	20:30	6.00	DRILL	TRIP	PROD1	TIH TO COND HOLE
20:30	22:30	2.00	DRILL	CIRC	PROD1	CIRC & COND HOLE
22:30	06:00	7.50	DRILL	PULD	PROD1	LD DP & DC'S

Report Number	18	Report Start Date	12/21/2006	Report End Date	12/22/2006
---------------	----	-------------------	------------	-----------------	------------

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
06:00	07:00	1.00	CASING	SFTY	PROD1	PJSM- RU CSG CREW
07:00	11:00	4.00	CASING	RNCS	PROD1	RUN 5.500" 17# J-55 LT&C CASING AS FOLLOWS: ***TOP TO BOTTOM SUMMARY*** 137- JTS 5.500" CASING 1- DOUBLE MARKER JOINT 17- JTS 5.500" CASING 1- DOUBLE MARKER JOINT 12- JTS 5.500" CASING 1- FLOAT COLLAR 7180' 1- JT 5.500" CASING 1- FLOAT SHOE CASING SET @ 7225'
11:00	12:00	1.00	CASING	SFTY	PROD1	PJSM- RD LD MACHINE & CASING CREW- WAIT ON CEMENT CREW
12:00	15:00	3.00	CEMENT	WOEQ	PROD1	WAIT ON CEMENT CREW
15:00	16:00	1.00	CEMENT	SFTY	PROD1	PJSM- RU CEMENT CREW

Time Log

Start Time	End Time	Dur (hrs)	Op Code	OpSub-Code	Phase	Operation
16:00	18:00	2.00	CEMENT	DISP	PROD1	CEMENT 5.500" CASING AS FOLLOWS: 20 BBLS FRESH WATER AHEAD 800 SKS 50/50 POZ C 11.8 PPS- 2.54 YIELD- 14.70 GPS 500 SKS 50/50 POZ H 14.2 PPS- 1.36 YIELD- 6.32 GPS 167 BBLS 2% KCL WATER BUMPED PLUG W/ 2227 PSI FLOATS HELD CIRC 170 SKS CEMENT TO SURFACE
18:00	19:00	1.00	CEMENT	SFTY	PROD1	PJSM- RD CEMENT CREW
19:00	20:00	1.00	TREBOP	SFTY	PROD1	PJSM- RU LIFT WINCHES
20:00	22:00	2.00	TREBOP	NUND	PROD1	ND BOP
22:00	00:00	2.00	TREBOP	NUND	PROD1	NU TUBING HEAD- PSI TEST TO 3000 PSI-OK
00:00	06:00	6.00	MOVE	RURD	PROD1	JET & CLEAN PITS PREP RIG TO MOVE TO WARREN UNIT #318 RELEASE RIG @ 0600 CST 12/22/06