

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-37309

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

MalMar Unit

8. Well Number #123

9. OGRID Number
151228

10. Pool name or Wildcat
Maljamar GB-SA

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Mar Oil and Gas Corporation

3. Address of Operator

PO Box 5155 Santa Fe, NM 87502

4. Well Location

Unit Letter F : 1330 feet from the North line and 2310 feet from the West line
Section 18 Township 17S Range 33E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4223 GL

Pit or Below-grade Tank Application ☐ or Closure ☒

Pit type Drilling Depth to Groundwater >100ft Distance from nearest fresh water well >1000ft Distance from nearest surface water >1000ft

Pit Liner Thickness: 12 mil Below-Grade Tank: Volume bbls; Construction Material

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: Pit Closure

☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER:

☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Mar Oil and Gas Corporation proposes to close the drilling pit as follows

1. Remove all fluids from pit.
2. A deep trench pit will be constructed next to the existing reserve pit and lined with a 12 mil liner. The contents will be encapsulated in this pit and the liner will be folded over the mud and cuttings.
3. Cover the liner with 20 mil liner with excess of 3' on all sides as per option IV.B.3.(b) of the Pit and Below-Grade Tank guidelines.
4. Cover with a minimum 3' of native soil
5. Contour the pit to prevent erosion and ponding of rainwater.

Attached are records from State Engineer web site for depth to ground water

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☒, a general permit ☐ or an (attached) alternative OC CD-approved plan ☐.

SIGNATURE

Billy E. Prichard

TITLE Foreman

DATE 3/31/2007

Type or print name Billy E. Prichard E-mail address: shabillron01@warppdriveonline.com Telephone No. 505-390-9100

For State Use Only

APPROVED BY:

Harry W. Wink

TITLE

DATE

Conditions of Approval (if any):

OC FIELD REPRESENTATIVE II/STAFF MANAGER

APR 02 2007



NM WAIDS

[DATA](#)[MAPS](#)[HOME](#)[SCALE](#)

General Information About: Sample 7893			
Section/ Township/Range	18 / 17 S / 33 E	Lat/Long	32.8343 / -103.7021
Elevation	4224	Depth	220
Date Collected	7/19/1954	Chlorides	23
Collector / Point of Collection	USG / YT	Use	Municipal type use
Formation	OCALLALA	TDS	0



New Mexico Office of the State Engineer
POD Reports and Downloads

Township: 17S Range: 33E Sections: 7,18,17,19

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First)

(Last)

☐ Non-Domestic ☐ Domestic

☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 03/31/2007

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	17S	33E	07				2	114	214	164
L	17S	33E	17				2	180	180	180
L	17S	33E	18				2	188	188	188

Record Count: 6