

District I
1625 N. French, Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-37756

5. Indicate Type Of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER _____

b. Type of Completion:
NEW WELL ☐ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☒ OTHER

2. Name of Operator
Marathon Oil Company

3. Address of Operator
P.O. Box 3487 Houston, TX 77253-3487

4. Well Location
Unit Letter K : 1650 Feet From The South Line and 2310 Feet From The West Line
Section 26 Township 22-S Range 36-E NMPM _____ County

10. Date Spudded 02/09/07 11. Date T.D. Reached 12. Date Compl. (Ready to Prod.) 02/22/2007 13. Elevations (DF & RKB, RT, GR, etc.) 3495" GR 14. Elev. Casinghead

15. Total Depth 4316' 16. Plug Back T.D. 3823' 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By 19. Producing Interval(s), of this completion - Top, Bottom, Name 3586' - 3696' Seven Rivers Queen 20. Was Directional Survey Made No

21. Type Electric and Other Logs Run See Logs for original completion 22. Was Well Cored No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	1245'	12 1/4"	780 sks	
5 1/2"	15.5#	4286'	7 7/8"	1644 sks	

24. LINER RECORD				25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET
					2 7/8"	3757'
						TAC @ 3480

26. Perforation record (interval, size, and number)	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.								
3586'-94', 3608'-12', 3617'-20', 3633'46', 3686'-96' 0.380 diameter 49 holes	<table><tr><th>DEPTH INTERVAL</th><th>AMOUNT AND KIND MATERIAL USED</th></tr><tr><td>3586-3696</td><td>210 gals 7 1/2% NEFE HCL acid</td></tr><tr><td>3586-3696</td><td>1596 gals 15% NEFE HCL acid</td></tr><tr><td>3586'-3696</td><td>1943 bbls gel 132,659# frac sand</td></tr></table>	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	3586-3696	210 gals 7 1/2% NEFE HCL acid	3586-3696	1596 gals 15% NEFE HCL acid	3586'-3696	1943 bbls gel 132,659# frac sand
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED								
3586-3696	210 gals 7 1/2% NEFE HCL acid								
3586-3696	1596 gals 15% NEFE HCL acid								
3586'-3696	1943 bbls gel 132,659# frac sand								

28. PRODUCTION
Date First Production 02/22/2007 Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping Well Status (Prod. or Shut-in) Active

Date of Test 03/02/2007	Hours Tested 24	Choke Size N/A	Prod'n For Test Period	Oil - Bbl. 70	Gas - MCF 30	Water - Bbl. 364	Gas - Oil Ratio 428
Flow Tubing Press. 100	Casing Pressure 88	Calculated 24-Hour Rate	Oil - Bbl. 70	Gas - MCF 30	Water - Bbl. 364	Oil Gravity - API -(Corr.) 38.8	

29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold Test Witnessed By Kevin Silco

30. List Attachments
Well Bore Diagram

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief
Signature Charles E. Kendrix Printed Name Charles E. Kendrix Title Reg Compliance Rep Date 07/23/2007
E-mail address cekendrix@marathonoil.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northeastern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinbry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp		T. Chinle	T.
T. Penn	T.	T. Permain	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____

No. 3, from ----- to -----

No. 2, from ----- to -----

No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet _____

No. 2, from _____ to _____ feet _____

No. 3. from _____ to _____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology




South Eunice Seven Rivers Queen Unit No 441

Eunice Seven Rivers Queen, South Pool

(formerly E.S. Owens 26 No. 1 Grayburg)

Well Spud on 04/21/2006
GL 3495'

Marathon Oil Company
South Eunice Seven Rivers Queen Unit # 441
UL"K", Sec 26, T-22-S, R-36-E
22-Feb-07



Surface Casing
8 5/8" 24# J-55 set @ 1245' w/ 780 sks cmt.
Cmt to surface

Tubing Anchor @ 3480'

Seating Nipple @ 3695'
Bottom of tbg @ 3757'

Seven Rivers Queen Perfs 3586'-3696'

Top of cmt PBTD@3823'
CIBP @ 3840'

Grayburg Perforations 3870'-3998'

PBTD @ 4070' (20' Cmt on CIBP)
CIBP @ 4090'

Isolated San Andres Perfs @ 4120'-4180'

TD @ 4316'

Production Casing
5 1/2" 17# J-55 Set @ 4287' Cmt w/ 1644 sks

Well Name & Number:	South Eunice Sever Rivers Queen Unit # 441		Lease	South Eunice Unit		
County or Parish:	Lea	State/Prov.	New Mexico		Country:	USA
Perforations: (MD)	3586'-3696'		(TVD)	4316'		
Date Completed:	02/22/07				RKB:	
Prepared By:	Charles Kendrix		Last Revision Date:	03/23/07		