District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

ddwgg, 6120 C Vale Ave #1500 Tules OK 74136	(918)-491-4801 e-mail address: <u>terry</u>				
odress: _6120 S. Yale Ave., #1500. Tulsa, OK 74136 acility or well name: _Hawk B-1 #43	30.025 38173 U/Lor Ott/Otr F	Sec9T21SR _37E			
County: Lea Latitude	32° 29' 48.90" N Longitude 103° 1	0° 16.54° W NAD: 1927 ⊠ 1983 □			
urface Owner: Federal State Private Indian					
	Below-grade tank				
it ype: Drilling Production Disposal Workover Emergency ined Unlined iner type: Synthetic Thicknessmil Clay	Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not.				
it Volumebbl					
epth to ground water (vertical distance from bottom of pit to seasonal igh water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)			
Vellhead protection area: (Less than 200 feet from a private domestic rater source, or less than 1000 feet from all other water sources.)	Yes <u>No</u>	(20 points) (0 points)			
visiance to surface water: (horizontal distance to all wetlands, playas, rigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)			
his is a pit closure: (1) Attach a diagram of the facility showing the pit		· ·			
his is a pit closure: (1) Attach a diagram of the facility showing the pit ir are burying in place) onsite offsite for If offsite, name of facility nediation start date and end date. (4) Groundwater encountered: No Attach soil sample results and a diagram of sample locations and excavinditional Comments: UTILIZING CLOSED LOOP SYSTEM CONS	's relationship to other equipment and tanks. (2) In (3) Attach a gener Yes If yes, show depth below ground surface_ ations.	dicate disposal location: (check the onsite box it all description of remedial action taken includingft. and attach sample results.			
ar are burying in place) onsite offsite If offsite, name of facility_nediation start date and end date. (4) Groundwater encountered: No Attach soil sample results and a diagram of sample locations and excave	's relationship to other equipment and tanks. (2) In (3) Attach a gener Yes If yes, show depth below ground surface_ ations.	dicate disposal location: (check the onsite box it all description of remedial action taken includingft. and attach sample results.			
ar are burying in place) onsite offsite If offsite, name of facility_nediation start date and end date. (4) Groundwater encountered: No Attach soil sample results and a diagram of sample locations and excave	's relationship to other equipment and tanks. (2) In (3) Attach a gener Yes If yes, show depth below ground surface_ ations.	dicate disposal location: (check the onsite box i al description of remedial action taken including ft. and attach sample results.			
ar are burying in place) onsite offsite If offsite, name of facility_nediation start date and end date. (4) Groundwater encountered: No Attach soil sample results and a diagram of sample locations and excave	's relationship to other equipment and tanks. (2) In (3) Attach a gener Yes If yes, show depth below ground surface_ ations. SISTING OF STEEL PITS AND COMPLETE H	dicate disposal location: (check the onsite box i al description of remedial action taken includingft. and attach sample results. AUL OFF OF ALL LIQUIDS AND SOLIDS			
ar are burying in place) onsite offsite If offsite, name of facility_nediation start date and end date. (4) Groundwater encountered: No Attach soil sample results and a diagram of sample locations and excave additional Comments: UTILIZING CLOSED LOOP SYSTEM CONS	's relationship to other equipment and tanks. (2) In (3) Attach a gener Yes If yes, show depth below ground surface_ ations. SISTING OF STEEL PITS AND COMPLETE H	dicate disposal location: (check the onsite box is all description of remedial action taken includingft. and attach sample results. AUL OFF OF ALL LIQUIDS AND SOLIDS are the above-described pit or below-grade tan			
are burying in place) onsite offsite offsite, name of facility_nediation start date and end date. (4) Groundwater encountered: No Attach soil sample results and a diagram of sample locations and excaving dditional Comments: UTILIZING CLOSED LOOP SYSTEM CONSTITUTIONS Thereby certify that the information above is true and complete to the besides been/will be constructed or closed according to NMOCD guideling.	's relationship to other equipment and tanks. (2) In (3) Attach a gener Yes If yes, show depth below ground surface_ ations. SISTING OF STEEL PITS AND COMPLETE H It of my knowledge and belief. I further certify the es A general permit , or an (attached) alter and relieve the operator of liability should the contents.	dicate disposal location: (check the onsite box is all description of remedial action taken including fit and attach sample results. AUL OFF OF ALL LIQUIDS AND SOLIDS at the above-described pit or below-grade target at the above-described plan.			

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)

Type of action: Registration of a pit or below-grade tank 🛛 Closure of a pit or below-grade tank 🔲								
Operator: Apache Corporation (0873) Telephone:	(018)-401-4801 e-mail address: terry oil	nert@apachecom.com						
Operator: Apache Corporation (0873) Telephone: (918)-491-4801 e-mail address: terry.gilbert@apachecorp.com Address: 6120 S. Yale Ave., #1500, Tulsa, OK 74136								
Facility or well name: Hawk B-1 #43 API #: 3	0-025 - 39173 U/Lor Otr/Otr F	Sec 9 T 21S R 37E						
	32° 29° 48.90" N Longitude 103° 10° 1	16.54" W NAD: 1927 ☑ 1983 □						
County: Lea Latitude 32° 29' 48.90" N Longitude 103° 10' 16.54" W NAD: 1927 🔯 1983 L Surface Owner: Federal 🗌 State 🗍 Private 🖾 Indian 🗍								
Pit	Below-grade tank							
Type: Drilling ☑ Production ☐ Disposal ☐ AMENMENT	Construction material:							
Lined Unlined /	Double-walled, with leak detection? Yes If not, explain why not.							
Liner type: Synthetic M Thickness 20mil Clay	Soldie Maried, Mill Sold General For D a non-village Marie May 1401							
Pit Volume 7800 obl								
	Less than 50 feet	(20 points)						
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)						
high water elevation of ground water.)	100 feet or more	(0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)						
water source, or less than 1000 feet from all other water sources.)	No.	(0 points)						
	Less than 200 feet	(20 points)						
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)						
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)						
	Ranking Score (Total Points)	10 points						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'								
your are burying in place) onsite \(\) offsite \(\) If offsite, name of facility_								
remediation start date and end date. (4) Groundwater encountered: No 🔲	Yes I If yes, show depth below ground surface	ft. and attach sample results.						
(5) Attach soil sample results and a diagram of sample locations and excava-	tions.							
Additional Comments: The Long System Cons	STING OF STEEL PITS AND COMPLETE HAL	LOFE OF ALL LIQUIDS AND SOLIDS.						
l hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🛛, a general permit 🔲, or an (attached) alternative OCD-approved plan 🗀.								
Date: 6-14-06	-1.0	•						
Printed Name/Title								
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval: Printed Name/Title GARY W. WINK STAFF MER	Signature Hay W.W.	ne Date: NOV 2 9 2006						

.11

.42

.⁴³

44

FIGLD CHLOROES

#1.1' - <120 #2.1' - 204 #3.1' - 256 #4.1' - 204 #5.1' - <120

laboratories 2126 W. Marland Ave., Hobbs, NM 88240 (505)397-0295 Fax (505)397-0296

Safety & Environmental Solutions, Inc.

703 E. Clinton Ave Hobbs, NM 88240 Project Number: PSS-07-005

Project Name: HAWK B-1 #43

Project Manager: Bob Allen

Work Order No.: B702002

Anions by Ion Chromatography - EPA Method 300.0

		1	Reporting							
Analyte	Re	esult	Limit	Units	Dilution	Analyzed	Method	Notes		
#1. 1' (B702002-01) Soil Samp	pled: 02/02/07 13:30 Re	eceived: 02/	02/07 15:09							
Chloride		36	10	mg/kg	1	02/06/07	EPA 300.0			
#2. 1' (B702002-02) Soil Samp	oil Sampled: 02/02/07 13:45 Received: 02/02/07 15:09									
Chloride		34	10	mg/kg	1	02/06/07	EPA 300.0			
#3. 1' (B702002-03) Soil Samp	pled: 02/02/07 14:00 Re	Received: 02/02/07 15:09								
Chloride		140	10	mg/kg	1	02/06/07	EPA 300.0			
#4. 1' (B702002-04) Soil Samp	Sampled: 02/02/07 14:15 Received: 02/02/07 15:09									
Chloride		170	10	mg/kg	1	02/06/07	EPA 300.0			
#5. 1' (B702002-05) Soil Samp	oil Sampled: 02/02/07 14:30 Received: 02/02/07 15:09									
Chloride	_	38	10	mg/kg	1	02/06/07	EPA 300.0			

Approved By

Argon Laboratories, Inc.

QC Officer