

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Closed 2/9/07

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☐

Operator: Apache Corporation (0873)		Telephone: 918-491-4801	e-mail address: terry.gilbert@usa.apachecorp.com	
Address: 6120 S. Yale Ave., #1500, Tulsa, OK 74136				
Facility or well name: Hawk A 30	API #: 30-025-38194	U/L or Qm/Qtr: D	Sec: 9	T: 21S R: 37E
County: Lea	Latitude:	Longitude:	NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/>	
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input checked="" type="checkbox"/> Indian <input type="checkbox"/>				
Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness 20 mil Clay <input type="checkbox"/> Pit Volume 7105 bbl		Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	10	
	50 feet or more, but less than 100 feet	(10 points)		
	100 feet or more	(0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	0	
	No	(0 points)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	0	
	200 feet or more, but less than 1000 feet	(10 points)		
	1000 feet or more	(0 points)		
Ranking Score (Total Points)		10		

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility: _____ (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:


I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 8-23-06
Printed Name/Title: Terry Gilbert
Signature: 

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:
Printed Name/Title: CHAS WILLIAMS / DIST. SURV
Signature:  Date: 12/5/06

APACHE STATE LAND IS #9



FIELD CHANGES

#2.16' - 1492 - REMOVED
#2.20' - 1384 - REMOVED
#2.23' - <120
#1.16' - 196
#5.16' - <120
#6.16' - <120
#4.16' - 148

ARGON LABORATORIES

Analysis Report Sheet

Instrument: DX-100

Analyst: HC

Client: SESI

Project Name: State Land 15 #9

Project No.: PSS-06-024

B701005

Matrix: Soil

Units: mg/Kg

Analysis Date:

01/18/07

Sample ID

Lab #

Chloride

#1. 16'

-01

400

#2. 23'

-02

32

#5. 16'

-03

27

#4. 16'

-04

62

#6. 16'

-05


25

Blank

<10 mg/Kg



APACHE H. CORRIGAN #20




FIELD COORDINATES

- #1.1' - <124
- #2.1' - 124
- #3.1' - 2008 - REMOVED
- #4.1' - 3,212 - REMOVED
- #3.3' - <124
- #4.3' - 12,000 - REMOVED
- #5.4' - <124
- #4.6' - 9,492
- #4.8' - <124

Safety & Environmental Solutions, Inc.
703 E. Clinton Ave
Hobbs, NM 88240

Project Number: PSS-07-004
Project Name: H. Corrigan #20
Project Manager: Bob Allen


Work Order No.:
B701013

Anions by Ion Chromatography - EPA Method 300.0

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes
#1 (B701013-01) Soil Sampled: 01/27/07 08:40 Received: 01/29/07 16:05							
Chloride	60	10	mg/kg	1	01/30/07	EPA 300.0	
#2 (B701013-02) Soil Sampled: 01/27/07 08:55 Received: 01/29/07 16:05							
Chloride	13	10	mg/kg	1	01/30/07	EPA 300.0	
#3 (B701013-03) Soil Sampled: 01/27/07 10:10 Received: 01/29/07 16:05							
Chloride	20	10	mg/kg	1	01/30/07	EPA 300.0	
#4 (B701013-04) Soil Sampled: 01/27/07 11:30 Received: 01/29/07 16:05							
Chloride	ND	10	mg/kg	1	01/30/07	EPA 300.0	
#5 (B701013-05) Soil Sampled: 01/27/07 10:50 Received: 01/29/07 16:05							
Chloride	18	10	mg/kg	1	01/30/07	EPA 300.0	

Approved By
Argon Laboratories, Inc.

QC Officer