

Submit 3 Copies To Appropriate District Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

|                                                                                                     |
|-----------------------------------------------------------------------------------------------------|
| WELL API NO.<br>30-025-09006                                                                        |
| 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 6. State Oil & Gas Lease No.<br>025432                                                              |
| 7. Lease Name or Unit Agreement Name<br>South Eunice Unit                                           |
| 8. Well Number 7                                                                                    |
| 9. OGRID Number<br>002799                                                                           |
| 10. Pool name or Wildcat<br>Eunice 7 Rivers Queen, South                                            |

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other INJECTION

2. Name of Operator  
Breck Operating Corp.

3. Address of Operator  
P.O. Box 911, Breckenridge, Texas 7624

4. Well Location

Unit Letter H: 1980 feet from the North line and 990 feet from the East line  
Section 22 Township 22S Range 36E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3528' GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type Steel Depth to Groundwater 199' Distance from nearest fresh water well >1000' Distance from nearest surface water >1000'

Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Current Well Status

- 8-5/8" csg @ 350', cement circ.
- 5-1/2" csg @ 3870', TOC 1700' TS
- Perfs 3686'-3793'
- PBTD RBP @ 3534' no cement

Proposed Plugging Procedure

- Dump 35' cement on RBP
- Circ w/mud
- 100' plug 3000'-2900' & tag - TOS
- 100' plug 1250'-1150' & tag - BO
- 100' plug 400'-300' & tag
- Surface plug 60'-0'
- Install dry hole marker
- Clean location

PERF+5QZ 50' OUT+IN WOC+TAG  
PERF+5QZ  
THE OIL CONSERVATION DIVISION MUST  
BE NOTIFIED 24 HOURS PRIOR TO THE  
BEGINNING OF PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Ernie Underwood TITLE District Engineer DATE March 29, 2007

Type or print name Ernie Underwood E-mail address: eunderwood@breckop.com Telephone No. 254-559-3355

For State Use Only

APPROVED BY: Harry W. Whink TITLE OG FIELD REPRESENTATIVE II/STAFF MANAGER DATE APR 12 2007

Conditions of Approval (if any):

# PLUGGING & ABANDONMENT WORKSHEET

(2 STRING CSNG)

OPERATOR Brick Operating Corp.

LEASENAME South Eunice Unit

WELL #

7

SECT

22

TWN

22S

RNG

36E

FROM

1980'

NSL

990'

EWL

TD:

3870'

FORMATION @ TD

7R15 Queen

PBTD:

3534'

FORMATION @ PBTD

878'  
@ 350'  
TOO Surface

RBP @ 3534'  
no cement

5 1/2'  
@ 3870'  
TOC 1700'


TD 3870'

|          | SIZE          | SET @        | TOC            | TOC DETERMINED BY    |
|----------|---------------|--------------|----------------|----------------------|
| SURFACE  | <u>8 3/8"</u> | <u>350'</u>  | <u>Surface</u> | <u>Circ</u>          |
| INTMED 1 |               |              |                |                      |
| INTMED 2 |               |              |                |                      |
| PROD     | <u>5 1/2"</u> | <u>3870'</u> | <u>1700'</u>   | <u>Temp. Survey</u>  |
|          | SIZE          | TOP          | BOT            | TOC DETERMINED BY    |
| LINER 1  |               |              |                |                      |
| LINER 2  |               |              |                |                      |
|          | CUT & PULL @  |              | TOP - BOTTOM   |                      |
| INTMED 1 |               |              | PERFS          | <u>3686' - 3793'</u> |
| INTMED 2 |               |              | OPENHOLE       | <u>"</u>             |
| PROD     |               |              |                |                      |

## \*REQUIRED PLUGS DISTRICT I

| RUTLER (ANYTD) | <u>1179'</u> |
|----------------|--------------|
| YATES          | <u>3226'</u> |
| QUEEN          | <u>3807'</u> |
| GRAYBURG       |              |
| SAN ANDRES     |              |
|                |              |
| CANTAN REEF    |              |
|                |              |
| DELAWARE       |              |
| BELL CANYON    |              |
| CHERRY CANYON  |              |
| BRUNY CANYON   |              |
| BONE SPRING    |              |
|                |              |
| GLORITA        |              |
| ELDERBY        |              |
| TUBS           |              |
| DRINKARD       |              |
| ABO            |              |
|                |              |
| WC             |              |
| PENH           |              |
| STRAWN         |              |
| ATOKA          |              |
| MORROW         |              |
| LEE            |              |
| DEVONIAN       |              |

| PLUG    | TYPE      | SACKS   | DEPTH           |
|---------|-----------|---------|-----------------|
| PLUG    | PLUG      | CMNT    |                 |
| PLUG-01 |           |         |                 |
| PLUG-02 | OH        | 35 SXS  | 6400'           |
| PLUG-03 | SHOE      | 50 SXS  | 5350'-5450'     |
| PLUG-04 | CIRP/35'  |         | 4800'           |
| PLUG-05 | CIRP      | 25 SXS  | 4800'           |
| PLUG-06 | STUB      | 50 SXS  | 3600'-3700'     |
| PLUG-07 | RETNR SQZ | 200 SXS | 400'            |
| PLUG-08 | SURF      | 10 SXS  | 0-10'           |
| PLUG-09 | RBP       | 255XS   | 3534'           |
| PLUG-10 |           | 255XS   | 3000'-2900' Tag |
| PLUG-11 |           | 255XS   | 1250'-1150' Tag |
| PLUG-12 | Shoe      | 255XS   | 400'-300' Tag   |
| PLUG-13 | Surface   | 155XS   | 60'-0'          |
| PLUG-14 |           |         |                 |
| PLUG-15 |           |         |                 |
| PLUG-16 |           |         |                 |
| PLUG-17 |           |         |                 |
| PLUG-18 |           |         |                 |
| PLUG-19 |           |         |                 |
| PLUG-20 |           |         |                 |
| PLUG-21 |           |         |                 |
| PLUG-22 |           |         |                 |
| PLUG-23 |           |         |                 |
| PLUG-24 |           |         |                 |
| PLUG-25 |           |         |                 |
| PLUG-26 |           |         |                 |
| PLUG-27 |           |         |                 |
| PLUG-28 |           |         |                 |
| PLUG-29 |           |         |                 |
| PLUG-30 |           |         |                 |



BECK BREATHING  
SOUTH EUNICE UNIT #7 (TA)  
03-PI-07

SERGIO ZAMBRANO  
KEY #412  
TYK#0108207-1302757

LAST CAL. 11/16/06

TB. D PSE (TA)  
SURFACE D PSE  
CASING D PSE

LB  
) E. J. J. J.