

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 20045. Lease Serial No.
NM-981891a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other
b. Type of Completion: ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
Other _____

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

2. Name of Operator

Mewbourne Oil Company 14744

3. Address

PO Box 5270 Hobbs, NM 88240

3a. Phone No. (include area code)

505 393-5905

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At surface 2440' FSL & 330' FWL, Unit L

At top prod. interval reported below Same

At total depth Same

8. Lease Name and Well No.

Geronimo 30 Federal #4

9. API Well No.

30-025-38182

10. Field and Pool, or Exploratory

North Lusk Bone Spring 41450

11. Sec., T., R., M., on Block and Survey
or Area

Sec 30-T18S-R32E

12. County or Parish

Lea County

13. State

NM

14. Date Spudded

02/12/07

15. Date T.D. Reached

03/01/07

16. Date Completed

☐ D&A☒ Ready to Prod.

17. Elevations (DF, RKB, RT, GL)*

3678' GL

18. Total Depth: MD 8500'
TVD19. Plug Back T.D.: MD 8412'
TVD20. Depth Bridge Plug Set: MD
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

DLL w/Micro, DN w/GR, CBL

22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit report)
Directional Survey? ☒ No ☐ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12 1/4"	8 5/8 J55	32	0	1000'		550 C	147	Surface	NA
7 7/8"	4 1/2 N80	11.6	0	8500'		1900 H	619		NA

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)

25. Producing Intervals

Formation	TOP	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Bone Springs	6610'	8500'	8032' - 8269'	0.38"	110	open
B)						
C)						
D)						

26. Perforation Record

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
8032' - 8269'	Frac with 86,000 gals Medallion 3000 with 151,000# Super LC 20/40 & 20/40 White Sand


28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
03/15/07	03/17/07	24	→	123	82	295	39.5	0.766	Pumping
Choke Size	Tbg. Press. Flwg. SI	Csg. Press	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	
48/64"	NA	110	→	123	82	295	666.67	open	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Call Press	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	
			→						

(See instructions and spaces for additional data on next page)



28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg Press Flwg. SI	Csg. Press	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg Press Flwg. SI	Csg. Press	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

29. Disposition of Gas (Sold used for fuel, vented, etc.)

SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
Rustler	932				
Yates	2526				
Queen	3616				
Penrose	3841				
San Andres	4484				
Delaware	4778				
Bone Spring	6610				

32. Additional remarks (include plugging procedure):

33. Circle enclosed attachments:

- ☒ 1 Electrical/Mechanical Logs (1 full set req'd.)
 2 Geologic Report
 3 DST Report
 4 Directional Survey
 5 Sundry Notice for plugging and cement verification
 6 Core Analysis
 ⑦ Other: Dev Rpt and C104

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Kristi GreenTitle Hobbs RegulatorySignature Date 04/03/07

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212 make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false fictitious or fraudulent statements or representations as to any matter within its jurisdiction.