

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised June 10, 2003

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-09638
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> <input checked="" type="checkbox"/> Injection Well		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator SDG Resources L. P.		6. State Oil & Gas Lease No. 29151
3. Address of Operator P. O. Box 1390 Montrose, CO 81402		7. Lease Name or Unit Agreement Name COOPER JAL UNIT
4. Well Location Unit Letter <u>A</u> : <u>330</u> feet from the <u>NORTH</u> line and <u>990</u> feet from the <u>EAST</u> line Section <u>24</u> Township <u>24-S</u> Range <u>36-E</u> NMPM LEA County		8. Well Number 122
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3320'		9. OGRID Number 193003
		10. Pool name or Wildcat LANGLIE MATTIX: 7RVRS, QUEEN; JALMAT: 7RVRS, YATES

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: Repaired Casing, Add Pay, Acidized, and Performed Mechanical Integrity Test. ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Pulled injection string and Baker Model AD Tension packer.
Ran CBL and located top of cement at approximately 500 feet.
Replaced 149 feet of new 5 1/2" Casing (Long String).
Added perfs across Seven Rivers Zone at: 3324'-3329', 3341'-3343', 3360'-3368', 3370'-3372', 3376'-3382', 3385'-3388', 3406'-3408', 3420'-3421', 3430'-3435', 3438'-3444', 3452'-3455', and 3459'-3461', 180 degree phasing, 2 JHPF, 102 holes.
Acidized perfs with 3,000 gallons 15% NEFE acid: Old Perfs (3020'-3307'), New Perfs (3324'-3461') with Perf Clean Tool.
Ran Baker Model AD tension packer and 94 joints internally plastic coated 2-3/8" tubing. Pressure tested tubing to 7,000 psig.
Placed inhibited fresh water above tension packer. Set packer at 2962' with 30,000# tension.
Performed mechanical integrity test to 420 psig for 36 minutes. Date
Placed on injection: 300 BWPD, 100 PSIG.


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Domingo Carrizales TITLE Sr. Petroleum Engineer DATE 09/11/03

Type or print name Domingo Carrizales E-mail address: domingo@sdgresources.com Telephone No. 432-550-7580

(This space for State use)

APPROVED BY Gary W. Wink TITLE PC FIELD REPRESENTATIVE II / STAFF MANAGER DATE 1 5 2003
Conditions of approval, if any:



A.L.B. Trans

9-10-03

Rafael Marrofo Jr.