

Submit 3 Copies To Appropriate District Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-32204
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 33850
7. Lease Name or Unit Agreement Name IRON HOUSE STATE
8. Well Number 1
9. OGRID Number 141928
10. Pool name or Wildcat SCHARB; QUEEN, EAST

4. Well Location Unit Letter <u>H</u> : <u>2100</u> feet from the <u>NORTH</u> line and <u>990</u> feet from the <u>EAST</u> line Section <u>1</u> Township <u>19S</u> Range <u>35E</u> NMPM County <u>LEA</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3840' GR
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:


REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Remove tubing and packer.
2. Set CIBP @4350' and dump bail 20' cement on top.
3. Circulate 5 1/2" casing w/saltwater mud.
4. Cut 5 1/2" casing @±3800' and pull out.
5. Spot 60 sk cement plug @3500'.
6. Spot 80 sk cement plug @1900'.
7. Spot 60 sk cement plug @500'.
8. Place 10 sk cement plug @10'.
9. Cut off wellhead, put on dry hole marker and clean location.

WOC+TAG 50' ABOVE SHOE  
1900'-1800'  
THE OIL CONSERVATION DIVISION MUST  
BE NOTIFIED 24 HOURS PRIOR TO THE  
BEGINNING OF PLUGGING OPERATIONS.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Nolan von Roeder TITLE Engineer DATE 05/15/2007


Type or print name Nolan von Roeder E-mail address: \_\_\_\_\_ Telephone No. 325-573-1938

For State Use Only Hayward Wink OC FIELD REPRESENTATIVE II/STAFF MANAGER

APPROVED BY: Hayward Wink TITLE \_\_\_\_\_ DATE MAY 22 2007

Conditions of Approval (if any): \_\_\_\_\_

# PATTERSON PETROLEUM LP



RKB 3854'  
GL 3840'

Lease & Well No.: Iron House State # 1

Well Category:

Area: New Mexico

Subarea: Lea

Legal Description: API #30-025-32204

H, 2100' FNL, 990' FEL, Sec 1, T-19-S, R-35-E

Lea County, NM

Spudded: 01/16/2001

TD: 01/20/2001

Completed: 01/30/2001

26" hole  
20" casing  
set @ 149'  
150 sx cement

Stimulation: 01/27/01 Treated w/ 84 gals of 15% HCL  
2/16/05 Acidized w/ 1000 gals of 15% HCL

12 1/4" hole  
8 5/8" 24# J-55  
set @ 1849'  
1300 sx cement.  
TOC = surface

5 1/2" TOC = 3,850' CBL

## Production Tbg

133 jts 2 3/8" 4.7# J55 Tubing

2 3/8" Seat nipple

2 3/8" X 5 1/2" Model R PKR @ 4319'

## Queen Perfs

4,424 - 30' 12 holes

5 1/2" 15.5 # J55 @ 5,369'

Cmt'd w/ 250 sx

Openhole cement plug 5400 - 5500'

PBTD: 5,369'  
TD: 7,132'