Submit Copies To Appropriate District Office	State of New Mexico Energy, Minerals and Natural Resources			Form C-103 May 27, 2004	
District I 1625 N. French Dr., Hobbs, NM 88240	Ellergy, willierars	s and Natural Resc		WELL API NO.	1viay 27, 2004
District II 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION			30-025-30072 5. Indicate Type of Lea	ase
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr. Santa Fe, NM 87505			STATE 🛛	FEE
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa P	e, INIVI 6/303		6. State Oil & Gas Leas	se No. <b>B-2229</b>
SUNDRY NOTICES AND REPORTS ON WELLS  (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)				7. Lease Name or Unit Agreement Name  Philmex	
1. Type of Well: Oil Well Gas Well Other				8. Well Number 29	
2. Name of Operator  ConocoPhillips Company ATTN: Celeste Dale				9. OGRID Number	217817
3. Address of Operator  3303 N. "A" Street, Bldg. 6 #247, Midland, Texas 79705-5406				10. Pool name or Wilde	cat
4. Well Location	A" Street, blug. 0 #24/,	Midiand, Texas /9	/05-5400	Maljamar / Grayb	ourg San Andres
	1,980_ feet from the	North line	and1,980	0feet from the	West line
Section 27	Township		33-E	NMPM	County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4,158' GR					
Pit or Below-grade Tank Application or Closure					
Pit typeSTEEL Depth to Gro	oundwater Distance fro mil Below-Grade Tank:				
				onstruction Material	STEEL
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data					
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:					
PERFORM REMEDIAL WORK   PLUG AND ABANDON   REMEDIAL WORK   ALTERING CASING TEMPORARILY ABANDON   CHANGE PLANS   COMMENCE DRILLING OPNS.   P AND A					ERING CASING 🗌
PULL OR ALTER CASING   MULTIPLE COMPL   CASING/CEMENT					
OTHER:		OTHER			
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.					
SEE ATTACHED PLUGGED W	ELLBORE DIAGRAM				
05/14/07 Monday					
Held safety meeting. MIRU Triple tagged PBTD @ 4,095'. RU cemens x C cmt 2,698 – 2,451'. POOH w/ and RIH w/ sandline and tagged cmt POOH w/ tubing. Topped wellbore	ter and circulated hole was tubing and pumped 25 st t @ 1,348'. POOH w/ sa	/ mud, pumped 25 sx x C cmt w/ 3% CaCl	x C cmt 4,09 2 1,587 – 1,3	95 – 3,848'. POOH w/ t 340'. POOH w/ tubing a	ubing. Pumped 25 and WOC. NP BOP
Cut off wellhead & anchors, installe	d dry hole marker, back f	filled cellar.			
Approved as to plugging of the Well Bore.  Liability under bond is retained until surface restoration is completed.					
I hereby certify that the information grade tank has been/will be constructed or	above is true and comple	ete to the best of my	knowledge a	and belief. I further certifor an (attached) alternative (	y that any pit or below- OCD-approved plan .
SIGNATURETITLE James F. Newman, P.E. (Triple N Services) DATE 05/29/07					
Type or print name  E-mail address: jim@tripleneor/it/SIAM Telephone No. 432-687-1994  OC FIELD REPRESENTATION TO THE PROPERTY OF THE PROPERTY					
For State Use Only		OC FIELD REP	ESENHATI	Telephone	No. <b>452-68</b> 7 <b>-1994</b>
APPROVED BY Conditions of Approval (if any):	V.Wink	TITLE		DA <sup>'</sup>	JEN 0 4 <b>200</b> 7

## **PLUGGED WELLBORE SKETCH** ConocoPhillips Company -- Lower 48 Mid-Continent BU / Odessa

RKB @ \_\_\_4167' 4166 DF @ GL@ 4158'

Subarea: Buckeye Lease & Well No. : Philmex No. 29 Legal Description : 1980' FNL & 1980' FWL, Sec. 27, T-17-S, R-33-E County: State : New Mexico Field: Maljamar Grayburg/San Andres Date Spudded: Dec. 7, 1987 Rig Released:

45 sx C cmt 412' to surface, circulated cmt

Stimulation History:

API Number:

Status:

Lbs. Max Max Interval <u>Date</u> Туре <u>Gals</u> Sand Press ISIP Rate Down

State Lease

Date: May 29, 2007

Dec. 24, 1987

B-2229

1/8/88 Perforate, 2 jspf, 4177-4708' - 172 holes 4177-4708 1/9/88 15% NEFE HCI 8,600 215 BS 3800 2500 4.0 64,000 120,000 4200 4177-4708 1/13/88 X-Link Gel 3550 29.0 1/28/88 Set 5-1/2" CIBP @ 4650' w/2 sx cmt; TOC @ 4644'

2/1/95 Set 5-1/2" CIBP @ 4100'

Temporarily Abandoned

30-025-30072

PLUGGED 5/14/06

8-5/8" 24# K-55 ST&C @ 1480"

Cmt'd w/1000 sx, circ 240 sx TOC @ Surface Top Salt @ 1,570'

12-1/4" Hole

25 sx C cmt 1,587 - 1,348' TAGGED

THIPLE N
SERVICES INC. MIOLANO, TX

## PLUGS SET 05/14/06

- circulated plugging mud from PBTD 1)
- 2) 25 sx C cmt 4,095 - 3,848'
- 3) 25 sx C cmt 2,698 - 2,451'
- 4) 25 sx C cmt 1,587 - 1,348' TAGGED
- 45 sx C cmt 412' to surface, circulated cmt

Base Salt @ 2,600' 25 sx C cmt 2,698 - 2,451'

circulated plugging mud from PBTD 25 sx C cmt 4,095 - 3,848' 5-1/2" CIBP @ 4100'

Grayburg

4177-4179 4182-4186 4236-4240 4265-4267

4273-4277 4336-4338

4352-4356 4370-4372

4397-4400 4410-4413

4429-4431 4457-4460

4470-4474

San Andres

4514-4518

4523-4528 4536-4546

4621-4631

5-1/2" CIBP @ 4650'; TOC @ 4644'

4690-4708

7-7/8" Hole

5-1/2" 15.5# K-55 ST&C @ 4800'

Cmt'd w/1300 sx - Lead Cement

PBTD @ 4100' w/400 sx Class C Neat - Tail Cement, circ 300 sx lead TD @

4800' TOC @ Surface

## Capacities

51/2" 15.5# csg: 7.485 ft/ft3 0.1336 ft3/ft 8¾"openhole: 2.3947 ft/ft3 0.4176 ft3/ft 7" 20# csg: 4.3995 ft/ft3 0.2273 ft3/ft 8%" 24# csg: 2.797 ft/ft3 0.3575 ft3/ft 13%" 61# csg: 1.711 ft/ft3 0.8542 ft3/ft

Formation Tops:

Top Salt Base Salt Queen Grayburg San Andres

==

==

==

==

==

==

==

==