1220 S. St. Francis Dr., Santa Fe, NM 87505		
87505 SUNDRY NOT (DO NOT USE THIS FORM FOR PROPO	ICES AND REPORTS ON WELLS OSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name
PROPOSALS.)	CATION FOR PERMIT" (FORM C-101) FOR SUCH	Denton West 8. Well Number
1. Type of Well: Oil Well	Gas Well Other	001
2. Name of Operator Cimarex Energy Co.		9. OGRID Number 215099
3. Address of Operator		10. Pool name or Wildcat
PO Box 140907; Irving, TX 75014	4-0907	Denton; Wolfcamp
4. Well Location	960 feet from the North line and 1430	feet from the East line
	060 feet from the North line and 1430 Cownship 15S Range 37E NMPM	County Lea
Section	11. Elevation (Show whether DR, RKB, RT, GR, etc.,	
Pit or Below-grade Tank Application	3807' GR	
Pit type Depth to Groundwater_		Distance from nearest surface water
Pit Liner Thickness:		struction Material
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF I	NTENTION TO: SUB	SEQUENT REPORT OF:
	☐ PLUG AND ABANDON ☐ REMEDIAL WOR	
	☐ CHANGE PLANS ☐ COMMENCE DR	_
PULL OR ALTER CASING	☐ MULTIPLE COMPL ☐ CASING/CEMEN	T JOB
OTHER:	OTHER:	
13. Describe proposed or com	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack	
13. Describe proposed or com starting any proposed wor recompletion. 04-17-07 Reached TD of 7	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack-7/8" hole (9690') and logged.	
13. Describe proposed or com starting any proposed wor recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permiss	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack-7/8" hole (9690") and logged. sion from Gary Wink @ Hobbs OCD to plug.	
13. Describe proposed or com starting any proposed work recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permiss 1st plug: 2nd Plug:	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack-7/8" hole (9690') and logged.	
13. Describe proposed or com starting any proposed wor recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permiss 1 st plug: 2 nd Plug: 3 rd Plug:	pleted operations. (Clearly state all pertinent details, and k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H 6680'-6580' w/ 45 sx Premium Plus Class C	ch wellbore diagram of proposed completion or
13. Describe proposed or comstarting any proposed work recompletion. 04-17-07 Reached TD of 7 O4-18-07 Received permiss 1st plug: 2nd Plug: 3rd Plug: 4th Plug:	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H	ch wellbore diagram of proposed completion or
13. Describe proposed or comstarting any proposed work recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permiss 1st plug: 2nd Plug: 3rd Plug: 4th Plug: 6th Plug: 6th Plug: 6th Plug:	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H 6680'-6580' w/ 45 sx Premium Plus Class C 4560'-4460' w/ 50 sx Premium Plus Class C + 1.5 sx C 2100'-2000' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C + 1.5 sx Ca6	CaCl. Tagged @ 4440
13. Describe proposed or comstarting any proposed work recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permises 1st plug: 2nd Plug: 3rd Plug: 4th Plug: 6th Plug: 6th Plug: 7th plug: 7th plug:	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H 6680'-6580' w/ 45 sx Premium Plus Class C 4560'-4460' w/ 50 sx Premium Plus Class C 2100'-2000' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C + 1.5 sx Ca60'-5' w/ 20 sx Premium Plus Class C	CaCl. Tagged @ 4440
13. Describe proposed or comstarting any proposed work recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permises 1st plug: 2nd Plug: 3rd Plug: 4th Plug: 6th Plug: 6th Plug: 7th plug: 7th plug:	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H 6680'-6580' w/ 45 sx Premium Plus Class C 4560'-4460' w/ 50 sx Premium Plus Class C 2100'-2000' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C + 1.5 sx Cac 60'-5' w/ 20 sx Premium Plus Class C with dry hole marker and released rig.	CaCl. Tagged @ 4440. Cl. Tagged @ 348.
13. Describe proposed or comstarting any proposed work recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permises 1st plug: 2nd Plug: 3rd Plug: 4th Plug: 6th Plug: 6th Plug: 7th plug: 7th plug:	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H 6680'-6580' w/ 45 sx Premium Plus Class C 4560'-4460' w/ 50 sx Premium Plus Class C 2100'-2000' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C with dry hole marker and released rig.	CaCl. Tagged @ 4440. Cl. Tagged @ 348.
13. Describe proposed or comstarting any proposed work recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permises 1st plug: 2nd Plug: 3rd Plug: 4th Plug: 6th Plug: 6th Plug: 7th plug: 7th plug:	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H 6680'-6580' w/ 45 sx Premium Plus Class C 4560'-4460' w/ 50 sx Premium Plus Class C 2100'-2000' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C with dry hole marker and released rig. Approved as to plugging of the Liability under bond in the condition of the co	CaCl. Tagged @ 4440. Cl. Tagged @ 348.
13. Describe proposed or com starting any proposed work recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permiss 1st plug: 2nd Plug: 3rd Plug: 4th Plug: 4th Plug: 6th Plug: 7th plug: 7th plug: Capped off well starting any proposed work recompletion.	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H 6680'-6580' w/ 45 sx Premium Plus Class C 4560'-4460' w/ 50 sx Premium Plus Class C 2100'-2000' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C + 1.5 sx Cac 60'-5' w/ 20 sx Premium Plus Class C with dry hole marker and released rig. Approved as to plugging of the Liability under bond is retained surface restoration is completed.	CaCl. Tagged @ 4440. Cl. Tagged @ 348.'
13. Describe proposed or comstarting any proposed work recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permiss 1st plug: 2nd Plug: 3rd Plug: 4th Plug: 6th Plug: 6th Plug: 7th plug: Capped off well with the information of the proposed of the plug: 1	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H 6680'-6580' w/ 45 sx Premium Plus Class C 4560'-4460' w/ 50 sx Premium Plus Class C 2100'-2000' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C with dry hole marker and released rig. Approved as to plugging of the Liability under bond in the condition of the co	CaCl. Tagged @ 4440. Cl. Tagged @ 348.' The Well Bore. Seed until seed. The and belief. I further certify that any pit or below-grade
13. Describe proposed or comstarting any proposed work recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permiss 1st plug: 2nd Plug: 3rd Plug: 4th Plug: 6th Plug: 6th Plug: 7th plug: Capped off well with the information of the proposed of the plug of	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H 6680'-6580' w/ 45 sx Premium Plus Class C 4560'-4460' w/ 50 sx Premium Plus Class C 2100'-2000' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C 465'-365' w/ 20 sx Premium Plus Class C with dry hole marker and released rig. Approved as to plugging of the Liability under bond is retained surface restoration is completed above is true and complete to the best of my knowledgen above is true and complete to the best of m	CaCl. Tagged @ 4440. Cl. Tagged @ 348.' The Well Bore. Seed until seed. The and belief. I further certify that any pit or below-grade
13. Describe proposed or comstarting any proposed work recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permiss 1st plug: 2nd Plug: 3rd Plug: 4th Plug: 6th Plug: 6th Plug: 7th plug: Capped off well of the plug: Capped off well of the plug: Capped of the plu	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H 6680'-6580' w/ 45 sx Premium Plus Class C 4560'-4460' w/ 50 sx Premium Plus Class C 2100'-2000' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C with dry hole marker and released rig. Approved as to plugging of the Liability under bond is retained surface restoration is completed according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \)	CaCl. Tagged @ 4440 Cl. Tagged @ 348.' Cl. Tagged @ 348.' The Well Bore. Seed until teed. The ge and belief. I further certify that any pit or below-grade (attached) alternative OCD-approved plan DATE May 30, 2007
13. Describe proposed or comstarting any proposed work recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permiss 1st plug: 2nd Plug: 3rd Plug: 4th Plug: 6th Plug: 6th Plug: 7th plug: Capped off well with the information tank has been/will be constructed or close SIGNATURE	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H 6680'-6580' w/ 45 sx Premium Plus Class C 4560'-4460' w/ 50 sx Premium Plus Class C 2100'-2000' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C with dry hole marker and released rig. Approved as to plugging of the Liability under bond is retained surface restoration is completed according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \)	CaCl. Tagged @ 4440 Cl. Tagged @ 348.' The Well Bore. Seed until teed. The ge and belief. I further certify that any pit or below-grade (attached) alternative OCD-approved plan DATE May 30, 2007
13. Describe proposed or comstarting any proposed work recompletion. 04-17-07 Reached TD of 7 04-18-07 Received permiss 1st plug: 2nd Plug: 3rd Plug: 4th Plug: 6th Plug: 6th Plug: 7th plug: Capped off well of tank has been/will be constructed or close SIGNATURE	pleted operations. (Clearly state all pertinent details, an k). SEE RULE 1103. For Multiple Completions: Attack. -7/8" hole (9690') and logged. sion from Gary Wink @ Hobbs OCD to plug. 9690'-9590' w/ 40 sx Premium Class H 7698'-7598' w/ 40 sx Premium Class H 6680'-6580' w/ 45 sx Premium Plus Class C 4560'-4460' w/ 50 sx Premium Plus Class C 2100'-2000' w/ 35 sx Premium Plus Class C 465'-365' w/ 35 sx Premium Plus Class C with dry hole marker and released rig. Approved as to plugging of the Liability under bond is retained surface restoration is completed according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \) or an according to NMOCD guidelines \(\Bar{\text{l}}, \text{ a general permit } \Bar{\text{l}} \)	CaCl. Tagged @ 4440. Cl. Tagged @ 348. Cl. Tagged @ 4440. Cl. Tagged @ 348. Cl. Tagge