

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-03834
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-1563
7. Lease Name or Unit Agreement Name Lovington Paddock Unit
8. Well Number 82
9. OGRID Number 241333
10. Pool name or Wildcat Lovington Paddock

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☐ Other Injector ☐

2. Name of Operator
Chevron Midcontinent L.P.

3. Address of Operator
#15 Smith Rd., Midland, TX 79705

4. Well Location
Unit Letter O : 660 feet from the South line and 1980 feet from the East line
Section 1 Township 17-S Range 36-E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL O Sect 1 Twp 17-S Rng 36-E Pit type Steel Depth to Groundwater 74' Distance from nearest fresh water well Over 1000'
Distance from nearest surface water _____ Below-grade Tank Location UL _____ Sect _____ Twp _____ Rng _____ ;
660 feet from the South line and 1980 feet from the East line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hrs prior to MI and RU. 25 5X
2. RIH and set CIBP at 6075' and spot 20sx cement plug from 6075'-5075' (Paddock).
3. Displace hole w/MLF, 9.5# Brine w/12.5# gel P/BBL.
4. Spot 135sx cement plug 4655'-3800' (shoe, liner top, sqz. perms) Tag.
5. Perf and squeeze 160sx cement plug from 3200'-2700' (shoe, B. Salt) Tag.
6. Perf and squeeze 75sx cement plug from 2250'-2050' (T-Salt) Tag.
7. Perf and squeeze 125sx cement plug from 400'-surface. (Fr. Wtr., surface) Tag.

8. Install dryhole marker.

**THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.**

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent DATE 6-07-2007
Type or print name M. Lee Roark E-mail address: _____ Telephone No. 432-561-8600

(This space for State use)

APPROVED BY Harvey Wink DATE 6/8/07
Conditions of approval, if any: _____ OIL FIELD REPRESENTATIVE II/STAFF MANAGER

LPU #82
API No. 30-025-03834
FA4981

13" 40# set @ 306'
CMT w/ 200 sks

9-5/8" 40# set @ 3102'
CMT w/ 550 sks

7" CSG - set @ 4555'
CMT w/ 300 sks

5" 15# J-55 Liner - set @ 4404-6120'
CMT w/ 150 sks

Well Location
660' FSL & 1980' FEL
Unit Letter O
Section 1
Township 17-S
Range 36-E
Lea County, New Mexico
Elev: 3826' KB

Original TD 4980
Originals perfs 3891-3911 (sq 100
sx)

Line disconnected 12/2/05 TA
TA good until 11/18/10

Packer @ 6038'

OH 6120'-6204'

TD = 6204'

New Mexico Office of the State Engineer
POD Reports and Downloads

Township: 17S Range: 36E Sections: 1

NAD27 X: Y: Zone: ☐ Search Radius:

County: ☐ Basin: ☐ Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 06/07/2007

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	17S	36E	01				9	48	120	74

Record Count: 9