Submit 3 Copies To Appropriate District Office	Copies To Appropriate District State of New Mexico			Form C-103
District I	Energy, Minerals and Natural Resources		Revised March 25, 1999 WELL API NO.	
1625 N. French Dr., Hobbs, NM 87240 District II	OIL CONSERVATION DIVISION		30-025-35687	
811 South First, Artesia, NM 87210	2040 South Pacheco		5. Indicate Type of Lease	
District III 1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505		STATE X	FEE 🗌
District IV 2040 South Pacheco, Santa Fe, NM 87505			6. State Oil & Gas	Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			7. Lease Name or Unit Agreement Name: Vacuum Grayburg San Andres Unit	
1. Type of Well: Oil Well X Gas Well Other				
2. Name of Operator		<u>-</u>	8. Well No.	
Chevron U.S.A. Inc.			211	
3. Address of Operator	70706		9. Pool name or W	
15 Smith Road - Midland, Texas 4. Well Location	. 79705		Vacuum Grayburg	Sall Anures
Unit Letter M:	710 feet from the	South line and	1280 feet from	n the <u>West</u> line
Service 1	Taumahin 10	C Dance 245	NIMONA	Country
Section 1	Township 18	S Range 34E ether DR, RKB, RT, GR, et	NMPM	County Lea
A STATE OF THE STA	10. Elevation (Show with	3995' GL	ic.)	
11. Check A	ppropriate Box to Ind	icate Nature of Notice	Report, or Other	Data
NOTICE OF INTE			SEQUENT REF	
PERFORM REMEDIAL WORK	PLUG AND ABANDON			ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILL	ING OPNS.	PLUG AND ABANDONMENT
PULL OR ALTER CASING	MULTIPLE COMPLETION	CASING TEST AND CEMENT JOB		
OTHER:		OTHER:		
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.				
Procedure for Plug & Abandonment: 1. Kill well. MIRU. ND well head & NU BOP. Check the SIP @ tbg site. 2. Release 8-5/8" 49B A3 lock set model packer @ 325'. Check for flow. If no flow, proceed w/operations. 3. TOH w/10 jts (342') of 2-7/8" N80 tbg, one (1) 8-5/8" packer and OFF tool and 51 jts 2-7/8" N80 tbg.				
3. TOH w/10 jts (342') of 2-7/8" N80 tbg, one (1) 8-5/8" packer and 07F tool and 51 jts 237/8" N80 tbg.				
(Continued on page 2)			Hobbs	125
			000 OCD	9
I hereby certify that the information above	is true and complete to the be	est of my knowledge and belie	ef.	1/10/100
	1			
SIGNATURE TIWIM		TITLE Regulatory Spec	cialist	DATE08-13-03
Type or print name Laura Skinner			Telepho	ne No432-687-7355
(This space for State use) Approved by the Hall Caura Skinner (This space for State use)				
APPROVED BY Law 1.	Jink OCFIELL	TITLE	DA	ATROTO 4 0 coco
Conditions of approval, if any:			D,	~~ 3EP 1 8 2003

VACUUM GRAYBURG SAN ANDRES UNIT NO. 211 PAGE 2

4. TIH with drill pipe to 2700'. Spot 1500 sacks Class H cement. TOH with drill pipe. Shut in and wait on cement. Tag cement plug and plug to surface as required.