

District Office  
DISTRICT I  
1625 n. French Dr., Hobbs, NM 88240  
DISTRICT II  
811 South First, Artesia, NM 88210  
DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410  
DISTRICT IV  
2040 S. Pacheco, Santa Fe, NM 87505

## OIL CONSERVATION DIVISION

2040 South Pacheco  
Santa Fe, NM 87505

WELL API NO.

30-025-23128

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil &amp; Gas Lease No.

K-3846

7. Lease Name or Unit Agreement Name:

State of NM U

8. Well No.

1

9. Pool name or Wildcat

Baum Upper Penn

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Dominion Oklahoma Texas Expl. &amp; Prod. Inc.

3. Address of Operator

14000 Quail Springs Parkway - Suite 600 - Oklahoma City, OK 73134

4. Well Location

Unit letter G 1980' feet from the North line and 1980' feet from the East line.Section 4 Township 14S Range 33E NMPM Lea County10. Elevation (Show whether DR, RKB, RT, Gr, etc.)  
4238'

## 11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐PLUG AND ABANDON ☒TEMPORARILY ABANDON ☐CHANGE PLANS ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETION ☐OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐PLUG AND ABANDONMENT ☐CASING TEST AND CEMENT JOB ☐OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Spot 35' cmt on CIBP @ 9600'.

2. Circ hole w/saltwater gel.

3. Set a CIBP at 8720' w/35' cmt.

4. Cut off 4 1/2" casing and cmt 50' in and 50' out at 5000'. Tag.

5. Cut off 8 5/8" casing and cmt 50' in and 100' out at 1600 too 1500' at the top of the Rustler formation. Tag.

6. Cmt 50' in and 50' out of the 13 3/8" casing from 439 to 339'. - TAG

7. Cmt 33 to 3' and weld on ID plate. - 105X OR 601

See attached schematics

THE COMMISSION MUST BE NOTIFIED 24  
HOURS PRIOR TO THE BEGINNING OF  
PLUGGING OPERATIONS FOR THE C-103  
TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Carla Christian

TITLE

Regulatory Specialist

DATE

9/16/2003

Type or print name

Carla Christian

Telephone No.

405-749-5263

(This space for State use)

APPROVED BY

Dary W. Wink

TITLE

LOC FIELD REPRESENTATIVE II/STAFF MANAGER

DATE

SEP 23 2003

Conditions of approval, if any:

# Dominion Exploration and Production

7/26/02;MAS

## State of N.M. "U" #1

API # 30-025-23128

Prop. No. 263882.001


Sec.4 T14S R33E

Lea County, New Mexico

Spud Date: 5/4/69

Comp. Date: 6/1/69

GL 4238'  
KB 4250'



# Dominion Exploration and Production

7/26/02;MAS

## State of N.M. "U" #1

API # 30-025-23128

Prop. No. 263882.001


Sec.4 T14S R33E

Lea County, New Mexico

Spud Date: 5/4/69

Comp. Date: 6/1/69

GL 4238'  
KB 4250'



20 sx at surface with ID plate welded on.

13 3/8" 48# H-55 @ 389' w/ 350 sx  
circ to surface

Cmt 50' in and 50' out of 13 3/8" casing. Tag.

Cmt 50' in and 100' out at the top of the Rustler formation. Tag.

Cut off 8 5/8" at 1600'

8 5/8" 24/32# J-55 @ 4,090' w/ 350 sx

100' cmt plug, 50' in and 50' out. Tag

Cut off 4 1/2" casing @ 5000' w/50' cmt in and 50' out

CIBP @ 8720' w/25' cmt.

CIBP @ 9600' w/35' cement. Tag

9,761'-9,765' } Bough "B" (1983)

9,778'-9,790' } Could not break w/ acid

9,843'-9,850' }

9,853'-9,855' }

9,858'-9,861' }

Bough "C" (1969)

Acidized w/ 200 gal 7%

Reperf 9,842'-9,847' (1983)

Acidize w/ 4,500 gal & salt

9,887'-9,889' }

9,894'-9,896' }

9,900'-9,906' }

Bough "D" (1983)

Acidized w/ 1,500 gal & balls

PBTD 9,927'

TD 9,975'

4 1/2" 11.6 # N-80/J-55 @ 9,975' w/ 250 sx

TOC @ 3,000'  
by calc.

TOC @ 8,720'  
by CBL

alt gel