

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD-HOBBS

FORM APPROVED
OMB No. 1004-0137
Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1 Type of Well
☒ Oil Well ☐ Gas Well ☐ Other2 Name of Operator
John H. Hendrix Corporation3a Address
P. O. Box 3040 Midland TX 79702-30403b Phone No. (include area code)
(432) 684-66314 Location of Well (Footage, Sec., T., R., M., or Survey Description)
Unit G, 1980' FNL & 1980' FEL, Sec. 18, T20S, R37E

5 Lease Serial No

LC031621B

6 If Indian, Allottee or Tribe Name

7 If Unit or CA/Agreement, Name and/or No

8 Well Name and No

Mexico No. 2

9 API Well No

30-025-06164

10 Field and Pool, or Exploratory Area

Eunice Monument

11 County or Parish, State

Lea, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input checked="" type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

1. See attached sheet

SEE ATTACHED FOR
CONDITIONS OF APPROVAL14 I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Ronnie H. Westbrook

Title Vice President

Signature

Date 06/13/2007

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title


Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on page 2)


GWW



MEXICO NO. 2

API NO. 30-025-0616400
LC031621B

1. Check to see if plug set in 1991 is at 2332'.
2. If plug at 2332' is in place spot 75 sx. plug fr. 2263 – 1923'.
3. Perf. 1300' and set retainer at 1250' and squeeze 75 sx.
4. Perf. 351' and circ. cement to surface leaving 7" csg. full.
5. Dig out & cut WH, install dry hole marker, dig up anchors, clean & reseed location.



PLUGGING & ABANDONMENT WORKSHEET

OPERATOR John H. Hendrix Corporation
LEASENAME Mexico

WELL # 2
SECT 18 TWN 20S RNG 37E
FROM 1980 N S L 1980 E W L
TD: 3850 FORMATION @ TD Grayburg
PBTD: FORMATION @ PBTD Grayburg

@ 13"
TOC 251

9-5/8"
@ 1151'
TOC Surface
Calc.

7"
@ 3750
TOC 2450
Calc.

TD 3850

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	13'	251	Surface	Visual	
INTMED 1	9-5/8	1151	Surface	Calc.	
INTMED 2					
PROD	7	3750	2450	Calc. at 65%	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
	CUT & PULL @			TOP - BOTTOM	
INTMED 1			PERFS	3550 - 3720	
INTMED 2			OPENHOLE	3750 - 3850	
PROD					

* REQUIRED PLUGS DISTRICT 1

RUNTLER (AMHYD)	
YATES	2468
QUEEN	
GRAYBURG	
SAN ANDRES	
CAPTAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSHY CANYON	
BONE SPRING	
GLORIETA	
BLINEBRY	
TUBB	
ORINKARD	
ALBO	
WC	
PERN	
STRAWN	
ATOKA	
MORROW	
MISS	
DEVONIAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG # 1	OH	25 SXS	9850'
PLUG # 2	SHOE	50 SXS	8700'-8800'
PLUG # 3	CIBP/35'		5300'
PLUG # 3	CIBP	25 SXS	5300'
PLUG # 4	STUB	50 SXS	4600'-4700'
PLUG # 6	REINR SQZ	200 SXS	400
PLUG # 7	SURF	10 SXS	0-10'
PLUG # 1	CIBP	-	3500
PLUG # 2	CIBP	35	3400
PLUG # 3	Cement	25	2263 - 2285 "
PLUG # 4	B/Salt	25	1923 - 2263
PLUG # 5	T/Salt	75	960 - 1300
PLUG # 6		125	0 - 351
PLUG # 7			
PLUG # 8			
PLUG # 9			
PLUG # 10			
PLUG #			
PLUG #			

11/91
11/91

85 "

63

0

