

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Range Operating New Mexico, Inc Telephone: (505) 631-0926 e-mail address: salmager@rangeresources.com

Address: P.O. Box 2510 Hobbs, NM 88241

Facility or well name: H.S. Turner #10 API#: 30-025-38296 U/L or Qtr/Qtr UL-N Sec 29 T 21S R 37E

County: Lea Latitude N 32° 26.44 3' Longitude W 103° 11.10.62' NAD: 1927 ☒ 1983 ☐

Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐

Pit

Type: Drilling ☒ Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined ☒ Unlined ☐

Liner type: Synthetic ☒ Thickness 20 mil Clay ☐


Pit Volume bbl

Below-grade tank

Volume: bbl Type of fluid

Construction material:

Double-walled, with leak detection? Yes ☐ If not, explain why not.



Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet

(20 points)

50 feet or more, but less than 100 feet

(10 points)

100 feet or more

(0 points)

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes

(20 points)

No

(0 points)

X

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

(20 points)

200 feet or more, but less than 1000 feet

(10 points)

1000 feet or more

(0 points)

X

Ranking Score (Total Points)

10

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility Sundance. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and excavations

Additional Comments: All fluids were removed from the pit. The burial pit was constructed adjacent to the drilling pit, and lined with a 12 ml liner. Impacted material was placed in the burial pit, completely encapsulated and capped with a 20 ml liner, and covered with 3 feet of topsoil to grade.

Hydrocarbon impacted soil was disposed at an NMOCD approved facility. Soil samples were collected below the liner. A map is attached that shows the sample locations.

Laboratory results are also attached.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: June 22, 2007

Printed Name/Title: Steve Almager, Production Supervisor

Signature: Steve Almager

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.


Approval:

Printed Name/Title: C. Johnson - ENCLER ENAD

Signature: C. Johnson


Date: 6-29-07

Burial Pit
100'x30'x19'



N32°26.739'
W103°11.208'


LEGEND	
	Soil sample location with chloride concentration (mg/kg).
	Wellhead location
	GPS Coordinates




DATE: 06-11-07
NAME: CHH
PROJECT NO.: 6-0143

FIGURE #1	
LEA COUNTY, NEW MEXICO	
HS Turner # 10 Sec.29, T21S, R37E	
Site Drawing (Not to Scale)	

RANGE OPERATING
H. S. Turner #10



1. View to north of pit.




2. View to north of burial pit.

RANGE OPERATING
H. S. Turner #10



3. View to west of pit.



12600 West I-20 East - Odessa, Texas 79765

A Xenco Laboratories Company

Analytical Report

Prepared for:

Cindy Crain

Ocotillo Environmental

2125 French Dr.

Hobbs, NM 88201

Project: HS Turner #10

Project Number: None Given

Location: Eunice, NM

Lab Order Number: 7F11001

Report Date: 06/12/07

Ocotillo Environmental
2125 French Dr
Hobbs NM, 88201

Project HS Turner #10
Project Number None Given
Project Manager Cindy Cram

Fax (432) 367-6747

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SS-1	7F11001-01	Soil	06/08/07 15:00	06-09-2007 09:35
SS-2	7F11001-02	Soil	06/08/07 15:05	06-09-2007 09:35
SS-3	7F11001-03	Soil	06/08/07 15:10	06-09-2007 09:35
SS-4	7F11001-04	Soil	06/08/07 15:15	06-09-2007 09:35
SS-5	7F11001-05	Soil	06/08/07 15:20	06-09-2007 09:35

Ocotillo Environmental
2125 French Dr
Hobbs NM, 88201

Project HS Turner #10
Project Number None Given
Project Manager Cindy Crain

Fax (432) 367-6747

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SS-1 (7F11001-01) Soil									
Chloride	63.8	20.0	mg/kg Wet	2	EF71105	06/11/07	06/11/07	SW 846 9253	
SS-2 (7F11001-02) Soil									
Chloride	85.1	20.0	mg/kg Wet	2	EF71105	06/11/07	06/11/07	SW 846 9253	
SS-3 (7F11001-03) Soil									
Chloride	63.8	20.0	mg/kg Wet	2	EF71105	06/11/07	06/11/07	SW 846 9253	
SS-4 (7F11001-04) Soil									
Chloride	74.4	20.0	mg/kg Wet	2	EF71105	06/11/07	06/11/07	SW 846 9253	
SS-5 (7F11001-05) Soil									
Chloride	106	20.0	mg/kg Wet	2	EF71105	06/11/07	06/11/07	SW 846 9253	

Environmental Lab of Texas

A Xenco Laboratories Company

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 2 of 4

Ocotillo Environmental
2125 French Dr
Hobbs NM, 88201

Project HS Turner #10
Project Number None Given
Project Manager Cindy Crain

Fax (432) 367-6747

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EF71105 - General Preparation (WetChem)										
Blank (EF71105-BLK1)				Prepared & Analyzed 06/11/07						
Chloride	ND	20.0	mg/kg Wet							
LCS (EF71105-BS1)				Prepared & Analyzed 06/11/07						
Chloride	95.7	10.0	mg/kg Wet	100		95.7	80-120			
Matrix Spike (EF71105-MS1)				Source: 7F06023-02		Prepared & Analyzed 06/11/07				
Chloride	542	20.0	mg/kg Wet	500	170	74.4	80-120			QM-10
Matrix Spike Dup (EF71105-MSD1)				Source: 7F06023-02		Prepared & Analyzed 06/11/07				
Chloride	542	20.0	mg/kg Wet	500	170	74.4	80-120	0.00	20	QM-10
Reference (EF71105-SRM1)				Prepared & Analyzed 06/11/07						
Chloride	53.2	10.0	mg/kg Wet	50.0		106	80-120			

Environmental Lab of Texas

A Xenco Laboratories Company

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 3 of 4

Ocotillo Environmental
2125 French Dr
Hobbs NM, 88201

Project HS Turner #10
Project Number None Given
Project Manager Cindy Crain

Fax (432) 367-6747

Notes and Definitions

QM-10 LCS/LCSD were analyzed in place of MS/MSD
DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference
LCS Laboratory Control Spike
MS Matrix Spike
Dup Duplicate

Report Approved By:



Date:

6/12/2007

Brent Barron, Laboratory Director/Corp. Technical Director
Celey D. Keene, Org. Tech Director
Raland K. Tuttle, Laboratory Consultant

James Mathis, QA/QC Officer
Jeanne Mc Murrey, Inorg. Tech Director

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

~~Environmental Lab of Texas~~

A Xenco Laboratories Company

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 4 of 4

Environmental Lab of Texas

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

**12600 West I-20 East
Odessa, Texas 79765**

Phone: 432-563-1800
Fax: 432-563-1713

Project Manager: Cindy Crain

Project Name: HSTURNER #7

Company Name Ocotillo Environmental, LLC

Project #: _____

Company Address: 2125 French Drive, P.O. Box 1816

Project Loc: Funice, NM

City/State/Zip: Hobbs, NM 88241

PO #: _____

Telephone No: (505) 441-7244 Fax No: (432) 367-6747

Report Format: ☒ Standard ☐ TRRP ☐ NPDES

Sampler Signature: Cindy Crain e-mail: cindy.crain@gmail.com

e-mail: cindy.crain@gmail.com

[illegible]

Environmental Lab of Texas

Variance/ Corrective Action Report- Sample Log-In

Client: Ccofillo
 Date/ Time: 6/9/07 9:35
 Lab ID #: 7F11001
 Initials: CK

Sample Receipt Checklist

Client Initials

#1 Temperature of container/ cooler?	Yes	No	18.0 °C	
#2 Shipping container in good condition?	<u>Yes</u>	No		
#3 Custody Seals intact on shipping container/ cooler?	Yes	No	<u>Not Present</u>	
#4 Custody Seals intact on sample bottles/ container?	Yes	No	<u>Not Present</u>	
#5 Chain of Custody present?	<u>Yes</u>	No		
#6 Sample instructions complete of Chain of Custody?	<u>Yes</u>	No		
#7 Chain of Custody signed when relinquished/ received?	<u>Yes</u>	No		
#8 Chain of Custody agrees with sample label(s)?	<u>Yes</u>	No	ID written on Cont./ Lid	
#9 Container label(s) legible and intact?	<u>Yes</u>	No	Not Applicable	
#10 Sample matrix/ properties agree with Chain of Custody?	<u>Yes</u>	No		
#11 Containers supplied by ELOT?	<u>Yes</u>	No		
#12 Samples in proper container/ bottle?	<u>Yes</u>	No	See Below	
#13 Samples properly preserved?	<u>Yes</u>	No	See Below	
#14 Sample bottles intact?	<u>Yes</u>	No		
#15 Preservations documented on Chain of Custody?	<u>Yes</u>	No		
#16 Containers documented on Chain of Custody?	<u>Yes</u>	No		
#17 Sufficient sample amount for indicated test(s)?	<u>Yes</u>	No	See Below	
#18 All samples received within sufficient hold time?	<u>Yes</u>	No	See Below	
#19 Subcontract of sample(s)?	Yes	No	<u>Not Applicable</u>	
#20 VOC samples have zero headspace?	Yes	No	<u>Not Applicable</u>	

Variance Documentation

Contact: _____ Contacted by: _____ Date/ Time: _____

Regarding: _____

Corrective Action Taken: _____

Check all that Apply:

☐
☐
☐

See attached e-mail/ fax

Client understands and would like to proceed with analysis

Cooling process had begun shortly after sampling event

Carrie Kelly

From: Cindy Crain [cindy.crain@gmail.com]
Sent: Monday, June 11, 2007 9:15 PM
To: Carrie Kelly
Cc: Cassie Hobbs
Subject: Re: 7f11001 HS Turner #7

Carrie,

Would you please change the name of this project to the H.S. Turner #10 (not the H.S. Turner #7).

Thank you!
Cindy Crain

On 6/11/07, **Carrie Kelly** <carrie.kelly@xenco.com> wrote:

Thank you- *Carrie Kelly*

Project Manager

Environmental Lab of Texas- A Xenco Company

12600 W. I-20 E., Odessa, TX 79765

432-563-1800

--
Cindy Crain
Environmental Manager

Ocotillo Environmental
2125 French Drive
Hobbs, NM 88240

Office (505) 393-6371

6/12/2007