

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-041-20932

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

West Todd

8. Well Number

001

9. OGRID Number

004378

10. Pool name or Wildcat
Todd, Upper San Andres (Gas)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

Chi Operating, Inc.

JUL - 2 2007

3. Address of Operator

P.O. Box 1799 Midland, Texas 79702

OCD-ARTESIA

4. Well Location

Unit Letter I : 1,980 feet from the South line and 990 feet from the East line
Section 29 Township 7-S Range 35-E NMPM County Roosevelt

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

GL 4,224' KB 4,236'

Pit or Below-grade Tank Application ☒ or Closure ☐

Pit type steel Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water

Pit Liner Thickness: steel mil Below-Grade Tank: Volume 180 bbls; Construction Material steel

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ P AND A ☐

CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED WELLBORE DIAGRAMS

1. MIRU, NU BOP and POOH w/ production equipment
2. Set CIBP @ 4,125', circulate hole w/ mud - 2 w/ 35' cmt & TAG.
3. 25 sx C cmt @ 1,500'
4. Circulate 40 sx C cmt 407 to surface
5. Cut off wellhead & anchors, install dry hole marker, backfill cellar

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE

TITLE engineer, Triple N Services, Inc. DATE 06/29/07

Type or print name: James F. Newman, P.E.

E-mail address: jim@triplenservices.com Telephone No. 432-687-1994

For State Use Only

APPROVED BY:

TITLE FIELD REPRESENTATIVE II/STAFF MANAGER DATE

Conditions of Approval (if any):

JUL 06 2007

CURRENT WELLBORE SKETCH

Chi Operating, Inc

Date June 28, 2007

RKB @
DF @
GL @ 3,057'

Lease & Well No
Legal Description

West Todd #1

1,980' FSL & 990' FWL, Sec 29, T-7-S, R-35-E

NMPM Survey

Roosevelt State New Mexico

Todd, Upper San Andres (Gas)

16-Feb-07 Rig Released:

30-041-20932

Current

County

Field

Date Spudded

API Number

Status

12-1/4" Hole

8-5/8" 24# @ 356' cmt'd w/ 215 sx, circ 96 sx

7-7/8" Hole

2-3/8" tubing & packer @ 4,085'

4,176 - 4,197

4-1/2" CIBP @ 4,235'

4,252 - 4,261

4-1/2" 11.6# N-80 & J-55 @ 4,280' cmt'd w/ 1,400 sx, circ 140 sx

Capacities

4-1/2" 11.6# csg: 11 459 ft/ft3 0.0872 ft3/ft



CURRENT WELLBORE SKETCH

Chi Operating, Inc

Date June 28, 2007

RKB @ _____
DF @ _____
GL @ 3,057'

Lease & Well No
Legal Description

West Todd #1

1,980' FSL & 990' FVL, Sec 29, T-7-S, R-35-E

NMPM Survey

Roosevelt State New Mexico

Todd, Upper San Andres (Gas)

16-Feb-07 Rig Released

30-041-20932

Proposed Plugged

County
Field
Date Spudded
API Number
Status

12-1/4" Hole

8-5/8" 24# @ 356' cmt'd w/ 215 sx, circ 96 sx

40 sx C cmt 407' to surface



PROPOSED PLUGGING PROCEDURE

- 1) Set CIBP @ 4,125', circulate hole w/ mud
- 2) 25 sx C cmt @ 4,125'
- 3) 25 sx C cmt @ 1,500'
- 4) 40 sx C cmt 407' to surface

25 sx C cmt @ 1,500'

Capacities

4-1/2" 11 6# csg 11 459 ft/ft3 0 0872 ft3/ft

7-7/8" Hole

25 sx C cmt @ 4,125'

Set CIBP @ 4,125', circulate hole w/ mud

4,176 - 4,197

4-1/2" CIBP @ 4,235'

4,252 - 4,261

4-1/2" 11.6# N-80 & J-55 @ 4,280' cmt'd w/ 1,400 sx, circ 140 sx