

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
March 4, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-03800
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-2894
7. Lease Name or Unit Agreement Name Lovington San Andres Unit
8. Well Number 9
9. OGRID Number
10. Pool name or Wildcat Lovington; Grayburg-S. Andres

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  
PROPOSALS.)

1. Type of Well:  
Oil Well ☐ Gas Well ☐ Other Injector

2. Name of Operator  
Chevron Midcontinent L.P.

3. Address of Operator  
#15 Smith Rd., Midland, TX 79705

4. Well Location  
Unit Letter H : 1980 feet from the North line and 660 feet from the East line  
Section 36 Township 16S Range 36-E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL H Sect 36 Twp 16-S Rng 36-E Pit type Steel Depth to Groundwater 60' Distance from nearest fresh water well Over 1000'  
Distance from nearest surface water 1980 feet from the North line and 660 feet from the East line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hrs prior to MI and RU.
2. RIH and set CIBP at 4525' and spot 25sx cement plug from 4525'-4425' (OH,perfs)
3. Displace hole w/MLF, 9.5# Brine w/12.5# gel P/BBL
4. Perf and squeeze 65sx cement plug 3180'-2980' (shoe,B.Salt) Tag.
5. Perf and squeeze 65sx cement plug from 2275'-2075' (T-Salt). Tag.
6. Perf and squeeze 120sx cement plug from 380'-surface. (shoe,Fr.Wtr ,surface) Tag
7. Install dry hole marker:

THE OIL CONSERVATION DIVISION  
BE NOTIFIED 24 HOURS PRIOR TO  
BEGINNING OF PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent DATE 7-13-2007  
Type or print name M. Lee Roark E-mail address: Telephone No. 432-561-8600

(This space for State use)

APPROVED BY Harry W. Wink TITLE OC FIELD REPRESENTATIVE II/STAFF MANAGER DATE  
Conditions of approval, if any

JUL 16 2007

**LSAU #9**  
**API No. 30-025-03800**  
**FA4947**

13" set @ 330' w/ 250 sx cmt  
circulated

9-5/8" set @ 3080' w/ 250 sx cmt

7" 23# csg set @ 4645' w/ 225 sx cmt

**Well Location**

1980' FNL & 660' FEL  
Unit Letter H  
Section 36  
Township 16-S  
Range 36-E  
Lea County, New Mexico  
Elev: ?

Injection Line Disconnected 12/2/05

Baker AD-1 on 2 3/8" IPC @4510'

OH 4645'-5100'  
Perfs 4568'-4627'

OH shot w/ 500 qt nitro

TD = 5100

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

Township: 16S Range: 36E Sections: 36

NAD27 X: Y: Zone: ☐ Search Radius:

County: LE ☐ Basin: ☐ Number: Suffix:

Owner Name: (First)  (Last)  ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

**AVERAGE DEPTH OF WATER REPORT 07/13/2007**

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	16S	36E	36				6	40	88	60

Record Count: 6