

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-26367
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. OG 1826
7. Lease Name or Unit Agreement Name WARREN AMERICAN Read & Stevens State
8. Well Number 1
9. OGRID Number 021355
10. Pool name or Wildcat FLYING M SAN ANDRES

Received
Hobbs
OCD
JUL 2007
12345678910111213141516171819202122232425262728293031

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator SOUTHWEST ROYALTIES, INC.
3. Address of Operator 6 Desta Drive, Suite 2100, Midland, TX 79705
4. Well Location Unit Letter <u>M</u> : <u>660</u> feet from the <u>S</u> line and <u>660</u> feet from the <u>W</u> line Section <u>32</u> Township <u>9 - S</u> Range <u>33 - E</u> NMPM County <u>LEA</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4251 RKB
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. M.I.R.U. P & A Equipment. Set C.I.B.P. @4,200'. Mud up hole. Cap B.P.- 30 sx. cmt.
2. 3,730' to 3,530' - 30 sx. cmt. W.O.C. & Tag.
3. 2,700' to 2,500' - 30 sx. cmt.
4. 1,700' to 1,500' - 30 sx. cmt.
5. 1,200' to 1,000' - 25 sx. cmt.
6. Perf. 400'. Sqz. 80 sx. Tag - 200'.
7. 10 sx. - surface - plug 30' to surface.

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE Randall Minear TITLE AGENT DATE 7-9-07

Type or print name RANDALL MINEAR

E-mail address:

Telephone No. (432) 530-0907

For State Use Only

APPROVED BY Gary W. Wink TITLE OC FIELD REPRESENTATIVE II/STAFF MANAGER DATE JUL 16 2007

Conditions of Approval, if any:

ChangeOPWells

Page 1 of 1

OCD Online**New Mexico Energy, Minerals and Natural Resources**

UserID: Dawn Howard

User Status: Operator Administrator

Operator: SOUTHWEST ROYALTIES INC

OCD Rules

Help

Operator Change, C-104A

Operator Info	Select Properties	Select Wells	Warnings	Submit	View Form/ Wells	Close
---------------	-------------------	--------------	----------	--------	------------------	-------

Select Wells

Current Operator: TIPTON OIL & GAS ACQUISITIONS, INC.

New Operator: SOUTHWEST ROYALTIES INC

Effective Date: 06/01/2005

All	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
X	Y	Z																					

Select each well to be changed:

Select	Well	ULSTR	API	Type	Pool	Last Prod
<input checked="" type="checkbox"/>	FEDERAL 31 #001	N-31-09S-33E	30-025-24055	O	FLYING M;SAN ANDRES	04/05
<input checked="" type="checkbox"/>	READ & STEVENS STATE #001	4-5 -10S-33E	30-025-24194	O	FLYING M;SAN ANDRES	04/05
<input checked="" type="checkbox"/>	WARREN AMERICAN #001	M-32-09S-33E	30-025-26367	O	FLYING M;SAN ANDRES	02/05

Select All Wells

UnSelect All Wells

Comments

Help

PLUGGING & ABANDONMENT WORKSHEET (2 STRING CSNG)

OPERATOR SOUTH WEST ROYALTIESLEASENAME WARRIOR AMERICAN WELL # 1SECT TWN RNG
FROM N/S L E/W L
TD: FORMATION @ TD
PBTD: FORMATION @ PBTD

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	95/8	279	Surface	
INTMED 1				
INTMED 2				
PROD	5 1/2	4550	Surface	
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @			TOP - BOTTOM
INTMED 1			FEET	-
INTMED 2			FEET	-
PROD				

REQUIRED PLUGS DISTRICT 1

PLUG	TYPE	SACKS	DEPTH
PLUG	CHNT		
PLUG 01	OH	25 SCK	600'
PLUG 02	STCE	30 SCK	5150'-5450'
PLUG 03	CEPALS		400'
PLUG 04	CEP	25 SCK	400'
PLUG 05	STCE	30 SCK	5600'-5700'
PLUG 06	RETNR SCK	300 SCK	400'
PLUG 07	FLTP	10 SCK	0-10'
PLUG 08			
PLUG 09			
PLUG 10			
PLUG 11			
PLUG 12			
PLUG 13			
PLUG 14			
PLUG 15			
PLUG 16			
PLUG 17			
PLUG 18			
PLUG 19			
PLUG 20			
PLUG 21			
PLUG 22			
PLUG 23			
PLUG 24			
PLUG 25			
PLUG 26			
PLUG 27			
PLUG 28			
PLUG 29			
PLUG 30			
PLUG 31			
PLUG 32			
PLUG 33			
PLUG 34			
PLUG 35			
PLUG 36			
PLUG 37			
PLUG 38			
PLUG 39			
PLUG 40			
PLUG 41			
PLUG 42			
PLUG 43			
PLUG 44			
PLUG 45			
PLUG 46			
PLUG 47			
PLUG 48			
PLUG 49			
PLUG 50			
PLUG 51			
PLUG 52			
PLUG 53			
PLUG 54			
PLUG 55			
PLUG 56			
PLUG 57			
PLUG 58			
PLUG 59			
PLUG 60			
PLUG 61			
PLUG 62			
PLUG 63			
PLUG 64			
PLUG 65			
PLUG 66			
PLUG 67			
PLUG 68			
PLUG 69			
PLUG 70			
PLUG 71			
PLUG 72			
PLUG 73			
PLUG 74			
PLUG 75			
PLUG 76			
PLUG 77			
PLUG 78			
PLUG 79			
PLUG 80			
PLUG 81			
PLUG 82			
PLUG 83			
PLUG 84			
PLUG 85			
PLUG 86			
PLUG 87			
PLUG 88			
PLUG 89			
PLUG 90			
PLUG 91			
PLUG 92			
PLUG 93			
PLUG 94			
PLUG 95			
PLUG 96			
PLUG 97			
PLUG 98			
PLUG 99			
PLUG 100			

PLUG	TYPE	SACKS	DEPTH
PLUG	CHNT		
PLUG 01	OH	25 SCK	600'
PLUG 02	STCE	30 SCK	5150'-5450'
PLUG 03	CEPALS		400'
PLUG 04	CEP	25 SCK	400'
PLUG 05	STCE	30 SCK	5600'-5700'
PLUG 06	RETNR SCK	300 SCK	400'
PLUG 07	FLTP	10 SCK	0-10'
PLUG 08			
PLUG 09			
PLUG 10			
PLUG 11			
PLUG 12			
PLUG 13			
PLUG 14			
PLUG 15			
PLUG 16			
PLUG 17			
PLUG 18			
PLUG 19			
PLUG 20			
PLUG 21			
PLUG 22			
PLUG 23			
PLUG 24			
PLUG 25			
PLUG 26			
PLUG 27			
PLUG 28			
PLUG 29			
PLUG 30			
PLUG 31			
PLUG 32			
PLUG 33			
PLUG 34			
PLUG 35			
PLUG 36			
PLUG 37			
PLUG 38			
PLUG 39			
PLUG 40			
PLUG 41			
PLUG 42			
PLUG 43			
PLUG 44			
PLUG 45			
PLUG 46			
PLUG 47			
PLUG 48			
PLUG 49			
PLUG 50			
PLUG 51			
PLUG 52			
PLUG 53			
PLUG 54			
PLUG 55			
PLUG 56			
PLUG 57			
PLUG 58			
PLUG 59			
PLUG 60			
PLUG 61			
PLUG 62			
PLUG 63			
PLUG 64			
PLUG 65			
PLUG 66			
PLUG 67			
PLUG 68			
PLUG 69			
PLUG 70			
PLUG 71			
PLUG 72			
PLUG 73			
PLUG 74			
PLUG 75			
PLUG 76			
PLUG 77			
PLUG 78			
PLUG 79			
PLUG 80			
PLUG 81			
PLUG 82			
PLUG 83			
PLUG 84			
PLUG 85			
PLUG 86			
PLUG 87			
PLUG 88			
PLUG 89			
PLUG 90			
PLUG 91			
PLUG 92			
PLUG 93			
PLUG 94			
PLUG 95			
PLUG 96			
PLUG 97			
PLUG 98			
PLUG 99			
PLUG 100			

9 5/8 300
@ 279'
TOC SURFACEPERFS.
4294 to 4329
5 1/2@ 850 SCK
TOC SURFACE4550'
TD

TD 4550'