<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
1301 W. Grand Avenue, Artesia, NM 88210

## State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

<u>District III</u>
1000 Rio Brazos Road, Aztec, NM 87410
<u>District IV</u>
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe Office.

	Pit or	Below-Grade	Tank Registration or Closure
--	--------	-------------	------------------------------

Type of action: Registration of a pit or below-grade tank  Covered by a "general plan"? Yes					
Operator: <b>Torch Energy</b> Telephone: 432-425-4294 e-mail address: <u>earlesl@odessa.teai.com</u>					
Address: 2600 W. I-20 Service Rd. Odessa, TX 79763					
Facility or well name: <u>Unit # 506</u> API #: 30-025-38201U/L or Qtr/QtrO Sec 18 T 24S R 37E					
County: <u>Lea</u> Latitude 32- 12.826' ' Longitude 103-12.089' NAD: 1927	1983 ☐ Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐				
Pit	Below-grade tank				
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbil โรงคือ อักทีเมียร				
Workover ☐ Emergency ☐	Construction materials (5)				
Lined ☑ Unlined □	Double-walled, with leak detection wes with not, explain why not.				
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐	- S - S - S				
Pit Volume bbl	Contraction in the second seco				
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
high water elevation of ground water).	50 feet or more, but less than 100 feet (10 points)				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes (20 points)				
water source, or less than 1000 feet from all other water sources.)	No ( 0 points)				
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points)				
	1000 feet or more ( 0 points)				
Ranking Score (Total Points)   0					
the onsite box if you are burying in place) onsite of offsite of facility.					
remedial action taken including remediation start date and end date. (4) Groundwater encountered: No  Yes  If yes, show depth below ground surface					
tt. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.					
Additional Comments:					
All fluids will be removed from the pit. Burial pit will be constructed adjacent to the drilling pit. Burial pit will be lined with a 12 ml liner.  Impacted material will be placed in the burial pit, totally encapsulated and capped with a 20 ml liner covered by 3 feet of topsoil to grade.					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or					
below-grade tank has been / will be constructed or closed according to NMOCD guidelines 🗵, a general permit 🔲, or an (attached) alternative OCD-					
approved plan					
Printed Name / Title LEON FRAIRS Superintendent Signature Lion Luk					
Your certification and NMOCD approval of this application / closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and / or regulations.					
Approval: Printed Name / Title L JOHNSON. ENURO ENER Signature Date 6.8.07					