

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD-HOBBS

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No
NMLC-030133B

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE – Other instructions on page 2.

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
CHESAPEAKE OPERATING, INC.

ATTN: LINDA GOOD

3a. Address
P. O. BOX 18496
OKLAHOMA CITY, OK 73154-0496

3b. Phone No. (include area code)
405-767-4275

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

965' FNL & 1590' FEL, NWNE, SECTION 28, T22S, R36E

Unit 8

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.
MILLARD DECK ESTATE 28 FEDERAL 1

9. API Well No.
30-025-38103

10. Field and Pool or Exploratory Area
LANGLEY

11. Country or Parish, State
LEA COUNTY, NEW MEXICO

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | | |
|---|--|---|--|---|
| <input type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize | <input type="checkbox"/> Deepen | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Subsequent Report | <input type="checkbox"/> Alter Casing | <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Reclamation | <input type="checkbox"/> Well Integrity |
| <input type="checkbox"/> Final Abandonment Notice | <input type="checkbox"/> Casing Repair | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete | <input type="checkbox"/> Other |
| | <input checked="" type="checkbox"/> Change Plans | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon | |
| | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back | <input type="checkbox"/> Water Disposal | |

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

CHESAPEAKE OPERATING, INC. IS SUBMITTING A CORRECTED BOP FOR THIS WELL. ALSO THIS WELL IS BEING DRILLED WITH THE LATSHAW 6 RIG. ATTACHED ARE A SCHEMATIC FOR LATSHAW 6 RIG AND THE BOP.

PLEASE NOTE THIS WELL WILL SPUD EITHER WITHIN THE NEXT 72 HOURS.

BLM NATIONWIDE BOND NM 2634

(CHK PN 611242)

BOP schematic attached is only for the portion of the hole from setting the surface casing to setting of the intermediate.
3M system below intermediate.

14. I hereby certify that the foregoing is true and correct.

Name (Printed/Typed)
SHARON E. DRIES (405-879-7985)

Title SENIOR REGULATORY COMPLIANCE SPECIALIST

Signature

Sharon E Dries

Date 08/06/2007

APPROVED

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Office

AUG 8 2007

Date


WESLEY W. INGRAM
PETROLEUM ENGINEER

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GWW



Millard Deck Estate 28 Federal 1

LATSHAW #6

BLOWOUT PREVENTOR SCHEMATIC

CHESAPEAKE OPERATING INC

WELL : Millard Deck Estate 28 Federal 1


RIG : Latshaw Rig 6

COUNTY : Lea

STATE: New Mexico

OPERATION: Drill out below 13-3/8" Casing (11" hole size)

| | SIZE | PRESSURE | DESCRIPTION |
|-------|-------------------------------------|----------|--------------|
| A | 13-5/8" | 500 psi | Rot Head |
| B | 13-5/8" | 2000 psi | Spacer Spool |
| C | 13-5/8" | 2000 psi | Annular |
| D | 13-5/8" | 2000 psi | Mud Cross |
| E | 13-5/8" | 2000 psi | Spacer Spool |
| | | | |
| | | | |
| | | | |
| DSA | 13-5/8" 3M x 13-5/8" 2M (if needed) | | |
| A-Sec | 13-3/8" SOW x 13-5/8" 3M | | |



| SIZE | PRESSURE | DESCRIPTION |
|------|----------|-------------|
| 2" | 5000 psi | Check Valve |
| 2" | 5000 psi | Gate Valve |
| 2" | 5000 psi | Gate Valve |
| | | |
| | | |

| SIZE | PRESSURE | DESCRIPTION |
|------|----------|-------------|
| 4" | 5000 psi | Gate Valve |
| 4" | 5000 psi | HCR Valve |
| | | |
| | | |
| | | |