Form 3160-4 (April 2004)

SI

See Instructions and spaces for additional data on page 2)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB NO. 1004-0137 Expires: March 31, 2007

BUREAU OF LAND MANAGEMENT WELL COMPLETION OR RECOMPLETION REPORT AND LOG 5. Lease Serial No. NMLC-031741-A X Oil Well Gas Well Dry Other la. Type of Well 6. If Indian, Allottee or Tribe Name X New Well Work Over Deepen Plug Back Diff. Resvr,. b. Type of Completion 7. Unit or CA Agreement Name and no. Name of Operator 8. Lease Name and Well No. Apache Corporation HAWK A 25 3.a Phone No. (Include area code) Address 9. API Well No. 6120 S Yale Ave, Suite 1500 Tulsa OK 74136-4224 (918)491-4864 30-025-38441 Location of Well (Report location clearly and in accordance with Federal requirements)* 10. Field and Pool, or Exploratory Penrose Skelly; Grayburg At Surface 330' FNL & 2310' FWL (NE1/4 NW1/4), Unit C, Sec 8, T21S, R37E 11. Sec., T., R., M., on Block and At top prod. interval reported below Survey or Area Sec 8, T21S, R37E 12. County or Parish 13. State At total depth Lea New Mexico 14. Date Spudded 17. Elevations (DF, RKB, RT, GL)* 15. Date T.D. Reached 16. Date Completed D & A X Ready to Prod. 07/05/2007 07/11/2007 07/30/2007 3520' GL 19. Plug Back T.D.: MD 4219' 18. Total Depth: MD 4255' MD Depth Bridge Plug Set: TVD TVD 21. Type of Electric & Other Mechanical Logs Run (Submit copy of each) DLL/MG, SD/DSN Was well cored? X No Yes (Submit analysis) Was DST run? X No Yes (Submit analysis) X No Yes (Submit copy) Directional Survey? 23. Casing and Liner Record (Report all strings set in well) Stage Cementer No. of Sks. & Slurry Vol. Cement Top* Amount Pulled Size/Grade Wt. (#/ft.) Top (MD) Bottom (MD) Hole Size (BBL) Depth Type of Cement 12-1/4" 8-5/8" 24# 1309' 650 Class C 199 0' circ 0' 4255' 800 Class C 288 52' CBL 7-7/8" 5-1/5" 17# 24. Tubing Record Depth Set (MD) Packer Depth (MD) Size Depth Set (MD) | Packer Depth (MD) Depth Set (MD) Packer Depth (MD) Size Size 2-7/8" 4158 25. Producing Intervals Perforation Record Bottom Perforated Interval Size No. Holes Perf. Status Formation Top A) Grayburg 3840' - 4058' Producing <u>B)</u> C) D) 27. Acid, Fracture, Treatment, Cement Sqeeze, Etc. Amount and Type of Material Depth Interval Acidize with 3000 gals 15% HCl. Frac with 42.5K gals gel & 100K # 20/40 sand. 3 (25.78.9) 3840' - 4058' ij 8 28. Prod Date First Produced Production - Interval A Production Method Test Date Water BBL Oil Gravity Corr. API Gas Gravity Test Oil BBL Gas MCF Production 52 207 251 36.7 7/30/07 8/5/07 24 Pumping 24 Hr. Rate Water BBL Choice Tbg. Press. Csg. Press Oil BBL Gas : Oil Ratio Well Status Gas MCF Flwg. SI 3981 Producing Production - Interval B Date First Test Date Water BBL Oil Gravity Corr. API Test Production Oil BBL Gas MCF Gas Gravity Production Method Produced 24 Hr. Rate Well Status Tbg. Press Oil BBL Water BBL Gas Oil Ratio Csg. Press. Gas MCF Flwg.

28b. Production - Interval C											
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method		
Choke Size	Tbg. Press Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status			
28c. Production - Interval D											
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method		
Choke Size	Tbg. Press Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	,		
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold											
								31. Formation (Log) Markers			
Show all important zones or porsity and contents thereof: Cored intervals and all drill-stem tests, inleuding depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.											
Formation		Тор	Bottom		Descriptions, Contents, etc.				Name	Top Meas. Depth	
Rustler		1333'									
Yates		2731									
Seven Rivers		2948									
Queen		3511									
Grayburg		3784									
San Andres		4060		ļ							
								ļ			
32. Additional remarks (include plugging procedure):											
GRAYBURG 3840-44, 80-84, 3908-12, 50-55, 84-88, 4010-14, 54-58 2 JSPF											
33. Indicate which itmes have been attached by placing a check in the appropriate boxes:											
X Electrical/Mechanical Logs (1 full set req'd.)											
Sundry Notice for plugging and cement verification Core Analysis Other											
34. I hereb	y certify th	at the foreg	oing and att	ached info	ormation is c	omplete and	correct as determined	from all avail	able records (see attached instru	actions)*	
Name (please print) Sophie Mackay							Title <u>Engine</u>	Title Engineering Tech			
Signature Sophie Rekey							Date <u>08/08</u>	Date08/08/2007			
Title 18 U.S.C. Section 101 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States and false, fictitious or fradulent statements or representations as to any matter within its jurisdiction.											

e Salah salah sa