

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-03906
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-4287-1
7. Lease Name or Unit Agreement Name West Lovington Unit
8. Well Number 50
9. OGRID Number
10. Pool name or Wildcat Lovington Upr. San Andres W.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☐ Other Injector ☐

2. Name of Operator
Chevron Midcontinent L.P.

3. Address of Operator
15 Smith Rd., Midland, TX 79705

4. Well Location
Unit Letter E : 660 feet from the West line and 1980 feet from the North line
Section 7 Township 17-S Range 36-E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL E Sect 7 Twp 17S Rng 36E Pit type Steel Depth to Groundwater 50' Distance from nearest fresh water well Over 1000'
Distance from nearest surface water 660 feet from the West line and 1980 feet from the North line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hrs prior to MI and RU.
2. RIH and set CIBP at +4700' and spot 25sx cement plug from 4700'-4500'.
3. Displace hole w/MLF, 9.5# Brine w/12.5# gel P/BBL.
4. Perf and squeeze 60sx cement plug from 3475'-3275' (B-Salt) WOC Tag
5. Perf and squeeze 75sx cement plug from 2110'-1850' (T-Salt, 8 5/8 shoe) WOC Tag.
6. Perf and squeeze 220sx cement plug from 350'-surface. (13-3/8 shoe, Frsh. Wtr., surface) WOC Tag.
7. Install dryhole marker.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCDC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent DATE 8-24-2007
Type or print name M. Lee Roark E-mail address: Telephone No. 432-561-8600

(This space for State use)

APPROVED BY Gayle W. Wink TITLE OC FIELD REPRESENTATIVE II/STAFF MANAGER DATE AUG 27 2007
Conditions of approval, if any

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.

Location:

1980' FNL & 660' FWL
 Section: 7 (SW/4 NW/4)
 Township: 17S
 Range: 36E Unit: E
 County: Lea State: NM

Elevations:

GL:
 KB: 3925
 DF: 3923

Log Formation Tops


Rustler	1930
Salt	2010
Yates	3105
Queen	4041
San Andres	4740

TUBING DETAIL - 1/11/91

141 jts - 2 3/8" IPC tbg & pkr

EOT @ 4636

Current
Wellbore Diagram

**Well ID Info:**

Cheveno: FA5053
 API No: 30-025-03906
 L5/L6:
 Spud Date: 9/2/48
 Rig Released: 9/30/48
 Compl. Date: 10/7/48

Surface Csg: 13 3/8" 50#

Set: @ 248 w/ 250 sx class C cmt

Hole Size: 17 1/4" TO 260

Circ: TOC:

TOC By:

Intermediate Csg: 8 5/8" 32#

Set: @ 1951 w/ 450 sx cmt

Hole Size: 11" to 1960

Circ: TOC:

TOC By:

Initial Completion:

10/7/48 (San Andres) OH4738-5121 ; A/8500 gal 15%

Subsequent Work

1/11/74 SI

2/1/76 TA

1/11/91 Convert to water injection , 141 jts 2 3/8" IPC tbg w/pkr set @ 4636

8/1/91 Perf OH 4777-92, 4795-4800, 4818-28, 4845-55, 4862-77, 5095-5110

Perfs

Status

Pkr @ 4636

Prod. Csg: 5 1/2" 14#
 Set: @ 4738 w/450 sx cmt
 Hole Size: 7 3/8" to 4740
 Circ: TOC:
 TOC By:

OH4738-5130

San Andres - open

4777-92, 4795-4800, 4818-28, 4845-55, 4862-77, 5095-5 San Andres - open

TD: 5121 COTD: 5121 PBTD: 5121

Updated: 9-26-06 by WAYN

By W.P. Johnson

New Mexico Office of the State Engineer
POD Reports and Downloads

Township: 17S Range: 36E Sections: 6

NAD27 X: Y: Zone:  Search Radius:

County: LE  Basin:  Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 08/24/2007

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	17S	36E	06				1	50	50	50

Record Count: 1