Do not	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENTD-HOBBS SUNDRY NOTICES AND REPORTS ON WELLS o not use this form for proposals to drill or reenter an bandoned well. Use Form 3160-3 (APD) for such proposals.						AM APPROVED B No. 1004-0135 Jnovember 30, 2000 No. M-94095 lottee or Tribe Name Applicable			
SUBMIT II	N TRIPLICA	TE – Other instruc	tions on l	reverse side	n sigen		A/Agreement, Name and/o			
1. Type of Well			21234343599		-109-24-5- ⁻ -11	Not	Applicable			
Oil Well O	8. Well Name									
2 Name of Operator							Federal #13 34414			
Yates Petroleum C	orporation	1 25575	- 121 DI		1	9 API Well No				
3a. Address 105 South Fourth \$	Straat Arte	NM 88210		ione No. <i>(inclua</i> 748-1471	ie area coae)		30-025-38098 10. Field and Pool, or Exploratory Area			
and the second		R, M., or Survey Descri	<u> </u>	/40-14/ !			at Bone Spring			
2310' FNL and 990'	-					11. County or P				
Section 17, T21S-R							nty, New Mexico			
<u> </u>	· · · · · · · · · · · · · · · · · · ·									
12. CHEC	K APPROPR	IATE BOX(ES) TO I	NDICATE	NATURE OF	NOTICE, RE	EPORT, OR OTHI	R DATA			
TYPE OF SUBMIS	SSION			TYPE	OF ACTION					
 Notice of Intent Subsequent Report Final Abandonment N 	Notice	 Acidize Alter Casing Casing Repair Change Plans Convert to Injectio 	Frae Nev	pen cture Treat v Construction g and Abandon g Back	Reclama	lete arily Abandon	Water Shut-Off Well Integrity Other Extend APD			
Yates Petroleum Co expiration date for th	orporation v wo (2) year	vishes to extend th s to August 17, 20	ne captior)09. (C-14	ied well's Af 4 attached)	D.	2425262.	ertingilimark drsdage zones all be filed within 360 days 3160-4 shall be filed once leted, and the operator has			
Sources at Yates Petr anticipated from the s	roleum Corp	oration have relayed	d informati	on to me that	t they believe	e there will not b	enough H2S			
of a contingency plan			ation to me	et the OCD's	minimum re	equirements for t	he-submission-			
Thank you.	per fuie i fo				ENE	PROVED FOR	24 MONTH PERIOL			
 I hereby certify that the Name (Printed/Typed) 	00			l cliff@ypcnm le: Regula		/ Land Departn	nent			
Signature Clift	I R. 7	Ma	Dat	e v 19, 2007						
		THIS SPACE		RAL OR STA	TEUSE					
Approved by Conditions of approval, if any, certify that the applicant holds which would entitle the applica	are attached. Ap	ames Stoval	not warrant or	0.07	D MAN/	AGER ^{ate} A	UG 17 2007			
		le title to those rights in the	subject lease	Office C	CARLSBA		•			

SM

Ą

j

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Ìſ

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

.PI Number	r ² Pool Code				³ Pool Name					
-025-38098	8				Wildcat Bone Spring					
⁴ Property Code ⁵ Property Name							6 N	ell Number		
	CAPER BFE FEDERAL 13						13			
lo.	⁸ Operator Name ⁹ Elevatio						Elevation			
			YATE	S PETROLEUM	OLEUM CORPORATION 3679'					
L				¹⁰ Surface	Location					
Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
17	21S	32E		2310	NORTH	990	EAST	LEA		
	L	¹¹ Bo	ttom Ho	le Location I	f Different From	n Surface	.			
Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
¹³ Joint of	r Infill 14 Co	onsolidation (Code ¹⁵ Or	der No.						
	025-38093 ode o. Section 17 Section	o. Section 17 Section Township	025-38098 ode o. Section Township Range 17 21S 32E 11 Bo Section Township Range	025-38098 ode o. YATE Section Township Range Lot Idn 17 21S 32E 11 Bottom Ho Section Township Range Lot Idn	025-38098 ode ⁵ Property N CAPER BFE F o. ⁶ Operator N YATES PETROLEUM 10 Surface 7 Section Township Range Lot Idn Feet from the 17 21S 32E 2310 11 Bottom Hole Location If Section Township Range Lot Idn Feet from the	025-38098 ode ⁵ Property Name CAPER BFE FEDERAL ⁶ Operator Name YATES PETROLEUM CORPORATION ¹⁰ Surface Location Section Township Range Lot Idn Feet from the North/South line 17 21S 32E 2310 NORTH ¹¹ Bottom Hole Location If Different From Section Township Range Lot Idn Feet from the North/South line	Wildcat Bon Wildcat Bon Section Township Range Lot Idn Feet from the North/South line Feet from the Section Township Range Lot Idn Feet from the North/South line Feet from the 11 Bottom Hole Location If Different From Surface Section Township Range Lot Idn Feet from the North/South line Feet from the Section Township Range Lot Idn Feet from the North/South line Feet from the Section Township Range Lot Idn Feet from the North/South line Feet from the	Wildcat Bone Spring Wildcat Bone Spring Section Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line 11 Bottom Hole Location If Different From Surface Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line		

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16				¹⁷ OPERATOR CERTIFICATION
				I hereby certify that the information contained herein is true and complete
				to the best of my knowledge and belief, and that this organization either
				owns a working interest or unleased mineral interest in the land including
				the proposed bottom hole location or has a right to drill this well at this
				location pursuant to a contract with an owner of such a mineral or working
				interest, or to a voluntary pooling agreement or a compulsory pooling
		 		order heretofore entered by the division
				Conten R. Man 7/19/07
			NM-94095	Signature Date
		3i0′		
		3		Clifton R. May Printed Name
				Regulatory Agent
			990'	Title
		 <u> </u>	470	10
				¹⁸ SURVEYOR CERTIFICATION
				I hereby certify that the well location shown on this
				plat was plotted from field notes of actual surveys
				made by me or under my supervision, and that the
				same is true and correct to the best of my belief.
		 		Date of Survey
				Signature and Seal of Professional Surveyor
				REFER TO ORIGINAL PLAT
				Cartificate New Low
				Certificate Number
	C. /14/			
	GWW			

DISTRICT I 1000 E. Presch Dr., Bobbs, IN 40040 DISTRICT II 011 South Pirot, Artenie, ISI 00010 ¹⁰ DISTRICT III 1000 No Branco Bd., Anton, INI 67410 DISTRICT IV 5040 South Pacheco, Santa Fo, NM 67005

•

Ì

State of New Mexico

Form C-102 Review March 17, 1999 Instruction on back Submit to Appropriate Matrict Office State Lease - 4 Copies For Lease - 3 Copies

OIL CONSERVATION DIVISION

P.O. Box 2088 Santa Fe, New Mexico 87504-2088

D AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

30.025	* 380	98		Peal Cod	le		WILDCAR &	2 Pool Homo	NG		
Property (3441	хна Ц	Property Name CAPER "BFE" FEDERAL							13		
025575	•	Operator Name YATES PETROLEUM CORPORATION						Eeve 3679	Boution 3679		
Surface Location											
UL er let No.	Section.	Township	Renge 32E	Let 14		en the	North/South Has	Feet from the 990	Bast/West Mas EAST	County LEA	
н	17	215			23		NORTH		EAST		
UL or lot No.	Section	1		Hole Ist M		If Diffe	Frent From Sur	face Feet from the	East/Vest line	County	
	abolanın.	Township	hange							COUNT	
Holicotat Acres					Grder No.					1	
NO ALLA							INTIL ALL INTER APPROVED BY		KEN CONSOLID	ATED	
				W.10 N.53 B.73	*28'46.7" 3*41'29.3" 18262.3 D-83)	3004	8 2 NA- 94095 3688 900'	I haven	ATORY AGA 19, 2006 DR CERTIFICAT what the well lose make by the st make by the st at that the same (s bast of any tak 3/09/2006 ad	May y EAT HON	
		-						Carried	FEDERAL LA	RLS 364	
) 330' 939'	995*	1660" 191	3 W		6' 1 986' 16	60'	200° 000' 230'	•			

7		×				
District 1 1625 N. French Dr., Hobbs, NM 88240 "District II		ate of New Mexico nerals and Natural Resources	Form C-14 March 12, 200			
1301 W. Grand Avenue, Artesia, NM 88210 District III			For drilling and product	-		
1000 Rio Brazos Road, Aztec, NM 87410		Conservation Division	For drilling and product appropriate NMOCD Dist	hict Office.		
• <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		South St. Francis Dr. inta Fe, NM 87505	For downstream facilities, submit to Santa Fe office			
Pit or B	elow-Gra	de Tank Registration or	Closure			
•	•	k covered by a "general plan"? Ye				
Т		egistration of a pit or below-grade tank 🛛]			
			······································			
perator: <u>Yates Petroleum Corporation</u> Telep		-1471 e-mail address: cliff	@ypenm.com	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
ddress: 105 South 4* Street, Artesia, New Mexico 88210	API #: 30.	D26-38098				
ounty: <u>Lea</u> Latitude <u>32.4796</u> Lon	Ignuice 105.0915	_NAD: 1927 [] 1985 [X] Surface Owne	r - redenal 🖾 State 🛄 Prival			
it Type: Drilling Z Production Disposal		Below-grade tank	· · · · · · · · · · ·			
Workover 🗋 Emergency 🛄		Volume:bbl Type of fluid:				
ined 🛛 Unlined 🔲		Construction material:				
iner type: Synthetic X Thickness <u>12</u> mil		Double-walled, with leak detection? Ye	s 🔲 If not, explain why not.			
lay [] Volume <u>28,000</u> bbl	•			-		
Santh to personal purchase formation 1 distances from 1 to the second second		Less than 50 feet	(20 points)	(20 points)		
bepth to ground water (vertical distance from bottom of pit to	o seasonal high	50 feet or more, but less than 100 feet	(10 points)			
ater elevation of ground water.)		100 feet or more	(0 points)			
Vellhead protection area: (Less than 200 feet from a private	domestic water	Yes	(20 points)	- <u>Annana - Interna - Interna - Interna</u>		
ource, or less than 1000 feet from all other water sources.)			(0 points)			
		Less than 200 feet	(20 points)	<u></u>		
Distance to surface water: (horizontal distance to all wetland	Distance to surface water: (horizontal distance to all wetlands, playas,					
rrigation canals, ditches, and perennial and ephemeral watero	courses.)	200 feet or more, but less than 1000 feet	(10 points)			
		Ranking Score (Total Points)	0 points			
If this is a pit closure: (1) attach a diagram of the facility s	howing the pit's	relationship to other equipment and tanks.	(2) Indicate disposal location:			
onsite i offsite I If offsite, name of facility						
date. (4) Groundwater encountered: No [] Yes [] If yes,			•			
diagram of sample locations and excavations.						
I hereby certify that the information above is true and con has been/will be constructed or closed according to NI	mplete to the best	of my knowledge and belief. I further co	ertify that the above-describe	d pit or below-grade tank		
	WILCON BRIGGIN	C. C. S. a. Bearer as beinart K3, or an (active	and and hauve OCD-approv			
Date: April 19.2006		00. J /	· R Ma			
Printed Name/Title Clifton R. May/Regulatory Agent/La	and Department	Signature	R. May			
Email: <u>cliff@ypcnm.com</u>		•	/			
Your certification and NMOCD approval of this application otherwise endanger public health or the environment. No regulations.	or does it relieve	not relieve the operator of liability should the operator of its responsibility for compli- the operator of its responsibility for compli-	the contents of the pit or tank c ance with any other federal, st	ontaminate ground water of ate, or local laws and/or		
Approval: AUG 2 9 2006 Date: Printed Name/Title PETROLEUM E			· · · · · · · · · · · · · · · · · · ·			
Date:	NGINEEH					
Printed Name/TitlePETROLEUW		Signature	Refer			
		10 million				
L		<i>V</i>	-			
-			• ··· •			
\subseteq	W/W/					

r

ير

,•

Ŷ