<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
1301 W. Grand Avenue, Artesia, NM 88210

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

District III 1000 Rio Brazos Road, Aztec, NM 87410

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe Office.

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

Is pit or below-grade tank covered by a "general plan"? Yes \(\square\) No \(\square\)		
Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☐		
Operator: Pride Energy Company Telephone: 918-524-9200 e-mail addres Address: P.O. Box 701950, Tulsa, OK 74170-1950	ss: <u>larrym@pride-energy.com</u>	1
Facility or well name: Paduca Delaware 16 State #4 API #: 30-025-37861_ U	/L or Qtr/Qtr E Sec 16 T 25S	R 32E
County: Lea Latitude 32- 07' 58.2" Longitude 103- 41' 13.3" NAD: 1927		
Pit	Below-grade tank	
Type: Drilling ⊠ Production ☐ Disposal ☐	Volume: bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic ☑ Thickness 12mil Clay ☐	·	
Pit Volume bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water).	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No Less than 200 feet	(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.	200 feet or more, but less than 1000 feet	(20 points)
inigation canale, attended, and performal and opnomial vitales as	1000 feet or more	(0 points)
If the internal control of the state of the facility observing the pittle rate	Ranking Score (Total Points)	dianosal location: (check
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite of facility.		
remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface		
ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
(a) silver		
All fluids will be removed from the pit. Burial pit will be constructed adjacent to the drilling pit. Burial pit will be lined with a 12 mllinger.		
Impacted material will be placed in the burial pit, totally encapsulated and capped with a 20 ml liner covered by 3 feet of topsoil to grade.		
		62827 F. 00 C. C.
I hereby certify that the information above is true and complete to the best of my below-grade tank has been / will be constructed or closed according to NN approved plan	Signature Mathu_ A	(attached) alternative OCD-
Your certification and NMOCD approval of this application / closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and / or regulations.		
Approval: Printed Name / Title	onature Columnature	Date 6. 79.07